

according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

Creati	on date	02nd May 2023		
Revisi	on date	-	Version	4.0
SECT!	ON 1: Identificati	on of the substance/mixtur	e and of the company/un	Idertaking
1.1.	Product identifie		AIR CON CLEANE	-
	Substance / mixtu	ire	mixture	
	Number		R 34148	
	UFI		VSJ1-C3AC-A009	-AVCH
1.2.	Relevant identif	ied uses of the substance o	r mixture and uses advise	ed against
	Mixture's intend	ed use		
	Cleaning agent.			
	Mixture uses ad	vised against		
	For professional u	se only.		
1.3.	Details of the su	pplier of the safety data sh	eet	
	Supplier			
	Name or tra	de name	RETECH, s.r.o.	
	Address		Vackova 1541/4,	Praha 5 - Stodůlky, 155 00
			Czech Republic	
	Identificatio	n number (CRN)	25018205	
	VAT Reg No		CZ25018205	
	Phone		+420327596428	
	E-mail		info@retech.cz	
	Web addres	S	www.retech.com	
	Competent pers	on responsible for the safet	y data sheet	
	Name		RETECH, s.r.o.	
	E-mail		info@retech.cz	
1.4.	Emergency telep	phone number		
	European emerge	ncy number: 112		

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Aerosol 1, H229, H222 Eye Irrit. 2, H319

Full text of all classifications and hazard statements is given in the section 16.

## Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated. **Most serious adverse effects on human health and the environment** Causes serious eye irritation.

### 2.2. Label elements





Signal word Danger

### **Hazard statements**

H222	
H229	
H319	

Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

	AIR CON CLEARER 150						
Creation date	02nd May 2023						
Revision date		Version	4.0				
Precautionar	y statements						
P210		heat, hot surfaces, sparks,	open flames and other ign	ition sources.			
	No smoking.						
0211	Do not onrov on a	on onon flomo or other ignit	ion cource				

P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.
<u> </u>	

# Supplemental information EUH208

Contains d-limonene. May produce an allergic reaction.

5-<15 % aliphatic hydrocarbons, <5 % phosphates, <5 % anionic surfactants, <5 % non-ionic surfactants, perfumes, Limonene

## 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1 Registration number: 01-2119457435-35	1-methoxy-2-propanol	2,5-<10	Flam. Liq. 3, H226 STOT SE 3, H336	1
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane (containing < 0,1 % butadiene (203 -450-8))	2,5-<10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	1-<2,5	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 7320-34-5 EC: 230-785-7 Registration number: 01-2119489369-18	tetrapotassium-pyrophosphate	1-<2,5	Eye Irrit. 2, H319	
CAS: 9002-92-0 Registration number: 01-2119968561-30	LAURETH-8	1-<2,5	Eye Dam. 1, H318 Aquatic Acute 1, H400	
Index: 603-052-00-8 CAS: 5131-66-8 EC: 225-878-4 Registration number: 01-2119475527-28	3-butoxypropan-2-ol	0,1-<1	Skin Irrit. 2, H315 Eye Irrit. 2, H319	



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

		ANEK 150		
Creation date Revision date	02nd May 2023	Version	4.0	
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1336-21-6 EC: 215-647-6 Registration number: 01-2119488876-14	ammonia	0,1-<0,25	Skin Corr. 1B, H314 Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3, H335: $C \ge 5 \%$	
CAS: 5989-27-5 EC: 227-813-5 Registration number: 01-2119529223-47	d-limonene	0,1-<0,25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

#### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

## If inhaled

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

### If on skin

Generally the product does not irritate the skin.

## If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

## If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment.

# 4.2. Most important symptoms and effects, both acute and delayed

If inhaled

not available If on skin

not available

If in eyes

Causes serious eye irritation.

If swallowed

#### not available

**4.3.** Indication of any immediate medical attention and special treatment needed not available

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media Suitable extinguishing media Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media Water - full jet.
  5.2. Special hazards arising from the substance or mixture
- 5.2. Special hazards arising from the substance or mixture not available

# 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

Creation date Revision date 02nd May 2023

Version

4.0

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away.

# 6.2. Environmental precautions

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

#### 6.3. Methods and material for containment and cleaning up

Provide sufficient ventilation. Do not flush with water or aqueous cleansing agents.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

# 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### **Commission Directive 2000/39/EC European Union** Substance name (component) Value Note Type 375 mg/m<sup>3</sup> OEL 8 hours OEL 8 hours 100 ppm **OEL 15** 1-methoxy-2-propanol (CAS: 107-98-2) Skin 568 mg/m<sup>3</sup> minutes **OEL 15** 150 ppm minutes

#### DNEL

#### 1-methoxy-2-propanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	553.5 mg/m <sup>3</sup>	Acute effects local		
Workers	Inhalation	369 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Dermal	50.6 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	18.1 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	43.9 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	3.3 mg/kg bw/day	Chronic effects systemic		



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

Creation date Revision date 02nd May 2023

Version

4.0

#### PNEC

1-methoxy-2-propanol

Route of exposure	Value	Value determination	Source
Freshwater environment	10 mg/l		
Freshwater sediment	41.6 mg/kg		
Soil (agricultural)	2.47 µg/kg		

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

# Eye/face protection

Tightly sealed goggles.

# Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material:  $\geq$  0.5 mm. Penetration time of glove material: > 480 min. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Filter ABEK/P2.

Thermal hazard

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

•	information on basic physical and chemical proper	ties
	Physical state	liquid
	Colour	white
	Odour	characteristic
	Melting point/freezing point	data not available
	Boiling point or initial boiling point and boiling range	100 °C
	Flammability	Extremely flammable aerosol.
	Lower and upper explosion limit	
	bottom	1,5 %
	upper	20,0 %
	Flash point	-60 °C
	Auto-ignition temperature	data not available
	Decomposition temperature	data not available
	рН	10 (-% solution)
	Kinematic viscosity	data not available
	Solubility in water	insoluble
	Solubility in fats	data not available
	Partition coefficient n-octanol/water (log value)	data not available
	Vapour pressure	23 hPa at 20 °C
	Density and/or relative density	
	Density	0,97 g/cm <sup>3</sup> at 20 °C
	Relative vapour density	data not available
	Particle characteristics	data not available
	data not available	
•	Other information	
	Evaporation rate	data not available
	Appearance	spray
	Ignition temperature	365 °C
	Explosive properties	The product does not have explosive properties but can be explosive when blended with air.

9.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# AIR CON CLEANER 150

Creation date	02nd May 2023			
Revision date		Version	4.0	
Content o	f organic solvents (VOC)	10,4 %		
Solid cont	ent (dry matter)	1,0 % % volume		
Max. VOC condition	content in the product in its ready to use	100,5 g/l		
Product is Water: 84	not selfigniting. .,1 %			

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** not available

# 10.2. Chemical stability

- The product is stable under normal conditions. **10.3. Possibility of hazardous reactions** Unknown.
- **10.4.** Conditions to avoid not available
- 10.5. Incompatible materials
- not available
- **10.6. Hazardous decomposition products** Unknown.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture. Acute toxicity

Based on available data the classification criteria are not met.

## 1-methoxy-2-propanol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD 50	4016 mg/kg		Rat	
Dermal	LD 50	>2000 mg/kg		Rat	
Inhalation	LC50	28.8 mg/l	4 hours	Rat	
Inhalation	LC50	27596 mg/m <sup>3</sup>	6 hours	Rat	

# LAURETH-8

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD 50	8600 mg/kg		Rat	

## Skin corrosion/irritation

Based on available data the classification criteria are not met.

# Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met. **Carcinogenicity** 

Based on available data the classification criteria are not met. **Reproductive toxicity** 

Based on available data the classification criteria are not met. **Toxicity for specific target organ - single exposure** Based on available data the classification criteria are not met. **Toxicity for specific target organ - repeated exposure** 

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

Creation date Revision date

Version

4.0

## Aspiration hazard

Based on available data the classification criteria are not met.

02nd May 2023

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Acute toxicity 1-methoxy-2-pror

-methoxy-2-propanol
---------------------

Parameter	Value	Exposure time	Species	Environment
LC50	6812 mg/l	96 hours	Fish (Leuciscus idus)	
EC₅o	23300 mg/l	48 hours	Daphnia (Daphnia magna)	
tetrapotassium-pyrophosphate				

Parameter	Value	Exposure time	Species	Environment
LC50	>750 mg/l		Fish (Golden Orfe)	
LC50	>750 mg/l	48 hours	Fish (Leuciscus idus)	

# 12.2. Persistence and degradability

# Not available.

# 12.3. Bioaccumulative potential

Not available.

# 12.4. Mobility in soil

Not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## **12.6.** Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

General notes: Water hazard class 1 (german Regulation, self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

### **13.1.** Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

16 03 05 organic wastes containing hazardous substances \*

#### Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### **SECTION 14: Transport information**

### 14.1. UN number or ID number

UN 1950



according to Regulation (EC) No 1907/2006 (REACH) as amended

QUALITY FOR PROFESSIONALS according to Regulation (EC) No 1907/2006 (REACH) as amended					
	A	IR CON CLEANER 150			
Creatio	on date 02nd May 2023	3			
Revisio	on date	Version	4.0		
14.2.	UN proper shipping name AEROSOLS				
14.3.	Transport hazard class(es)				
	2 Gases				
14.4.	Packing group				
	not relevant				
14.5.	Environmental hazards				
	No				
14.6.	Special precautions for user				
	Reference in the Sections 4 to 8.				
14.7.	Maritime transport in bulk accordi	ng to IMO instruments			
	not relevant Additional information				
		of 1 litre: Segregation as for class 9. S bacity above 1 litre: Segregation as for	tow "separated from" class 1 except for the appropriate subdivision of class 2.		
	Road transport - ADR Limited quantities Excepted quantities Transport category Tunnel restriction code Railway transport - RID	1 L E0 2 (D)			
	Excepted quantities	EO			
	Marine transport - IMDG				
	EmS (emergency plan)	F-D, S-U			

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

A list of standard r	isk phrases used in the safety data sheet
H220	Extromoly flammable gas

HZZU	Extremely harnmable gas.
H222	Extremely flammable aerosol.

RETECH QUALITY FOR PROFESSIONALS

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

Creation dat	e 02nd M	lay 2023		
Revision dat			Version	4.0
	-	<b>E</b> I <b>I I I I I</b>		
H220		Flammable liquid and va	•	
H229		Pressurised container: M	•	
H280		Contains gas under pres		
H314		Causes severe skin burn	s and eye damage.	
H31		Causes skin irritation.		
H317		May cause an allergic sk		
H318	3	Causes serious eye dama	-	
H319		Causes serious eye irrita		
H33	5	May cause respiratory in	ritation.	
H336	5	May cause drowsiness or	dizziness.	
H400	)	Very toxic to aquatic life		
H410	)	Very toxic to aquatic life	with long lasting ef	ffects.
Guid	lelines for safe handling	g used in the safety data	a sheet	
P210	)	Keep away from heat, ho No smoking.	ot surfaces, sparks,	open flames and other ignition sources.
P211		Do not spray on an open	flame or other igni	ition source.
P251	_	Do not pierce or burn, e	ven after use.	
P260	)	Do not breathe spray.		
P280	)	Wear eye protection/face	e protection.	
P305	5+P351+P338	IF IN EYES: Rinse cautio lenses, if present and ea	,	several minutes. Remove contact rinsing.
P337	′+P313	If eye irritation persists:		-
	)+P412			peratures exceeding 50 °C/122 °F.
A lis	t of additional standard	I phrases used in the sa		<b>,</b>
EUH		Contains d-limonene. Ma		lic reaction.
		n about human health p		,
The	product must not be - un	ess specifically approved l	by the manufacture	r/importer - used for purposes other than alth protection regulations.
Key	to abbreviations and a	cronyms used in the safe	ety data sheet	
ADR		European agreement cor road	ncerning the interna	ational carriage of dangerous goods by
BCF		Bioconcentration Factor		
CAS		Chemical Abstracts Serv	ice	
CLP		Regulation (EC) No 1272 substance and mixtures	2/2008 on classificat	tion, labelling and packaging of
EC		Identification code for ea	ch substance listed	I in EINECS
EC₅o		Concentration of a subst	ance when it is affe	cted 50% of the population
EINE	CS	European Inventory of E	xisting Commercial	Chemical Substances
EmS		Emergency plan	5	
EU		European Union		
EuPC	S	European Product Catego	orisation System	
IATA		International Air Transpo		
IBC		International Code For T Dangerous Chemicals	he Construction And	d Equipment of Ships Carrying
ICAC	)	International Civil Aviation	on Organization	
IMD	Ē	International Maritime D	-	
IMO		International Maritime O	-	
INCI		International Nomenclat	5	redients
ISO		International Organization	-	
IUPA	C	International Union of Pu		
LC50				n it can be expected death of 50% of the
LDsc			ce in which it can b	e expected death of 50% of the
log k	low	Octanol-water partition of	coefficient	
OEL		Occupational Exposure L		

QUALITY FOR PROFESSIONALS

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

# **AIR CON CLEANER 150**

AIR CON CLEANER 150			
Creation date	02nd May 2023		
Revision date	Version 4.0		
PBT	Persistent, Bioaccumulative and Toxic		
ppm	Parts per million		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Agreement on the transport of dangerous goods by rail		
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations		
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials		
VOC	Volatile organic compounds		
vPvB	Very Persistent and very Bioaccumulative		
Aerosol	Aerosol		
Aquatic Acute	Hazardous to the aquatic environment		
Aquatic Chronic	Hazardous to the aquatic environment (chronic)		
Eye Dam.	Serious eye damage		
Flam. Gas	Flammable gas		
Flam. Liq.	Flammable liquid		
Press. Gas	Gases under pressure		
Skin Corr.	Skin corrosion		
Skin Sens.	Skin sensitization		
STOT SE	Specific target organ toxicity - single exposure		
Training guidelin	S		
Inform the personr	al about the recommended ways of use mandatory protective equipment first aid and prob		

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use** 

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 24 April 2020. Changes were made in sections 1, 2, 11, 12, 13, 15 and 16.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.