

AIR CON RAPID

Creation date	25th April 2022	Version	4.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture
Number
UFI
- AIR CON RAPID
mixture
1 35004
17XK-KV1D-830K-EU0Y
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Active deodorizing spray.
Mixture uses advised against
For professional use only.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name
Address

Identification number (CRN)
VAT Reg No
Phone
E-mail
Web address
- RETECH, s.r.o.
Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
25018205
CZ25018205
+420327596428
info@retech.cz
www.retech.com
- Competent person responsible for the safety data sheet**
Name
E-mail
- RETECH, s.r.o.
info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H222, H229
Skin Sens. 1B, H317
Eye Dam. 1, H318
STOT SE 3, H336
Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Causes serious eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**
Hazard pictogram



Signal word
Danger

AIR CON RAPID

Creation date

25th April 2022

Revision date

Version

4.0

Hazardous substances

 propan-2-ol
 Camphor
 Eucalyptol
 Limonene
 L-Mentanone

Hazard statements

 H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P261 Avoid breathing spray.
 P271 Use only outdoors or in a well-ventilated area.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-004-00-0 CAS: 75-28-5 EC: 200-857-2	butane (containing < 0,1 % butadiene (203-450-8))	55-65	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	10-80	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	15-25	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	
CAS: 76-22-2 EC: 200-945-0 Registration number: 01-2119966156-31	Camphor	1-8	Flam. Sol. 2, H228 Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 (lungs) (inhalation)	
CAS: 470-82-6 EC: 207-431-5 Registration number: 01-2119967772-24	Eucalyptol	1-6	Flam. Liq. 3, H226 Skin Sens. 1B, H317	

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

AIR CON RAPID

Creation date

25th April 2022

Revision date

Version

4.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 2216-51-5 EC: 218-690-9 Registration number: 01-2119458866-21	L-menthol	0,5-4,0	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Index: 601-029-00-2 CAS: 5989-27-5 EC: 227-813-5	Limonene	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
CAS: 14073-97-3 EC: 237-926-1	L-Mentanone	<1	Skin Irrit. 2, H315 Skin Sens. 1B, H317	
CAS: 99-85-4 EC: 202-794-6	gamma-Terpinene	<1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 3, H412	
CAS: 99-87-6 EC: 202-796-7 Registration number: 01-2120807345-59	p-cymene	<1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. Take off contaminated clothing. And wash it before reuse. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards. In the event of unconsciousness, do not provide food by mouth.

If inhaled

Transfer the affected person to the fresh air and ensure calm environment for body and mind. Protect the person against growing cold. In the event of issues, find medical advice.

If on skin

Remove contaminated clothes. Immediately wash with water and soap and rinse thoroughly.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 15 minutes. In the event of issues, find medical advice.

If swallowed

Unlikely. Keep the affected person warm and at rest. Rinse out the mouth with clean water. Do not provide anything by mouth if the person is unconscious or if having cramps. DO NOT INDUCE VOMITING! Provide medical treatment. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

May cause respiratory irritation. May cause drowsiness or dizziness.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Symptoms of poisoning may manifest after many hours, medical supervision is necessary for 48 hours after the accident.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate medical attention is not required under normal use conditions. Symptomatic treatment.

AIR CON RAPID

Creation date	25th April 2022	Version	4.0
Revision date			

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The mixture is flammable. Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

The mixture is flammable. In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Pressurised container: May burst if heated.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Move containers from fire area if safe to do. Closed containers with the product near the fire should be cooled with water. Dispose of contaminated extinguishing water and remains after the fire in accordance with the official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Prevent contact with skin and eyes. Do not inhale gases and vapours. Do not inhale aerosols. Use personal protective equipment for work. Remove all ignition sources. Use non-sparking tools. Vapors from gases are heavier than air. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Do not inhale gases and vapours. Do not inhale aerosols. Ensure good ventilation/exhaustion at the workplace. Use personal protective equipment for work. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Use non-sparking tools. Proceed according to the instructions for use - no special protective measures are required if they are observed. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Store in a dry place. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Take action to prevent static discharges. No smoking.

Content	Packaging type	Material of package
150 ml	aerosol can	FE

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Consumers	Oral	26 mg/kg bw/day	Systemic chronic effects		

AIR CON RAPID

Creation date

25th April 2022

Revision date

Version

4.0

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Consumers	Dermal	319 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	888 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	89 mg/m ³	Local chronic effects		
Workers	Inhalation	500 mg/m ³	Systemic chronic effects		

PNEC

propan-2-ol

Route of exposure	Value	Determining method	Source
Freshwater environment	140.9 mg/l		
Seawater	140.9 mg/l		
Freshwater sediment	552 mg/kg		
Sea sediments	552 mg/kg		
Soil (agricultural)	28 mg/kg		

8.2. Exposure controls

No special requirements. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Prevent contact with skin and eyes. Remove contaminated clothes. Store separately. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Do not rub or touch your eyes with dirty hands. Do not breathe mist. Do not inhale vapours. Pregnant women should avoid inhalation and skin contact.

Eye/face protection

Tightly sealed goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. EN ISO 374-1. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Material of gloves: Butyl rubber. Recommended thickness of the material: 0.7 mm. Penetration time of glove material: > 480 min. Material of gloves (in case of splashing risk): Nitrile rubber, NBR. Recommended thickness of the material: 0.4 mm. Penetration time of glove material: > 120 min. Observe other recommendations of the manufacturer. Other protection: protective workwear.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter AX. Use insulating breathing apparatus in case of an accident, fire or high concentration.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	colourless
Odour	according to fragrance
Melting point/freezing point	51-61 °C
Boiling point or initial boiling point and boiling range	-40--10 °C (hnací plyn)
Boiling point or initial boiling point and boiling range	82-83 °C (propan-2-ol)
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
bottom	1,1 % (hnací plyn)
upper	13 % (hnací plyn)
Flash point	-80 °C (hnací plyn)
Flash point	13 °C (propan-2-ol)
Auto-ignition temperature	data not available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

AIR CON RAPID

Creation date	25th April 2022	Version	4.0
Revision date			

Decomposition temperature	data not available
pH	non-polar/aprotic
Kinematic viscosity	data not available
Solubility in water	insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	<0,7 MPa
Density and/or relative density	
Density	0,6 g/cm ³
Form	aerosol
data not available	

9.2. Other information

Evaporation rate	data not available
Content of organic solvents (VOC)	1 kg/kg

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable and no degradation occurs under normal use. Pressurised container: May burst if heated.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Vapours mixed up with air can be explosive.

10.4. Conditions to avoid

Do not mix with any other chemicals. Do not spray on an open flame or other ignition source. Heat.

10.5. Incompatible materials

Vapours mixed up with air can be explosive.

10.6. Hazardous decomposition products

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Camphor

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	1310 mg/kg		Rat	

propan-2-ol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	5280 mg/kg		Rat	
Inhalation	LC ₅₀	72.6 mg/l		Rat	
Dermal	LD ₅₀	12800 mg/kg		Rabbit	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

AIR CON RAPID

Creation date

25th April 2022

Revision date

Version

4.0

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information
12.1. Toxicity
Acute toxicity

Harmful to aquatic life with long lasting effects.

propan-2-ol

Parameter	Value	Time of exposure	Species	Environment	Source
LC ₅₀	9640 mg/l	96 hour	Fishes (Pimephales promelas)		
LC ₅₀	13299 mg/l	48 hour	Daphnia (Daphnia magna)		
EC ₅₀	>1000 mg/l	72 hour	Algae (Desmodesmus subspicatus)		
EC 10	5175 mg/l	18 hour	Bacteria (Pseudomonas putida)		DIN 38412
EC ₅₀	>1000 mg/l		Bacteria	Activated sludge	

12.2. Persistence and degradability
Biodegradability

propan-2-ol

Parameter	Method	Value	Time of exposure	Environment	Result
	OECD 301E	95 %	21 day		Easily biodegradable
	OECD 303A	99.9 %			

Not available.

12.3. Bioaccumulative potential

propan-2-ol

Parameter	Value	Time of exposure	Species	Environment	Surrounding temperature [°C]
Log Kow	0.05				

Not available.

12.4. Mobility in soil

The product is soluble in water. Prevent contamination of the soil and entering surface or ground water.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Prevent contamination of the soil and entering surface or ground water.

SECTION 13: Disposal considerations

AIR CON RAPID

Creation date	25th April 2022	Version	4.0
Revision date			

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 04 gases in pressure containers (including halons) containing hazardous substances *

Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant


Additional information

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1+hazardous for the environment



Road transport - ADR

Transport category

2

Railway transport - RID

Marine transport - IMDG

EmS (emergency plan)

F-D, S-U

AIR CON RAPID

Creation date

25th April 2022

Revision date

Version

4.0

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

>=30 % aliphatic hydrocarbons, perfumes

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to lungs if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P261	Avoid breathing spray.
P271	Use only outdoors or in a well-ventilated area.
P302+P352	IF ON SKIN: Wash with plenty of water.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor

AIR CON RAPID

Creation date	25th April 2022	Version	4.0
Revision date			

CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
ES	Identification code for each substance listed in EINECS
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aerosol	Aerosol
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
Press. Gas	Gases under pressure
Repr.	Reproductive toxicity
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

AIR CON RAPID

Creation date	25th April 2022	Version	4.0
Revision date			

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 13 October 2021. Changes were made in sections 2, 3, 8, 9, 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.