

Date of issue: 20.07.2004	Trade name:	Page: 1/4
Reviewed on: 07.03.2008	BELT REPAIR SYSTEM	

1. Identification of substance, company:		
1.1.	Identification of substance: BELT REPAIR SYSTEM - R 34578	
1.2.	Application of the substance/the preparation: Two-part mass for repairs to damaged belts, conveyor belts and other rubber surfaces	
1.3.	Identification of manufacturer/Supplier: RETECH, s.r.o. Vackova 1541/4 150 00 Praha-5 Stodůlky Telephone/Fax: +420 327 596 128, +420 596 428 Information: hana.mekotova@retech.cz	
1.4.	Telephone number for RETECH Suchdol 212, Suchdol u Kutné Hory extraordinary situations: Tel.+420 327 596 128 (7.30-16.00 hour) Toxicology information number, Na bojišti 1, 128 08 PRAHA 2 Tel. +420 224 919 293, +420 224 915 402 (24 hours a day)	
2. Hazard identification:		
2.1.	Hazard designation: The product does not have to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.	
2.2.	Information pertaining to particular dangers for man and environment: Product is not dangerous for man and environment.	
2.3.	Additional information: -	
3. Composition/information on ingredients:		
3.1.	Description: Thermoplastic polyamide resin.	
3.2.	Dangerous components: Does not contain any hazardous substance.	
4. First aid measures:		
4.1.	After inhalation: Supply fresh air; consult doctor in case of symptoms.	
4.2.	After skin contact: Wash with soap/cleanser and rinse with plenty of water. If symptoms persist, consult doctor.	
4.3.	After eye contact: Immediately irrigate with water for at least 15 minutes. If symptoms persist, consult doctor.	
4.4.	After swallowing: Do not induce vomiting. Drink plenty of water. Call for medical help immediately.	
4.5.	General information: -	
5. Fire fighting measures:		
5.1.	Suitable extinguishing agents: Dry powder, carbon dioxide, foam.	
5.2.	For safety reasons unsuitable extinguishing agents: Direct water jets.	
5.3.	Protective equipment: Wear protecting clothes and oxygen-mask; fight the fire from a protected place.	
5.4.	Special hazards caused by the material, its products of combustion or resulting gases: In case of fire carbon and nitrous oxides may be produced.	
6. Accidental release measures:		
6.1.	Person-related safety precautions: Wear protective equipment see item 8.2. Avoid skin and eye contact. Avoid inhalation of vapor in case of fire. Keep unprotected person away. Ensure good ventilation.	
6.2.	Measures for environmental protection: No special measures required.	

Date of issue: 20.07.2004	Trade name:	Page: 3/4
Reviewed on: 07.03.2008	BELT REPAIR SYSTEM	

11.2.	Primary irritant effect: on the skin: on the eye: Sensitization: Additional toxicological information:	Repeated contact may cause irritation. May cause eye irritation. No sensitizing effect known -
12.	Ecological information: No data available.	
13.	Disposal considerations:	
13.1.	Product:	Dispose in safe manner in accordance with local/national regulation.
13.2.	Uncleaned packagings:	Disposal must be made according to official regulations.
14.	Transport information:	
14.1.	Land transport: ADR/RID-GGVS:	Not classified -
14.2.	Maritime transport: IMDG-class:	Not classified -
14.3.	Air transport: ICAO / IATA -class:	Not classified -
15.	Regulatory information:	
15.1.	Labelling according to law line: The product has been labeled in accordance with EC Directives / relevant national laws. Danger of determining components and mark to labelling: Void Labelling hazardousness: Product is not classified as a hazardous. Numbers and word reading associated hazard R-sentences : Void Numbers and word reading associated security S-sentences: Void	
15.2.	Used legislation: European Regulation (EC) No 1907/2006 - REACH Regulation (EC) No 648/2004 of the European Parliament and of the council of 31 March 2004 on detergents	
16.	Other information: These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. <u>Relative R-phrases:</u> Void	