

**BLACK GLOSS SPRAY**

Creation date	22nd September 2022	Version	4.0
Revision date			

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier** BLACK GLOSS SPRAY  
Substance / mixture mixture  
Number 1 35157  
UFI PU92-PD8M-000Y-K4Y7

**1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**

Varnish.

**The use descriptors**

PROC 7 Industrial spraying  
PROC 11 Non industrial spraying

**Mixture uses advised against**

For professional use only.

**1.3. Details of the supplier of the safety data sheet**

**Supplier**

Name or trade name	RETECH, s.r.o.
Address	Vackova 1541/4, Praha 5 - Stodůlky, 155 00 Czech Republic
Identification number (CRN)	25018205
VAT Reg No	CZ25018205
Phone	+420327596428
E-mail	info@retech.cz
Web address	www.retech.com

**Competent person responsible for the safety data sheet**

Name	RETECH, s.r.o.
E-mail	info@retech.cz

**1.4. Emergency telephone number**

European emergency number: 112

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Eye Irrit. 2, H319  
STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

Causes serious eye irritation. May cause drowsiness or dizziness.

**2.2. Label elements**

**Hazard pictogram****Signal word**

Danger

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## BLACK GLOSS SPRAY

Creation date 22nd September 2022  
Revision date Version 4.0

### Hazardous substances

acetone  
n-butyl acetate  
2-methoxy-1-methylethyl acetate

### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P260 Do not breathe spray.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P501 Dispose of contents/container in accordance with national regulations.

### Supplemental information

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.  
EUH066 Repeated exposure may cause skin dryness or cracking.  
Density 0,7 g/cm<sup>3</sup> at 20 °C  
VOC 92,4 %  
Dry matter 6,9 % volume  
VOC limit value cat. B (e) : 840 g/l  
Max. VOC content in the product in its ready to use condition 683,6 g/l

### 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Buildup of explosive mixtures possible without sufficient ventilation.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2 Registration number: 01-2119471330-49	acetone	25-<50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	4
Index: 603-019-00-8 CAS: 115-10-6 EC: 204-065-8 Registration number: 01-2119472128-37	dimethyl ether	20-<25	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	4
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane	5-<10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	5-<10	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**BLACK GLOSS SPRAY**

Creation date

22nd September 2022

Revision date

Version

4.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1 Registration number: 01-2119485493-29	n-butyl acetate	5-<10	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066	
Index: 607-195-00-7 CAS: 108-65-6 EC: 203-603-9 Registration number: 01-2119475791-29	2-methoxy-1-methylethyl acetate	5-<10	Flam. Liq. 3, H226 STOT SE 3, H336	4
CAS: 9004-70-0 EC: 618-392-2	Nitrocellulose (<12,6 % N)	2,5-<5,0	Flam. Sol. 1, H228	
Index: 601-004-00-0 CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27	isobutane	2,5-<5,0	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5 Registration number: 01-2119489379-17	titanium dioxide	<2,5	Carc. 2, H351 (inhalation)	1, 2, 3

**Notes**

- Note V: If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
- Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

- Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.
- Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Terminate the exposure immediately; move the affected person to fresh air. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

**If on skin**

Generally the product does not irritate the skin.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**If swallowed**

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment.

**BLACK GLOSS SPRAY**

Creation date

22nd September 2022

Revision date

Version

4.0

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

May cause drowsiness or dizziness.

**If on skin**

not available

**If in eyes**

Causes serious eye irritation.

**If swallowed**

not available

**4.3. Indication of any immediate medical attention and special treatment needed**

not available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, powder, water spray jet. Fight larger fires with water spray or alcohol resistant foam. Accommodate extinguishing components to the location of fire.

**Unsuitable extinguishing media**

not available

**5.2. Special hazards arising from the substance or mixture**

In the event of fire toxic gases may arise.

**5.3. Advice for firefighters**

Do not inhale gases and vapours. Use a self-contained breathing apparatus and full-body protective clothing.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Keep unprotected persons away.

**6.2. Environmental precautions**

Do not allow product to reach sewage system or any water course.

**6.3. Methods and material for containment and cleaning up**

Provide sufficient ventilation. Dispose of the collected material according to the instructions in the section 13.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Ensure good interior ventilation, especially at floor level (Fumes are heavier than air). Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union****Commission Directive 2000/39/EC**

Substance name (component)	Type	Value	Note
dimethyl ether (CAS: 115-10-6)	OEL 8 hours	1920 mg/m <sup>3</sup>	
	OEL 8 hours	1000 ppm	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## BLACK GLOSS SPRAY

Creation date  
Revision date

22nd September 2022

Version

4.0

### European Union

### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
2-methoxy-1-methylethyl acetate (CAS: 108-65-6)	OEL 8 hours	275 mg/m <sup>3</sup>	Skin
	OEL 8 hours	50 ppm	
	OEL 15 minutes	550 mg/m <sup>3</sup>	
	OEL 15 minutes	100 ppm	

### European Union

### EU limits

Substance name (component)	Type	Value	Note
acetone (CAS: 67-64-1)	OEL 8 hours	1210 mg/m <sup>3</sup>	
	OEL 8 hours	500 ppm	

## 8.2. Exposure controls

Do not store together with food, drink and animal feed. Do not eat, drink, smoke and sniff during work. Take off contaminated clothing. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Do not inhale gases and vapours. Do not inhale aerosols. Prevent contact with skin and eyes.

### Eye/face protection

Tightly sealed goggles.

### Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves: Butyl rubber. Recommended thickness of the material: 0.4 mm. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear

### Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self contained respiratory protective device. Filter A2/P3.

### Thermal hazard

Not available.

### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	black
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
bottom	1,2 %
upper	26,2 %
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	almost insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	4000 hPa at 20 °C
Density and/or relative density	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## BLACK GLOSS SPRAY

Creation date 22nd September 2022  
Revision date Version 4.0

Density 0,7 g/cm<sup>3</sup> at 20 °C  
Form aerosol dispenser: spray aerosol  
data not available

### 9.2. Other information

Evaporation rate data not available  
Ignition temperature 240 °C  
Content of organic solvents (VOC) 92,4 %  
Solid content (dry matter) 6,9 % volume  
VOC limit value cat. B (e) : 840 g/l  
Max. VOC content in the product in its ready to use condition 683,6 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

not available

### 10.5. Incompatible materials

not available

### 10.6. Hazardous decomposition products

Unknown.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

2-methoxy-1-methylethyl acetate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		8530 mg/kg		Rat	
Dermal	LD <sub>50</sub>		>5000 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>		>10000 mg/m <sup>3</sup>	4 hour	Rat	

acetone

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>		5800 mg/kg		Rat	
Dermal	LD <sub>50</sub>		>15800 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>		76 mg/l	4 hour	Rat	

n-butyl acetate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	10800 mg/kg		Rat	
Dermal	LD <sub>50</sub>		>17600 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>		>21 mg/m <sup>3</sup>	4 hour	Rat	

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## BLACK GLOSS SPRAY

Creation date 22nd September 2022  
Revision date Version 4.0

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

2-methoxy-1-methylethyl acetate

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	>500 mg/l	48 hour	Daphnia (Daphnia magna)	
LC <sub>50</sub>	100-180 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	

acetone

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	8300 mg/l	96 hour	Fishes	
EC <sub>50</sub>	7200 mg/l	96 hour	Algae	
LC <sub>50</sub>	8450 mg/l	48 hour	Crustaceans	

dimethyl ether

Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	155 mg/l	96 hour	Algae	
LC <sub>50</sub>	>4000 mg/l	48 hour	Daphnia (Daphnia magna)	
LC <sub>50</sub>	>4000 mg/l	96 hour	Fishes	

### 12.2. Persistence and degradability

Not available.

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation, self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## BLACK GLOSS SPRAY

Creation date	22nd September 2022	Version	4.0
Revision date			

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

08 01 11 waste paint and varnish containing organic solvents or other hazardous substances \*

#### Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 1950

### 14.2. UN proper shipping name

AEROSOLS

### 14.3. Transport hazard class(es)

2 Gases

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

No

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### Additional information


Stowage Code: SW1 Protected from sources of heat. SW2 Clear of living quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



#### Road transport - ADR

Limited quantities

1L

Excepted quantities

E0

Transport category

2

Tunnel restriction code

(D)

#### Railway transport - RID

#### Marine transport - IMDG

EmS (emergency plan)

F-D, S-U



**BLACK GLOSS SPRAY**

Creation date

22nd September 2022

Revision date

Version

4.0

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. Product contains reportable explosives precursors: Reporting of suspicious transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9.

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer if inhaled.

**Guidelines for safe handling used in the safety data sheet**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

**A list of additional standard phrases used in the safety data sheet**

EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
ES	Identification code for each substance listed in EINECS
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## BLACK GLOSS SPRAY

Creation date	22nd September 2022	Version	4.0
Revision date			

IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Aerosol
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 04 August 2020. Changes were made in sections 11, 12, 13, 15 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.