

according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

L.1. Product identifier BLOW JET
Substance / mixture mixture
Number R 92055

UFI NCX6-6863-F00H-429F

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Mixture's intended use

Cleaning agent. For professional use only.

### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

### 1.3. Details of the supplier of the safety data sheet

**Supplier** 

Name or trade name RETECH, s.r.o.

Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00

Czech Republic

Identification number (CRN)25018205VAT Reg. No.CZ25018205Phone+420327596428E-mailinfo@retech.czWeb addresswww.retech.com

Competent person responsible for the safety data sheet

Name RETECH, s.r.o. E-mail info@retech.cz

# 1.4. Emergency telephone number

European emergency number: 112

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H222, H229

# Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

### 2.2. Label elements

## Hazard pictogram



# Signal word

Danger

# **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing gas.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403 Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
P501 Dispose of contents/container to in accordance with national regulations.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	3	Note
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane	50-<75	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	1, 2
CAS: 74-98-6 propane EC: 200-827-9 Registration number: 01-2119486944-21		25-<50	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	2

### Notes

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)

Press. Gas (Liq.)

Press. Gas (Ref. Liq.)

Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

## If inhaled

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

### If on skin

Generally the product does not irritate the skin.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

# If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

### If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

not available

#### If on skin

not available

### If in eyes

not available

### If swallowed

not available

## 4.3. Indication of any immediate medical attention and special treatment needed

not available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

# Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

not available

# 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. Use personal protective equipment for work. Keep unprotected persons away.

### 6.2. Environmental precautions

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

### 6.3. Methods and material for containment and cleaning up

Provide sufficient ventilation. Do not flush with water or aqueous cleansing agents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Use personal protective equipment as per Section 8. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Pressurised container: May burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not expose to temperatures exceeding 50 °C. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Take precautionary measures against static discharge.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

Content	Packaging type	Material of package
300 ml	aerosol can	FE

Storage class

2B - Aerosol dispensers and lighters

### 7.3. Specific end use(s)

not available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection



Tightly sealed goggles. EN ISO 16321-1 - Eye and face protection for occupational use.

### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer.

Other protection: protective workwear.

Nitrile (NBR) 0.5 mm >480 min 6 Long-term, Short-term	Glove material	Thickness	Breakthrough time	Class	Exposure time
	Nitrile (NBR)	0.5 mm	>480 min	6	Long-term, Short-term

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter AX/P2.

## Thermal hazard

Not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state gas
Colour colourless
Odour without fragrance
Melting point/freezing point data not available

Boiling point or initial boiling point and boiling range -44.5 °C

Flammability Extremely flammable aerosol.

Lower and upper explosion limit

bottom 1.5 % upper 10.9 % Flash point  $-97 \degree C$ 

Auto-ignition temperature data not available Decomposition temperature data not available

oH ga

Kinematic viscosity data not available Solubility in water data not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

Solubility in fats data not available Partition coefficient n-octanol/water (log value) data not available

Vapour pressure 8300 hPa, 6.5 Bar at 20 °C

Density and/or relative density

Density 0.55 g/cm³ at 20 °C Relative vapour density data not available Particle characteristics data not available

Form aerosol dispenser: spray aerosol

data not available

9.2. Other information

Evaporation rate non-applicable Ignition temperature 365 °C Content of organic solvents (VOC) 100 %

# **SECTION 10: Stability and reactivity**

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Unknown.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

# **Acute toxicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Serious eye damage/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

# Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

### Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

#### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

# 11.2. Information on other hazards

### **Endocrine disrupting properties**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

### Other information

not available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## 12.2. Persistence and degradability

No data are available for either the mixture or the components.

## 12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

# 12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

### 12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

## 12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

### 12.7. Other adverse effects

General notes: Not regarded as dangerous for the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

# **Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### Waste type code

16 03 05\* organic wastes containing hazardous substances

## Packaging waste type code

15 01 11\* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

### **SECTION 14: Transport information**

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

**AEROSOLS** 

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

# **Additional information**

Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.

UN number

Classification code Safety signs 1950



### Road transport - ADR

Limited quantities 1L
Excepted quantities E0
Transport category 2
Tunnel restriction code (D)

Railway transport - RID

**Marine transport - IMDG** 

EmS (emergency plan) F-D, S-U



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

### More information

Directive 2012/18/EU of the European parliament and of the Council - ANNEX I - Hazard categories: P3a FLAMMABLE AEROSOLS.

Qualifying quantity (tonnes) of dangerous substances for the application - of lower-tier requirements: 150 (net). Qualifying quantity (tonnes) of dangerous substances for the application of - upper-tier requirements: 500 (net).

#### **SECTION 16: Other information**

# A list of standard risk phrases used in the safety data sheet

H220 Extremely flammable gas. H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

# Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing gas.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403 Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
P501 Dispose of contents/container to in accordance with national regulations.

# Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

# Key to abbreviations and acronyms used in the safety data sheet

ADR Agreement concerning the international carriage of dangerous goods by road

Aerosol Aerosol

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System

Flam. Gas Flammable gas



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **BLOW JET**

Creation date 22nd July 2025

Revision date Version 3.1

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million
Press. Gas Gases under pressure

Press. Gas (Comp.)

Press. Gas (Diss.)

Gas under pressure: compressed gas

Gas under pressure: dissolved gas

Press. Gas (Liq.)

Gas under pressure: liquefied gas

Press. Gas (Ref. Liq.) Gas under pressure: refrigerated liquefied gas

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN number Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

## **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

# Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

# The changes (which information has been added, deleted or modified)

The version 3.1 replaces the SDS version from Friday, 29 July 2022. Changes were made in sections 1, 2, 8, 11, 12, 13, 15 and 16.

### More information

Classification procedure - calculation method.

# Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.