

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture BRAKE CLEANER
Number 20L - R 34218/30L - 1 30013/5L - R 34219
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
mixture's intended use Cleaning agent. Degreasing agent.
Disapproved uses of mixture For professional use only.
- 1.3. Details of the supplier of the safety data sheet**
- Supplier**
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (ID) 25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Downstream user**
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (ID) 25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
National Health Service (NHS) 111
National poisoning information centre Scotland, NHS 24: 111
RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128
(7.30-16.00 hour)

SECTION 2: Hazards identification

- 2.1. Substance or mixture classification**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Flam. Liq. 2, H225
Asp. Tox. 1, H304
Skin Irrit. 2, H315
STOT SE 3, H336
Aquatic Chronic 2, H411

Full text of all classifications and H-phrases is given in the section 16.

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

2.2. Label elements**Hazard pictogram****Signal word**

Danger

Hazardous substances

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P243	Take action to prevent static discharges.
P260	Do not breathe vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P312	Call a POISON CENTER/doctor if you feel unwell.
P331	Do NOT induce vomiting.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to in accordance with national regulations.

Supplemental information

EUH 208 Contains (R) -p-mentha-1,8-diene. May produce an allergic reaction.
>=30 % aliphatic hydrocarbons, < 5 % perfumes (limonene)

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

BRAKE CLEANER

Creation date 07. November 2017
Revision date Version 1.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
EC: 927-510-4 Registration number: 01-2119475515-33	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	25-50	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
EC: 921-024-6 Registration number: 01-2119475514-35	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	25-50	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119475515-35	propan-2-ol	1,0-2,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
CAS: 5989-27-5 EC: 227-813-5	(R) -p-mentha-1,8-diene	0,1-1,0	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

Full text of all classifications and H-phrases is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

Inhalation

Transfer the affected person to the fresh air and ensure calm environment for body and mind. In the event of issues, find medical advice.

Skin contact

Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothes immediately.

Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

Ingestion

DO NOT INDUCE VOMITING! Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Unconsciousness, breathing problems, dizziness, cough, nausea.
Risk of pulmonary edema. Risk of pneumonia.

Skin contact

not available

Eye contact

not available

Ingestion

not available

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

4.3. Indication of any immediate medical attention and special treatment needed
If swallowed or in case of vomiting, danger of entering the lungs. Subsequent observation for pneumonia and pulmonary oedema.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media**
Suitable extinguishing media
Foam, carbon dioxide, powder.
Unsuitable extinguishing media
Water - full jet.
- 5.2. Special hazards arising from the substance or mixture**
Vapours mixed up with air can be explosive. In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.
- 5.3. Advice for firefighters**
Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Dispose of contaminated extinguishing water and remains after the fire in accordance with the official regulations.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures**
Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away. Remove all ignition sources.
- 6.2. Environmental precautions**
Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- 6.3. Methods and material for containment and cleaning up**
Provide sufficient ventilation. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.
- 6.4. Reference to other sections**
See the Section 7, 8 and 13.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace. Prevent contact with skin and eyes. Prevent formation of aerosols. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge.
- 7.2. Conditions for safe storage, including any incompatibilities**
Keep cool.
Storage class 3A - Flammable liquids (flash point below 55 °C)
The specific requirements or rules relating to the substance/mixture
Keep away from sources of heating, ignition and direct sunlight.
- 7.3. Specific end use(s)**
not available

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters**
The mixture contains substances for which occupational exposure limits are set.

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Type	Time of exposure	Value	Note	Source
propan-2-ol (CAS: 67-63-0)	WEL	8 hours	999 mg/m ³		GBR

BRAKE CLEANER

Creation date 07. November 2017

Revision date Version 1.0

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Type	Time of exposure	Value	Note	Source
propan-2-ol (CAS: 67-63-0)	WEL	15 minutes	1250 mg/m ³		GBR
	WEL	8 hours	400 ppm		
	WEL	15 minutes	500 ppm		

DNEL

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Workers / consumers	Route of exposure	Value	Effect	Determining the value of
Consumers	Oral	699 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	699 mg/kg bw/day	Systemic chronic effects	
Workers	Dermal	773 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	608 mg/m ³	Systemic chronic effects	
Workers	Inhalation	2035 mg/m ³	Systemic chronic effects	

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Workers / consumers	Route of exposure	Value	Effect	Determining the value of
Consumers	Oral	149 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	149 mg/kg bw/day	Systemic chronic effects	
Workers	Dermal	300 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	447 mg/m ³	Systemic chronic effects	
Workers	Inhalation	2085 mg/m ³	Systemic chronic effects	

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Determining the value of
Consumers	Oral	26 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	319 mg/kg bw/day	Systemic chronic effects	
Workers	Dermal	888 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	89 mg/m ³	Local chronic effects	
Workers	Inhalation	500 mg/kg	Systemic chronic effects	

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

8.2. Exposure controls

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Eye/face protection

Tightly sealed goggles.

Skin protection

Hand protection: protective gloves. The glove material must be impermeable and resistant against the product/substance/preparation. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material: ≥ 0.7 mm. Penetration time of glove material: ≥ 240 min. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Other protection: protective workwear.

Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter AX.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	liquid
Physical state	liquid at 20°C
color	colourless
Odour	Orange
Odour threshold	data not available
pH	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	80-110 °C
Flash point	<0 °C
Evaporation rate	data not available
Flammability (solid, gas)	Highly flammable liquid and vapour.
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	data not available
Vapour pressure	data not available
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	insoluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	data not available
Explosive properties	The product does not have explosive properties. Vapours mixed up with air can be explosive.
Oxidising properties	data not available

9.2. Other information

Density	0.710 g/cm ³ at 20 °C
ignition temperature	>200 °C
content of organic solvents (VOC)	99.9 %

BRAKE CLEANER

 Creation date 07. November 2017
 Revision date Version 1.0

Max. VOC content in the product in its ready to use condition 709.9 g/l

SECTION 10: Stability and reactivity
10.1. Reactivity

not available

10.2. Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

In the event of fire, carbon monoxide, carbon dioxide may arise. Aldehydes.

SECTION 11: Toxicological information
11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

(R) -p-mentha-1,8-diene

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	4400 mg/kg		Rat	
Dermal	LD ₅₀	>5000 mg/kg		Rabbit	

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	>5840 mg/kg		Rat	
Dermal	LD ₅₀	>2920 mg/kg		Rat	
Inhalation	LC ₅₀	<25.2 mg/l	4 hour	Rat	

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	>5840 mg/kg		Rat	
Dermal	LD ₅₀	>2920 mg/kg		Rat	
Inhalation	LC ₅₀	>23.3 mg/l	4 hour	Rat	

propan-2-ol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD ₅₀	5045 mg/kg		Rat	
Dermal	LD ₅₀	12800 mg/kg		Rabbit	
Inhalation	LC ₅₀	30 mg/l	4 hour	Rat	

Skin corrosion/irritation

Causes skin irritation.

BRAKE CLEANER

Creation date 07. November 2017
Revision date Version 1.0

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.

(R) -p-mentha-1,8-diene

Parameter	Value	Time of exposure	Species	Environment
EC ₅₀	0.67 mg/kg	48 hour	Invertebrates (Daphnia magna)	

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Parameter	Value	Time of exposure	Species	Environment
EC ₅₀	3 mg/l	48 hour	Invertebrates (Daphnia magna)	

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Parameter	Value	Time of exposure	Species	Environment
EC ₅₀	3 mg/l	48 hour	Invertebrates (Daphnia magna)	

12.2. Persistence and degradability

Not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Ecotoxicological effects: Additional ecological information: Toxic for fish
General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

Legislation of waste

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Code of type of waste

07 01 04 other organic solvents, washing liquids and mother liquors

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information**14.1. UN number**

UN 3295

14.2. UN proper shipping name

HYDROCARBONS, LIQUID, N.O.S. ((R) -p-mentha-1,8-diene; naphtha (petroleum), hydrotreated light)

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

Additional information

Hazard identification No.

UN number

Classification code

Safety signs

33 (Kemler Code)

3295

F1

3+hazardous for the environment



BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

Road transport ADR

Special provision	640D
Limited amount	1 L
Extracted amounts	E2
Transport category	2
Tunnel restriction code	(D/E)

Marine transport - IMDG

EmS (emergency plan)	F-E, S-D
Marine pollution	Yes

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. The Act No. 258/2000 Coll., on Protection of Public Health as amended. Decree No. 361/2007 Coll., determining conditions of occupational health protection as amended. Decree No. 415/2012 Coll., on the permissible level of pollution and its determination and implementation of certain other provisions of the Air Protection Act as amended. The Act No. 185/2001 Coll., on Waste and the Amendment of Some Other Acts as amended. The Act No. 201/2012 Coll., on the Protection of Atmosphere – Clean Air Act as amended. Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P243	Take action to prevent static discharges.
P260	Do not breathe vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P312	Call a POISON CENTER/doctor if you feel unwell.
P331	Do NOT induce vomiting.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to in accordance with national regulations.

A list of additional standard phrases used in the safety data sheet

EUH 208 Contains (R) -p-mentha-1,8-diene. May produce an allergic reaction.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail

BRAKE CLEANER

Creation date	07. November 2017	Version	1.0
Revision date			

UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.