

**EASY B-CLEAN SPRAY**

Creation date	02nd May 2023	Version	3.0
Revision date			

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier**  
Substance / mixture EASY B-CLEAN SPRAY  
Number mixture  
1 20512  
UFI VHRR-9AWV-F00D-3NXD
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Cleaning agent.  
**Mixture uses advised against**  
For professional use only.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (CRN) 25018205  
VAT Reg No CZ25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com
- Competent person responsible for the safety data sheet**  
Name RETECH, s.r.o.  
E-mail info@retech.cz
- 1.4. Emergency telephone number**  
European emergency number: 112

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.

Aerosol 1, H229, H222  
Asp. Tox. 1, H304  
Skin Irrit. 2, H315  
STOT SE 3, H336  
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Causes skin irritation. Toxic to aquatic life with long lasting effects.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Danger

**EASY B-CLEAN SPRAY**

Creation date	02nd May 2023	Version	3.0
Revision date			

**Hazardous substances**

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane  
 hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

**Hazard statements**

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves.
P312	Call a POISON CENTER/doctor if you feel unwell.
P391	Collect spillage.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

**2.3. Other hazards**

Buildup of explosive mixtures possible without sufficient ventilation. The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 921-024-6 Registration number: 01-2119475514-35	hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	25-<50	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
EC: 927-510-4 Registration number: 01-2119475515-33	hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	25-<50	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 124-38-9 EC: 204-696-9	carbon-dioxide	2,5-10		1
CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	2,5-<5	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8))	2,5-<5	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**EASY B-CLEAN SPRAY**

Creation date

02nd May 2023

Revision date

Version

3.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27	butane (containing < 0,1 % butadiene (203-450-8))	1-<2,5	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	

**Notes**

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Transfer the affected person to the fresh air and ensure calm environment for body and mind. In the event of issues, find medical advice.

**If on skin**

Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothes immediately.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**If swallowed**

DO NOT INDUCE VOMITING! Provide medical treatment.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

May cause drowsiness or dizziness. Breathing difficulty. Headaches. Nausea. Cough.

**If on skin**

Causes skin irritation.

**If in eyes**

not available

**If swallowed**

Nausea.

**4.3. Indication of any immediate medical attention and special treatment needed**

not available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, foam, powder.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

Vapours mixed up with air can be explosive. In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Dispose of contaminated extinguishing water and remains after the fire in accordance with the official regulations.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away. Remove all ignition sources.

**EASY B-CLEAN SPRAY**

Creation date

02nd May 2023

Revision date

Version

3.0

**6.2. Environmental precautions**

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

**6.3. Methods and material for containment and cleaning up**

Provide sufficient ventilation. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace. Prevent contact with skin and eyes. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep cool. Observe official regulations on storing packagings with pressurized containers.

Content	Packaging type	Material of package
500 ml	aerosol can	

**The specific requirements or rules relating to the substance/mixture**

Keep away from sources of heating, ignition and direct sunlight.

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union****Commission Directive 2006/15/EC**

Substance name (component)	Type	Value
carbon-dioxide (CAS: 124-38-9)	OEL 8 hours	9000 mg/m <sup>3</sup>
	OEL 8 hours	5000 ppm

**8.2. Exposure controls**

Do not store together with food, drink and animal feed. Remove contaminated clothes immediately. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Prevent contact with skin and eyes.

**Eye/face protection**

It is not needed.

**Skin protection**

Hand protection: Protective gloves resistant to the product. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material:  $\geq 0.7$  mm. Penetration time of glove material:  $\geq 240$  min. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Other protection: protective workwear.

**Respiratory protection**

Under regular circumstances it is not necessary. In case of inadequate ventilation wear respiratory protection. Filter AX.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**EASY B-CLEAN SPRAY**

Creation date

02nd May 2023

Revision date

Version

3.0

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	colourless
Odour	fruit-like
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	almost insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,691 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	aerosol dispenser: spray aerosol
data not available	

**9.2. Other information**

Evaporation rate	non-applicable
Ignition temperature	>200 °C
Content of organic solvents (VOC)	96,2 %
Max. VOC content in the product in its ready to use condition	664,6 g/l

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Unknown.

**10.4. Conditions to avoid**

not available

**10.5. Incompatible materials**

not available

**10.6. Hazardous decomposition products**

In the event of fire, carbon monoxide, carbon dioxide may arise. Aldehydes.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

butane (containing &lt; 0,1 % butadiene (203-450-8))

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	658 mg/l	4 hours	Rat	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EASY B-CLEAN SPRAY

Creation date

02nd May 2023

Revision date

Version

3.0

butane (containing < 0,1 % butadiene (203-450-8))

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	658 mg/l	4 hours	Rat	

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	> 5000 mg/kg		Rat	
Dermal	LD <sub>50</sub>	> 2000 mg/kg		Rat	
Inhalation	LC <sub>50</sub>	> 20 mg/l	4 hours	Rat	

hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	> 5840 mg/kg		Rat	
Dermal	LD <sub>50</sub>	> 2920 mg/kg		Rat	
Inhalation	LC <sub>50</sub>	> 25.2 mg/l	4 hours	Rat	

propane

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	> 20 mg/l	4 hours	Rat	

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

Data not available.

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

**EASY B-CLEAN SPRAY**

Creation date

02nd May 2023

Revision date

Version

3.0

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Endocrine disrupting properties**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Ecotoxicological effects:

Remark: Toxic for fish

Additional ecological information:

General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

**12.7. Other adverse effects**

Ecotoxicological effects: Remark: Toxic for fish

Additional ecological information:

General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification.

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

16 03 05 organic wastes containing hazardous substances \*

**Packaging waste type code**

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

**SECTION 14: Transport information****14.1. UN number or ID number**

UN 1950

**14.2. UN proper shipping name**

AEROSOLS

**14.3. Transport hazard class(es)**

2 Gases

**14.4. Packing group**

not relevant

**14.5. Environmental hazards**

Produkt obsahuje látky ohrožující životní prostředí: benzinová frakce (ropná), hydrogenovaná lehká

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EASY B-CLEAN SPRAY

Creation date	02nd May 2023	Version	3.0
Revision date			

### Additional information


Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1+dangerous for the environment



### Road transport - ADR

Limited quantities

1 L

Excepted quantities

E0

Transport category

2

Tunnel restriction code

(D)

### Railway transport - RID

Excepted quantities

E0

### Marine transport - IMDG

EmS (emergency plan)

F-D, S-U

Marine Pollutant

Yes

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

>=30 % aliphatic hydrocarbons, <5 % Parfum (Limonene)

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.



# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## EASY B-CLEAN SPRAY

Creation date  
Revision date

02nd May 2023

Version

3.0

### Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves.
P312	Call a POISON CENTER/doctor if you feel unwell.
P391	Collect spillage.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Aerosol
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Flam. Gas	Flammable gas

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**EASY B-CLEAN SPRAY**

Creation date	02nd May 2023	Version	3.0
Revision date			

Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

The version 3.0 replaces the SDS version from 07 May 2021. Changes were made in sections 1, 2, 11, 12, 13, 15 and 16.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.