

**EASY SUPER LUBE**

Creation date 18. November 2014  
Revision date 19. March 2018 Version 2.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier** EASY SUPER LUBE  
Substance / mixture mixture  
Number 1 20005
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
mixture's intended use Grease.  
Disapproved uses of mixture For professional use only.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (ID) 25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com
- Competent person responsible for the safety data sheet**  
Name RETECH, s.r.o.  
E-mail info@retech.cz
- 1.4. Emergency telephone number**  
RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128 (7.30-16.00 hour)  
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals.

**SECTION 2: Hazards identification****2.1. Substance or mixture classification****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Skin Irrit. 2, H315  
STOT SE 3, H336  
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

**2.2. Label elements****Hazard pictogram****Signal word**

Danger

**Hazardous substances**

Naphtha (petroleum), hydrotreated light

**EASY SUPER LUBE**

 Creation date 18. November 2014  
 Revision date 19. March 2018 Version 2.0

**Hazard statements**

 H222 Extremely flammable aerosol.  
 H229 Pressurised container: May burst if heated.  
 H315 Causes skin irritation.  
 H336 May cause drowsiness or dizziness.  
 H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

 P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read label before use.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P260 Do not breathe spray.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
 P501 Dispose of contents/container to in accordance with national regulations.

**Supplemental information**
**2.3. Other hazards**

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 64742-49-0 EC: 921-024-6 Registration number: 01-2119475514-35	Naphtha (petroleum), hydrotreated light	20-25	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	12,5-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8))	12,5-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 75-28-5 EC: 200-857-2	isobutane (containing < 0,1 % butadiene (203-450-8))	12,5-20	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 109-66-0 EC: 203-692-4 Registration number: 01-2119459286-30	pentane	12,5-20	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411	1
CAS: 6869-42-3 EC: 272-028-3	zinc alkyldithiophosphate	0,1-1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	

**EASY SUPER LUBE**

Creation date	18. November 2014		
Revision date	19. March 2018	Version	2.0

**Notes**

1 Substance for which exposure limits of Community for working environment exist.

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**Inhalation**

In case of unconsciousness place patient stably in side position for transportation.

**Skin contact**

Immediately wash with water and soap and rinse thoroughly.

**Eye contact**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**Ingestion**

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment.

**4.2. Most important symptoms and effects, both acute and delayed****Inhalation**

not available

**Skin contact**

not available

**Eye contact**

not available

**Ingestion**

not available

**4.3. Indication of any immediate medical attention and special treatment needed**

not available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, powder, water spray jet. Fight larger fires with water spray or alcohol resistant foam.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

not available

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Remove all ignition sources.

**6.2. Environmental precautions**

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

**6.3. Methods and material for containment and cleaning up**

Provide sufficient ventilation. Dispose of the collected material according to the instructions in the section 13.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**EASY SUPER LUBE**

Creation date 18. November 2014  
Revision date 19. March 2018 Version 2.0

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep cool. Observe official regulations on storing packagings with pressurized containers.  
Storage class 2B - Aerosols

**The specific requirements or rules relating to the substance/mixture**

Keep away from sources of heating, ignition and direct sunlight.

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union**

Substance name (component)	Type	Time of exposure	Value	Note	Source
pentane (CAS: 109-66-0)	OEL	8 hours	3000 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	1000 ppm		

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
butane (containing < 0,1 % butadiene (203-450-8)) (CAS: 106-97-8)	WEL	8 hours	600 ppm		GBR
	WEL	8 hours	1450 mg/m <sup>3</sup>		
	WEL	15 minutes	1810 mg/m <sup>3</sup>		
	WEL	15 minutes	750 ppm		
pentane (CAS: 109-66-0)	WEL	8 hours	1800 mg/m <sup>3</sup>		GBR
	WEL	8 hours	600 ppm		

**EASY SUPER LUBE**

Creation date 18. November 2014  
Revision date 19. March 2018 Version 2.0

**DNEL**

Naphtha (petroleum), hydrotreated light

Workers / consumers	Route of exposure	Value	Effect	Determining method
Consumers	Oral	699 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	699 mg/kg bw/day	Systemic chronic effects	
Workers	Dermal	773 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	608 mg/m <sup>3</sup>	Systemic chronic effects	
Workers	Inhalation	2035 mg/m <sup>3</sup>	Systemic chronic effects	

pentane

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	3000 mg/m <sup>3</sup>	Systemic chronic effects	
Consumers	Inhalation	643 mg/m <sup>3</sup>	Systemic chronic effects	
Workers	Dermal	432 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	214 mg/kg bw/day	Systemic chronic effects	
Consumers	Oral	214 mg/kg bw/day	Systemic chronic effects	

**PNEC**

pentane

Route of exposure	Value	Determining method
Freshwater environment	0.23 mg/l	
Seawater	0.23 mg/l	
Water (occasional leak)	0.88 mg/l	
Microorganisms in wastewater treatment plants	3.6 mg/l	
Freshwater sediment	1.2 mg/kg	
Sea sediments	1.2 mg/kg	
Soil (agricultural)	0.55 mg/kg	

**8.2. Exposure controls**

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

**Eye/face protection**

It is not needed.

**Skin protection**

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Other protection: protective workwear.

**EASY SUPER LUBE**

Creation date	18. November 2014		
Revision date	19. March 2018	Version	2.0

**Respiratory protection**

It is not needed.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Appearance	aerosol
Physical state	no data available at 20°C
color	light beige
Odour	characteristic
Odour threshold	data not available
pH	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	data not available
Flash point	<0 °C
Evaporation rate	data not available
Flammability (solid, gas)	Extremely flammable aerosol.
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	
bottom	0.9 %
upper	10.9 %
Vapour pressure	3500 hPa at 20 °C
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	almost insoluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	data not available
Explosive properties	The product does not have explosive properties but can be explosive when blended with air.
Oxidising properties	data not available
data not available	

**9.2. Other information**

Density	0.627 g/cm <sup>3</sup> at 20 °C
ignition temperature	230 °C
content of organic solvents (VOC)	86.8 %
solid content (dry matter)	4.4 % volume
Max. VOC content in the product in its ready to use condition	544.2 g/l

Product is not selfigniting.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

**EASY SUPER LUBE**

Creation date 18. November 2014  
Revision date 19. March 2018 Version 2.0

**10.3. Possibility of hazardous reactions**

Unknown.

**10.4. Conditions to avoid**

not available

**10.5. Incompatible materials**

not available

**10.6. Hazardous decomposition products**

Unknown.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

butane (containing < 0,1 % butadiene (203-450-8))

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Inhalation	LC <sub>50</sub>	658000 mg/m <sup>3</sup>	4 hour	Rat	

Naphtha (petroleum), hydrotreated light

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD <sub>50</sub>	>5840 mg/kg		Rat	
Dermal	LD <sub>50</sub>	>2920 mg/kg		Rat	
Inhalation	LC <sub>50</sub>	>25200 mg/m <sup>3</sup>	4 hour	Rat	

pentane

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD <sub>50</sub>	>16000 mg/kg		Rat	
Dermal	LD <sub>50</sub>	>2500 mg/kg		Rat	
Dermal	LD <sub>50</sub>	>5000 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	>100 mg/m <sup>3</sup>	4 hour	Rat	

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Based on available data the classification criteria are not met.

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**EASY SUPER LUBE**

Creation date 18. November 2014  
 Revision date 19. March 2018 Version 2.0

**Toxicity for specific target organ - single exposure**

May cause drowsiness or dizziness.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

Based on available data the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1. Toxicity**

**Acute toxicity**

Toxic to aquatic life with long lasting effects.

Naphtha (petroleum), hydrotreated light

Parameter	Value	Time of exposure	Species	Environment
EC <sub>50</sub>	>10 mg/l	24 hour	Invertebrates (Daphnia magna)	
EC <sub>50</sub>	>100 mg/l	24 hour	Fishes	
LC <sub>50</sub>	4924 mg/l	48 hour	Fishes	
LC <sub>50</sub>	2.5 mg/l	96 hour	Fishes (Pimephales promelas)	

pentane

Parameter	Value	Time of exposure	Species	Environment
LC <sub>50</sub>	1-10 mg/l	96 hour	Fishes	
EC <sub>50</sub>	9.7 mg/l	48 hour	Invertebrates (Daphnia magna)	

**12.2. Persistence and degradability**

Not available.

**12.3. Bioaccumulative potential**

Not available.

**12.4. Mobility in soil**

Not available.

**12.5. Results of PBT and vPvB assessment**

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Other adverse effects**

Ecotoxicological effects: Remark: Toxic for fish

Additional ecological information:

General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

**SECTION 13: Disposal considerations**



**EASY SUPER LUBE**

Creation date	18. November 2014	Version	2.0
Revision date	19. March 2018		

**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

**Legislation of waste**

The Act No. 185/2001 Coll., on Waste and the Amendment of Some Other Acts as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

16 03 05 organic wastes containing dangerous substances

**Packaging waste type code**

15 01 11 metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

**SECTION 14: Transport information**

**14.1. UN number**

UN 1950

**14.2. UN proper shipping name**

AEROSOLS

**14.3. Transport hazard class(es)**

2 Gases

**14.4. Packing group**

not available

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS.

**14.6. Special precautions for user**


Reference in the Sections 4 to 8.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not available

**Additional information**

Hazard identification No.  
 UN number  
 Classification code  
 Safety signs



(Kemler Code)

5F  
 2.1+hazardous for the environment



**Road transport ADR**

Limited amount 1L  
 Transport category 2  
 Tunnel restriction code (D)

**Marine transport - IMDG**

EmS (emergency plan) F-D, S-U  
 Marine pollution No

**EASY SUPER LUBE**

Creation date	18. November 2014		
Revision date	19. March 2018	Version	2.0

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). Decree No. 80/2014 Coll., amending the Decree No. 194/2001 Coll., laying down technical requirements for aerosol sprays as amended. Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended.

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

**Guidelines for safe handling used in the safety data sheet**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe spray.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P211	Do not spray on an open flame or other ignition source.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

**A list of additional standard phrases used in the safety data sheet**

EUH 066	Repeated exposure may cause skin dryness or cracking.
---------	---

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level

**EASY SUPER LUBE**

Creation date	18. November 2014	Version	2.0
Revision date	19. March 2018		

EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Flammable aerosol
Aquatic Chronic	Hazardous to the aquatic environment
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**EASY SUPER LUBE**

Creation date	18. November 2014		
Revision date	19. March 2018	Version	2.0

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

2, 3, 8, 11, 12, 15, 16

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.