

according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

..1. Product identifier GLUE SPRAY
Substance / mixture mixture
Number R 83530N

JFI WDM7-S25J-4S0N-YH0Q

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Mixture's intended use

Glue. For professional use only.

## Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Name or trade name RETECH, s.r.o.

Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00

Czech Republic

Identification number (CRN)25018205VAT Reg NoCZ25018205Phone+420327596428E-mailinfo@retech.czWeb addresswww.retech.com

Competent person responsible for the safety data sheet

Name RETECH, s.r.o. E-mail info@retech.cz

## 1.4. Emergency telephone number

European emergency number: 112

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222 Eye Irrit. 2, H319 STOT SE 3, H336 Aquatic Chronic 3, H412

### Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

### Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

### **Hazard pictogram**





### Signal word

Danger

### **Hazardous substances**

acetone

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P261 Avoid breathing vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

**Supplemental information** 

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-202-00-6 CAS: 68476-85-7 EC: 270-704-2	Petroleum gases, liquefied	24,9-50	Press. Gas, Flam. Gas 1A, H220	1
Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2 Registration number: 01-2119471330-49			Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	2
EC: 926-605-8 Registration number: 01-2119486291-36	hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	18-21	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 14807-96-6 EC: 238-877-9	talc (Mg3H2(SiO3)4)	<0,06	not classified as dangerous	

### Notes

- Note K: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. In the event of issues, find medical help.

#### If swallowed

Unlikely. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

May cause drowsiness or dizziness.

### If on skin

Not expected.

#### If in eyes

Causes serious eye irritation.

### If swallowed

Not expected.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Foam, carbon dioxide, powder, water mist.

### Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

 $\label{eq:pressurised} \textit{Pressurised container: May burst if heated. In the event of fire toxic gases may arise.}$ 

### 5.3. Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Use a self-contained breathing apparatus and full-body protective clothing. Keep unprotected persons away.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. No smoking. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Keep unprotected persons away. Do not inhale aerosols. Prevent contact with skin and eyes. Evacuate area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment. Stop leak if safe to do so. Inform respective authorities in case of seepage into water course or sewage system. Absorb spillage to prevent material damage.

### 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No special requirements. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well -ventilated area. Do not inhale aerosols. Prevent contact with skin and eyes. Use personal protective equipment as per Section 8. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C. Keep only in original packaging.

#### 7.3. Specific end use(s)

not available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### **European Union**

#### Commission Directive 2000/39/EC

Substance name (component)	Туре	Value
acetone (CAS) 67 64 1)	OEL 8 hours	1210 mg/m <sup>3</sup>
acetone (CAS: 67-64-1)	OEL 8 hours	500 ppm

#### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation.

### Eye/face protection

Protective goggles. EN166 - Personal Eye Protection Standard.

### Skin protection

Hand protection: Protective gloves resistant to the product. EN ISO 374-1. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### Thermal hazard

Not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state liquid
Colour orange
Odour after solvents
Melting point/freezing point and boiling range data not available
Boiling point or initial boiling point and boiling range

Flammability Extremely flammable aerosol.

Lower and upper explosion limit data not available

Flash point <-40 °C

Auto-ignition temperature data not available
Decomposition temperature data not available
pH data not available
Kinematic viscosity >20.5 mm²/s at 40 °C

Solubility in water insoluble

Solubility in fats data not available
Partition coefficient n-octanol/water (log value) data not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

Vapour pressure data not available
Density and/or relative density data not available
Relative vapour density data not available
Particle characteristics data not available

Form aerosol dispenser: spray aerosol

9.2. Other information

Total percentage of flammable components 91 %

Evaporation rate non-applicable

Content of organic solvents (VOC) 576 g/l

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

Protect against flames, sparks, overheating. Remove all ignition sources.

### 10.5. Incompatible materials

not available

## 10.6. Hazardous decomposition products

Not developed under normal uses.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

### **Acute toxicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

acetone						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		5800 mg/kg bw		Rat	F
Inhalation	LC50		76 mg/l of air	4 hours	Rat	F

talc (Mg3H2(SiO3)4)							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD <sub>50</sub>	OECD 423	>5000 mg/kg bw		Rat	М	
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw		Rat		
Inhalation	LC <sub>50</sub>	OECD 403	>2.1 mg/l of air	4 hours	Rat		

### Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Serious eye damage/irritation

Causes serious eye irritation. Data for the components of the mixture are not available.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

### Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

acetone						
Route of exposure	Parameter	Value	Result	Species	Sex	
			Drowsiness, Dizziness			

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane							
Route of exposure	Parameter	Value	Result	Species	Sex		
			Drowsiness, Dizziness				

### Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Petroleum gases, liquefied							
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Inhalation (gases)	LOAEC	OECD 422	12000 ppm	90 days		Rat	

talc (Mg3H2(SiO3)4)							
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral		OECD 452	100 mg/kg bw	90 days		Rat	

### **Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

### **Acute toxicity**

talc (Mg3H2(SiO3)4)						
Parameter	Value	Exposure time	Species	Environment		
LC50	89581.02 mg/l		Fish			
LC50	110000 mg/l	96 hours	Fish			
EC50	7202.7 mg/l	96 hours	Algae			

## **Chronic toxicity**

acetone	acetone							
Parameter	Value	Exposure time	Species	Environment				
LOEC	>79 mg/l	21 days	Daphnia (Daphnia magna)					
NOEC	≥79 mg/l	21 days	Daphnia (Daphnia magna)					

talc (Mg3H2(SiO3)4)					
Parameter	Value	Exposure time	Species	Environment	
NOEC	1459798 mg/l	30 days	Algae		

### 12.2. Persistence and degradability

Data for the mixture are not available.

### **Biodegradability**

acetone						
Parameter	Value	Exposure time	Environment	Result		
				Hardly biodegradable		

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane					
Parameter	Value	Exposure time	Environment	Result	
				Hardly biodegradable	

Petroleum gases, liquefied					
Parameter	Value	Exposure time	Environment	Result	
				Hardly biodegradable	

talc (Mg3H2(SiO3)4)					
Parameter	Value	Exposure time	Environment	Result	
				Hardly biodegradable	

### 12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

## 12.4. Mobility in soil

No data are available for either the mixture or the components.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

#### 12.7. Other adverse effects

Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. HP3 "Flammable". HP 5 'Specific Target Organ Toxicity (STOT)/Aspiration Toxicity'. HP 4 'Irritant — skin irritation and eye damage'. HP 14 'Ecotoxic'.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### Waste type code

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

### Packaging waste type code

15 01 11\* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

UN 1950

### 14.2. UN proper shipping name

**AEROSOLS** 

### 14.3. Transport hazard class(es)

2 Gases

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **Additional information**

Hazard identification No.

UN number Classification code Safety signs



2.1





according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date 09th April 2024

Revision date 3.0 Version

Road transport - ADR

Special provisions 190, 327, 344, 625

Limited quantities 1 I Excepted quantities E0

**Packaging** 

P207, LP200 Packing instructions PP87, RR6, L2 Special packing provisions

MP9 Mixed packing provisions Transport category Tunnel restriction code (D)

Special provision for

V14 packages loading, unloading and handling CV9, CV12 S2

operation

Railway transport - RID

Special provisions 190, 327, 344, 625

Excepted quantities

**Packaging** 

Packing instructions P207, LP200 Special packing provisions PP87, RR6, L2

MP9 Mixed packing provisions Transport category

Special provision for

packages W14 loading, unloading and handling CW9, CW12

Air transport - ICAO/IATA

Packaging instructions for limited amount Y203 203 Packaging instructions passenger Cargo packaging instructions 203

Marine transport - IMDG

EmS (emergency plan) F-D, S-U

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Product contains reportable explosives precursors: Reporting of suspicious transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

### A list of standard risk phrases used in the safety data sheet

H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour.

H229 Pressurised container: May burst if heated.

H304 May be fatal if swallowed and enters airways.



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date	09th April 2024		
Revision date		Version	3.0

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lastin

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

## Guidelines for safe handling used in the safety data sheet

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P261 Avoid breathing vapours/spray.

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

### A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System
IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

**Dangerous Chemicals** 

ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

LOAEC Lowest observed adverse effect concentration

log KowOctanol-water partition coefficientNOECNo observed effect concentrationOELOccupational Exposure LimitsPBTPersistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **GLUE SPRAY**

Creation date 09th April 2024

Revision date Version 3.0

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aerosol Aerosol

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox.

Eye Irrit.

Flam. Gas

Flammable gas

Flam. Liq.

Press. Gas

Aspiration hazard

Eye irritation

Flammable gas

Flammable liquid

Gases under pressure

STOT SE Specific target organ toxicity - single exposure

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 14 December 2022. Changes were made in sections 1, 2, 3, 8, 11, 12, 13, 15 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.