

**MULTI SPRAY**

Creation date 09. August 2019  
Revision date Version 3.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier** MULTI SPRAY  
Substance / mixture mixture  
Number 1 05.0030
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
Mixture's intended use Grease.

**The use descriptors**

- SU 3 Industrial uses: Uses of substances as such or in preparations\* at industrial sites  
SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Mixture uses advised against For professional use only.

**1.3. Details of the supplier of the safety data sheet****Supplier**

Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (CRN) 25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com

**Competent person responsible for the safety data sheet**

Name RETECH, s.r.o.  
E-mail info@retech.cz

**1.4. Emergency telephone number**

RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128 (7.30-16.00 hour)  
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Asp. Tox. 1, H304  
Skin Irrit. 2, H315  
STOT SE 3, H336  
Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Causes skin irritation.  
Harmful to aquatic life with long lasting effects.

**MULTI SPRAY**

Creation date	09. August 2019	Version	3.0
Revision date			

**2.2. Label elements**

**Hazard pictogram**



**Signal word**

Danger

**Hazardous substances**

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics  
Kerosine (petroleum)

**Hazard statements**

- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/eye protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER.
- P331 Do NOT induce vomiting.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container to in accordance with national regulations.

**Supplemental information**

>=30 % aliphatic hydrocarbons, <5 % non-ionic surfactants, <5 % Parfum (BENZYL BENZOATE)

**2.3. Other hazards**

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
EC: 919-857-5 Registration number: 01-2119463258-33	hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics	25-<50	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8))	10-<25	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1

**MULTI SPRAY**

Creation date	09. August 2019			
Revision date	Version	3.0		
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	10-<25	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 8008-20-6 EC: 232-366-4 Registration number: 01-2119462828-25	Kerosine (petroleum)	10-<25	Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 26544-38-7	dihydro-3-(tetrapropenyl)furan-2,5-dione	1-<2,5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	

**Notes**

- 1 Substance for which exposure limits of Community for working environment exist.  
Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. In case of unconsciousness place patient stably in side position for transportation.

**If on skin**

Wash the affected area with plenty of water, lukewarm if possible.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**If swallowed**

DO NOT INDUCE VOMITING! Provide medical treatment.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

May cause drowsiness or dizziness.

**If on skin**

Causes skin irritation.

**If in eyes**

not available

**If swallowed**

not available

**4.3. Indication of any immediate medical attention and special treatment needed**

not available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water mist.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

not available

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing.

**MULTI SPRAY**

Creation date 09. August 2019  
Revision date Version 3.0

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away.

**6.2. Environmental precautions**

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

**6.3. Methods and material for containment and cleaning up**

Provide sufficient ventilation. Do not flush with water or aqueous cleansing agents.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Do not spray on an open flame or other ignition source. Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air. Ensure good ventilation/exhaustion at the workplace. Do not eat, drink or smoke when using this product.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

Storage class

2B - Aerosols

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
butane (containing < 0,1 % butadiene (203-450-8)) (CAS: 106-97-8)	WEL	8 hours	600 ppm		GBR
	WEL	8 hours	1450 mg/m <sup>3</sup>		
	WEL	15 minutes	1810 mg/m <sup>3</sup>		
	WEL	15 minutes	750 ppm		

**DNEL**

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	871 mg/m <sup>3</sup>	Systemic chronic effects	
Workers	Dermal	208 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	185 mg/m <sup>3</sup>	Systemic chronic effects	
Consumers	Dermal	125 mg/kg bw/day	Systemic chronic effects	
Consumers	Oral	125 mg/kg bw/day	Systemic chronic effects	

**MULTI SPRAY**

Creation date	09. August 2019	Version	3.0
Revision date			

**8.2. Exposure controls**

Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Do not inhale gases and vapours. Do not inhale aerosols.

**Eye/face protection**

Tightly sealed goggles.

**Skin protection**

Hand protection: Protective gloves resistant to the product. The final selection of the glove material must be carried out on the basis of penetration times, permeation rates and degradation. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material: ≥ 0.5 mm. Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Observe other recommendations of the manufacturer. Other protection: protective workwear.

**Respiratory protection**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter AX/P2.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Appearance	aerosol
Physical state	liquid at 20°C
color	transparent
Odour	characteristic
Odour threshold	data not available
pH	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	-44.5 °C
Flash point	-97 °C
Evaporation rate	data not available
Flammability (solid, gas)	Extremely flammable aerosol.
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	
bottom	0.6 %
upper	10.9 %
Vapour pressure	8300 hPa at 20 °C
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	almost insoluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	data not available
Explosive properties	The product does not have explosive properties but can be explosive when blended with air.
Oxidising properties	data not available
data not available	

**9.2. Other information**

Density	0.7 g/cm <sup>3</sup> at 20 °C
ignition temperature	>220 °C
content of organic solvents (VOC)	74.4 %

**MULTI SPRAY**

Creation date	09. August 2019	Version	3.0
Revision date			
solid content (dry matter)		4.1 % volume	
Max. VOC content in the product in its ready to use condition		517.8 g/l	
Product is not selfigniting.			

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

**10.3. Possibility of hazardous reactions**

Unknown.

**10.4. Conditions to avoid**

not available

**10.5. Incompatible materials**

not available

**10.6. Hazardous decomposition products**

Unknown.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

dihydro-3-(tetrapropenyl)furan-2,5-dione

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD <sub>50</sub>	2500 mg/kg		Rat	
Dermal	LD <sub>50</sub>	6300 mg/kg		Rabbit	
Inhalation	LCL 0	1220 mg/m <sup>3</sup>	48 hour		

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2 % aromatics

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD <sub>50</sub>	>5000 mg/kg		Rat	
Dermal	LD <sub>50</sub>	>5000 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	4951 mg/m <sup>3</sup>		Rat	

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Based on available data the classification criteria are not met.

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**MULTI SPRAY**

Creation date 09. August 2019  
Revision date Version 3.0

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

May cause drowsiness or dizziness.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**SECTION 12: Ecological information****12.1. Toxicity****Acute toxicity**

Harmful to aquatic life with long lasting effects.

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics

Parameter	Value	Time of exposure	Species	Environment
LL 50	>1000 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
ELO	1000 mg/l	48 hour	Invertebrates (Daphnia magna)	
NOELR	100 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	
EL 50	>1000 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

**12.2. Persistence and degradability**

Data not available.

**12.3. Bioaccumulative potential**

Not available.

**12.4. Mobility in soil**

Not available.

**12.5. Results of PBT and vPvB assessment**

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Other adverse effects**

Additional ecological information:

General notes: Water hazard class 3 (german Regulation, self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

**MULTI SPRAY**

Creation date	09. August 2019	Version	3.0
Revision date			

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

16 03 05 organic wastes containing dangerous substances

**Packaging waste type code**

15 01 10 packaging containing residues of or contaminated by dangerous substances

**SECTION 14: Transport information****14.1. UN number**

UN 1950

**14.2. UN proper shipping name**

AEROSOLS

**14.3. Transport hazard class(es)**

2 Gases

**14.4. Packing group**

not available

**14.5. Environmental hazards**

No

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not available

**Additional information**

Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.		(Kemler Code)
UN number	1950	
Classification code	5F	
Safety signs	2.1	

**Road transport - ADR**

Limited quantities	1L
Excepted quantities	E0
Tunnel restriction code	(D)

**Marine transport - IMDG**

EmS (emergency plan)	F-D, S-U
Marine Pollutant	No



**MULTI SPRAY**

Creation date	09. August 2019	Version	3.0
Revision date			

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Guidelines for safe handling used in the safety data sheet**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER.
P331	Do NOT induce vomiting.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union

**MULTI SPRAY**

Creation date	09. August 2019	Version	3.0
Revision date			

IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K <sub>ow</sub>	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Aerosol
Aquatic Chronic	Hazardous to the aquatic environment
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

2, 3, 8, 11, 12, 15, 16

**MULTI SPRAY**

Creation date 09. August 2019

Revision date Version 3.0

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.