

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture MULTI SPRAY
Number 1 05.0030
UFI FS1T-30J4-A306-CWJ9
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Grease.
Mixture uses advised against
For professional use only.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
VAT Reg No CZ25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H222, H229
Asp. Tox. 1, H304
Skin Irrit. 2, H315
STOT SE 3, H336
Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Causes skin irritation. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**
Hazard pictogram

**Signal word**

Danger

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

Hazardous substances

 hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics
 Kerosine (petroleum)

Hazard statements

| | |
|------|--|
| H222 | Extremely flammable aerosol. |
| H229 | Pressurised container: May burst if heated. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| | |
|-----------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/eye protection. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER. |
| P331 | Do NOT induce vomiting. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| P501 | Dispose of contents/container to in accordance with national regulations. |

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|--|--|---------------------|--|------|
| EC: 919-857-5 Registration number: 01-2119463258-33 | hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics | 25-<50 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 | |
| CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32 | butane (containing < 0,1 % butadiene (203-450-8)) | 10-<25 | Flam. Gas 1A, H220 Press. Gas (compressed gas), H280 | |
| CAS: 64742-65-0 EC: 265-169-7 Registration number: 01-2119471299-27 | Distillates (petroleum), solvent-dewaxed heavy paraffinic | 10-<25 | Asp. Tox. 1, H304 | 1, 2 |
| CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21 | propane | 10-<25 | Flam. Gas 1A, H220 Press. Gas (compressed gas), H280 | |
| CAS: 64742-81-0 EC: 265-184-9 Registration number: 01-2119462828-25 | Kerosine (petroleum) | 10-<25 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411 | |
| CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27 | isobutane | 2,5-<10,0 | Flam. Gas 1A, H220 Press. Gas (compressed gas), H280 | |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

MULTI SPRAY

| | | | | | |
|------------------------|--|----------------|---------------------|--|------|
| Creation date | | 01st July 2021 | | | |
| Revision date | | Version | | 4.0 | |
| Identification numbers | Substance name | | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
| CAS: 26544-38-7 | dihydro-3-(tetrapropenyl)furan-2,5-dione | | 1,0-<2,5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 | |

Notes

- Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
- Fulfilled Note L

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

If on skin

Generally the product does not irritate the skin.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

May cause drowsiness or dizziness.

If on skin

Causes skin irritation.

If in eyes

not available

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

not available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

not available

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Keep unprotected persons away.

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

6.2. Environmental precautions

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

6.3. Methods and material for containment and cleaning up

Provide sufficient ventilation. Do not flush with water or aqueous cleansing agents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage
7.1. Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

| Content | Packaging type | Material of package |
|---------|----------------|---------------------|
| 400 ml | aerosol can | FE |

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection
8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

DNEL

dihydro-3-(tetrapropenyl)furan-2,5-dione

| Workers / consumers | Route of exposure | Value | Effect | Determining method |
|---------------------|-------------------|-------------------|--------------------------|--------------------|
| Workers | Dermal | 0.33 mg/kg bw/day | Systemic chronic effects | |

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics

| Workers / consumers | Route of exposure | Value | Effect | Determining method |
|---------------------|-------------------|-----------------------|--------------------------|--------------------|
| Workers | Inhalation | 871 mg/m ³ | Systemic chronic effects | |
| Workers | Dermal | 208 mg/kg bw/day | Systemic chronic effects | |
| Consumers | Inhalation | 185 mg/m ³ | Systemic chronic effects | |
| Consumers | Dermal | 125 mg/kg bw/day | Systemic chronic effects | |
| Consumers | Oral | 125 mg/kg bw/day | Systemic chronic effects | |

Kerosine (petroleum)

| Workers / consumers | Route of exposure | Value | Effect | Determining method |
|---------------------|-------------------|-----------------|--------------------------|--------------------|
| Consumers | Oral | 19 mg/kg bw/day | Systemic chronic effects | |

PNEC

dihydro-3-(tetrapropenyl)furan-2,5-dione

| Route of exposure | Value | Determining method |
|------------------------|-----------|--------------------|
| Freshwater environment | 0.02 mg/l | |

MULTI SPRAY

Creation date 01st July 2021

Revision date Version 4.0

dihydro-3-(tetrapropenyl)furan-2,5-dione

| Route of exposure | Value | Determining method |
|---|---|--------------------|
| Seawater | 0.002 mg/l | |
| Freshwater sediment | 1.7 mg/kg of dry substance of sediment | |
| Microorganisms in wastewater treatment plants | 10 mg/l | |
| Sea sediments | 0.17 mg/kg of dry substance of sediment | |

8.2. Exposure controls

Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Do not inhale gases and vapours. Do not inhale aerosols.

Eye/face protection

Tightly sealed goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material: ≥ 0.5 mm. Penetration time of glove material: > 480 min. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. Other protection: protective workwear.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter A2/P2.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------------------|
| Physical state | liquid |
| Colour | colourless |
| Odour | characteristic |
| Melting point/freezing point | data not available |
| Boiling point or initial boiling point and boiling range | -44,5 °C |
| Flammability | Extremely flammable aerosol. |
| Lower and upper explosion limit | |
| bottom | 0,6 % |
| upper | 10,9 % |
| Flash point | -97 °C |
| Auto-ignition temperature | data not available |
| Decomposition temperature | data not available |
| pH | non-polar/aprotic |
| Kinematic viscosity | data not available |
| Solubility in water | almost insoluble |
| Solubility in fats | data not available |
| Partition coefficient n-octanol/water (log value) | data not available |
| Vapour pressure | 8300 hPa at 20 °C |
| Density and/or relative density | |
| Density | 0,7 g/cm ³ at 20 °C |
| Form | aerosol dispenser: spray aerosol |
| data not available | |

9.2. Other information

| | |
|----------------------|--|
| Evaporation rate | data not available |
| Ignition temperature | > 220 °C |
| Explosive properties | The product does not have explosive properties but can be explosive when blended with air. |

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

| | |
|---|--------------|
| Content of organic solvents (VOC) | 74,4 % |
| Solid content (dry matter) | 4,1 % volume |
| Max. VOC content in the product in its ready to use condition | 517,8 g/l |
| Product is not selfigniting. | |

SECTION 10: Stability and reactivity**10.1. Reactivity**

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Unknown.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

dihydro-3-(tetrapropenyl)furan-2,5-dione

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex |
|-------------------|------------------|------------|------------------|---------|-----|
| Oral | LD ₅₀ | 2900 mg/kg | | Rat | |
| Dermal | LD ₅₀ | 6300 mg/kg | | Rabbit | |
| Inhalation | LC ₅₀ | 5.3 mg/l | | Rat | |

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex |
|-------------------|------------------|------------------------|------------------|---------|-----|
| Oral | LD ₅₀ | >5000 mg/kg | | Rat | |
| Dermal | LD ₅₀ | >5000 mg/kg | | Rabbit | |
| Inhalation | LC ₅₀ | 4951 mg/m ³ | | Rat | |

Kerosine (petroleum)

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex |
|-------------------|------------------|-------------|------------------|---------|-----|
| Oral | LD ₅₀ | >5000 mg/kg | | Rat | |
| Dermal | LD ₅₀ | >2000 mg/kg | | Rabbit | |
| Inhalation | LC ₅₀ | >5.28 mg/l | 4 hour | Rat | |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Harmful to aquatic life with long lasting effects.

dihydro-3-(tetrapropenyl)furan-2,5-dione

| Parameter | Value | Time of exposure | Species | Environment |
|-------------------|-----------|------------------|---|-------------|
| EL 50 | >100 mg/l | 48 hour | Daphnia (Daphnia magna) | |
| LC ₅₀ | >100 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | |
| ErC ₅₀ | 110 mg/l | 72 hour | Algae (Pseudokirchneriella subcapitata) | |

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics

| Parameter | Value | Time of exposure | Species | Environment |
|-----------|------------|------------------|---|-------------|
| LL 50 | >1000 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | |
| EL0 | 1000 mg/l | 48 hour | Invertebrates (Daphnia magna) | |
| EL 50 | >1000 mg/l | 72 hour | Algae (Pseudokirchneriella subcapitata) | |

Kerosine (petroleum)

| Parameter | Value | Time of exposure | Species | Environment |
|-----------|----------|------------------|---|-------------|
| EL 50 | 1.4 mg/l | 48 hour | Daphnia (Daphnia magna) | |
| EL 50 | 2 mg/l | 72 hour | Algae (Pseudokirchneriella subcapitata) | |

MULTI SPRAY

Creation date 01st July 2021

Revision date Version 4.0

Kerosine (petroleum)

| Parameter | Value | Time of exposure | Species | Environment |
|-----------|----------|------------------|------------------------------|-------------|
| LL 50 | 2-5 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | |

Chronic toxicity

dihydro-3-(tetrapropenyl)furan-2,5-dione

| Parameter | Value | Time of exposure | Species | Environment |
|-----------|----------|------------------|------------------------------|-------------|
| NOEC | 2 mg/l | | Daphnia (Daphnia magna) | |
| NOEC | 100 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | |
| NOEC | 33 mg/l | 96 hour | Algae | |

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2 % aromatics

| Parameter | Value | Time of exposure | Species | Environment |
|-----------|----------|------------------|---|-------------|
| NOELR | 100 mg/l | 72 hour | Algae (Pseudokirchneriella subcapitata) | |

Kerosine (petroleum)

| Parameter | Value | Time of exposure | Species | Environment |
|-----------|------------|------------------|------------------------------|-------------|
| NOELR | 0.89 mg/l | 21 day | Daphnia (Daphnia magna) | |
| NOELR | 0.098 mg/l | 28 day | Fishes (Oncorhynchus mykiss) | |

12.2. Persistence and degradability

Limited biodegradability.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

Additional ecological information:

General notes: Water hazard class 3 (german Regulation, self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations
13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.
Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 05 organic wastes containing hazardous substances *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information


Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



Road transport - ADR

Limited quantities

1L

Excepted quantities

E0

Tunnel restriction code

(D)

Railway transport - RID

Marine transport - IMDG

EmS (emergency plan)

F-D, S-U

MULTI SPRAY

Creation date

01st July 2021

Revision date

Version

4.0

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

| | |
|------|---|
| H220 | Extremely flammable gas. |
| H222 | Extremely flammable aerosol. |
| H226 | Flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H280 | Contains gas under pressure; may explode if heated. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Guidelines for safe handling used in the safety data sheet

| | |
|-----------|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/eye protection. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER. |
| P331 | Do NOT induce vomiting. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| P501 | Dispose of contents/container to in accordance with national regulations. |

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

| | |
|------------------|---|
| ADR | European agreement concerning the international carriage of dangerous goods by road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| DNEL | Derived no-effect level |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EL ₅₀ | Effective Loading for 50% of the tested organisms |
| EmS | Emergency plan |
| ES | Identification code for each substance listed in EINECS |
| EU | European Union |
| EuPCS | European Product Categorisation System |
| IATA | International Air Transport Association |
| IBC | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

MULTI SPRAY

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 01st July 2021 | Version | 4.0 |
| Revision date | | | |

| | |
|---------------------|---|
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| INCI | International Nomenclature of Cosmetic Ingredients |
| ISO | International Organization for Standardization |
| IUPAC | International Union of Pure and Applied Chemistry |
| LC ₅₀ | Lethal concentration of a substance in which it can be expected death of 50% of the population |
| LD ₅₀ | Lethal dose of a substance in which it can be expected death of 50% of the population |
| LL ₅₀ | Lethal Loading for 50% of tested organisms |
| log K _{ow} | Octanol-water partition coefficient |
| MARPOL | International Convention for the Prevention of Pollution from Ships |
| NOEC | No observed effect concentration |
| NOEL | No observed effect level |
| NOELR | No Observed Effect Loading Rate |
| OEL | Occupational Exposure Limits |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted no-effect concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Agreement on the transport of dangerous goods by rail |
| UN | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB | Substances of unknown or variable composition, complex reaction products or biological materials |
| VOC | Volatile organic compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| Aerosol | Aerosol |
| Aquatic Chronic | Hazardous to the aquatic environment (chronic) |
| Asp. Tox. | Aspiration hazard |
| Eye Irrit. | Eye irritation |
| Flam. Gas | Flammable gas |
| Flam. Liq. | Flammable liquid |
| Press. Gas | Gases under pressure |
| Skin Irrit. | Skin irritation |
| STOT SE | Specific target organ toxicity - single exposure |

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
 REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 9. 8. 2019. Changes were made in sections 1, 2, 3, 8, 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.