

according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier PU FIX PROFESSIONAL 1

Substance / mixture mixture Number R 34812C

UFI 7T50-012U-WA0T-SJ25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Glue. For professional use only.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name RETECH, s.r.o.

Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00

Czech Republic

Identification number (CRN)25018205VAT Reg NoCZ25018205Phone+420327596428E-mailinfo@retech.czWeb addresswww.retech.com

Competent person responsible for the safety data sheet

Name RETECH, s.r.o. E-mail info@retech.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Resp. Sens. 1, H334

Most serious adverse effects on human health and the environment

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

4,4'-methylenediphenyl diisocyanate

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P284 Wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

Supplemental information

EUH204 Contains isocyanates. May produce an allergic reaction.

Restricted to professional users.

As from 24 August 2023 adequate training is required before industrial or

professional use.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture

Mixture contains these hazardous substances and substances with the highest permissible

concentration in the working environment

Identification numbers	Substance name	Content in % weight	3	Note
CAS: 101-68-8 EC: 202-966-0 Registration number: 01-2119457014-47	4,4'-methylenediphenyl diisocyanate	0.1-<1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. 4, H332 Resp. Sens. 1, H334 STOT SE 3, H335 Carc. 2, H351 STOT RE 2 (**), H373 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 5 % Resp. Sens. 1, H334: C ≥ 0.1 % STOT SE 3, H335: C ≥ 5 % Skin Irrit. 2, H315: C ≥ 5 % ATE Inhalation (vapor) = 11 mg/l ATE Inhalation (dust/mist) = 1,5 mg/l	1, 2, 3, 4
CAS: 28553-12-0 EC: 249-079-5	di-"isononyl" phthalate		not classified as dangerous	4

Notes

- ** another exposure route cannot be ruled out
- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Note 2: The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.
- 3 A substance for which exposure limits are set.
- 4 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. Do not provide anything by mouth if the person is unconscious or if having cramps. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards.

If inhaled

Transfer the affected person to the fresh air and ensure calm environment for body and mind.

If on skin

Remove contaminated clothes. Wash with plenty of soap and water.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with clean water. DO NOT INDUCE VOMITING! Provide medical treatment. Keep the affected person warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

If on skin

not available

If in eyes

not available

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

not available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

not available

5.3. Advice for firefighters

Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Use personal protective equipment for work. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Do not allow product to reach sewage system or any water course.

6.3. Methods and material for containment and cleaning up

Prevent other leakage. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. Provide sufficient ventilation. Do not flush with water.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Observe valid legal regulations on safety and health protection. Do not store together with food, drink and animal feed. Take off contaminated clothing. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

not available

Content	Packaging type	Material of package
310 ml	bottle	

Storage temperature

min 0 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Directive (EU) 2024/869 of the European Parliament and of the Council

Substance name (component)	Туре	Value
4.4! mothylonodinhanyl diigasyanata (CAC, 101, 60, 0)	OEL 8 hours	10
4,4'-methylenediphenyl diisocyanate (CAS: 101-68-8)	OEL 15 minutes	20

Notes

The substance can cause sensitisation of the skin and of the respiratory tract. As NCO.

DNEL

di-''isononyl'' phthalate			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	51.72 mg/m ³	Chronic effects systemic
Workers	Dermal	366 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	15.3 mg/m ³	Chronic effects systemic
Consumers	Dermal	220 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	4.4 mg/kg bw/day	Chronic effects systemic

PNEC

di-''isononyl'' phthalate	
Route of exposure	Value
Soil (agricultural)	30 mg/kg



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation.

Eye/face protection

Protective glasses with side shields. EN166 - Personal Eye Protection Standard.

Skin protection

Hand protection: Protective gloves resistant to the product. EN ISO 374-1. Material of gloves: Fluororubber. Penetration time of glove material: 480 min. Material of gloves: Nitrile rubber, NBR. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Protective gloves shall be replaced immediately when damaged. Use barrier creams for skin protection. Other protection: Use of antistatic clothes and footwear is recommended.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter A/P2.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour black

Odour characteristic Melting point/freezing point data not available

Boiling point or initial boiling point and boiling range 270 °C

Flammability data not available Lower and upper explosion limit data not available

Flash point $>100~^{\circ}\text{C}$ Auto-ignition temperature $>300~^{\circ}\text{C}$

Decomposition temperature data not available pH data not available Kinematic viscosity data not available

Solubility in water insoluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1.19-1.21 g/cm³ at 20 °C

Relative vapour density data not available Particle characteristics data not available Form cream / paste

data not available

9.2. Other information

Content of organic solvents (VOC) 0.0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

See the Section 10.3.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Unknown.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

PU FIX PROFESSIONAL 1					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Dermal	ATE	>2000 mg/kg			
Oral	ATE	>2000 mg/kg			
Inhalation (vapor)	ATE	>20 mg/l			
Inhalation (dust/mist)	ATE	>5 mg/l			

4,4'-methylenediphenyl diisocyanate					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	>2000 mg/kg		Rat	
Dermal	LD ₅₀	>9400 mg/kg		Rabbit	
Inhalation (vapor)	ATE	11 mg/l			
Inhalation (dust/mist)	ATE	1.5 mg/l			

Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Data for the components of the mixture are not available.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

4,4'-methylenediphenyl diisocyanate				
Parameter	Value	Exposure time	Species	Environment
LC50	>1000 mg/l	96 hours	Fish	
EC50	>1000 mg/l	48 hours	Daphnia (Daphnia magna)	
	99 mg/l		Bacteria	

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 05 01* waste isocyanates

Packaging waste type code

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date 3.0 Version

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

Restriction	ediphenyl diisocyanate Conditions of restriction
56	1. Shall not be placed on the market after 27 December 2010, as a constituent of mixtures in concentrations equal to or greater than 0,1 % by weight of MDI for supply to the general public, unless suppliers shall ensure before the placing on the market that the packaging: (a) contains protective gloves which comply with the requirements of Council Directive 89/686/EEC (********); (b) is marked visibly, legibly and indelibly as follows, and without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures: "— Persons already sensitised to diisocyanates may develop allergic reactions when using this product. — Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. — This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used."
	2. By way of derogation, paragraph 1(a) shall not apply to hot melt adhesives.
74	1. Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the employer or self-employed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture(s). 2. Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the label information: "As from 24 August 2023 adequate training is required before industrial or professional use". 3. For the purpose of this entry "industrial and professional user(s)" means any worker or self-employed worker handling diisocyanates on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) or supervising these tasks. 4. The training referred to in point (b) of paragraph 1 shall include the instructions for the control of dermal and inhalation exposure to diisocyanates at the workplace without prejudice to any national occupational exposure limit value or other appropriate risk management measures at national level. Such training shall be conducted by an expert on occupational safety and health with competence acquired by relevant vocational training. That training shall cover as a minimum: (a) the training elements in point (a) of paragraph 5 for all industrial and professional use(s). (b) the training elements i



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

-	nediphenyl diisocyanate
Restriction	Conditions of restriction — open handling of warm or hot formulations (> 45 °C);
	— open handling of warm or not formulations (> 45 °C); — spraying in open air, with limited or only natural ventilation (includes large industry working
	halls) and spraying with high energy (e.g. foams, elastomers);
	— and any other uses with similar exposure through the dermal and/or inhalation route.
	5. Training elements:
	(a) general training, including on-line training, on:
	— chemistry of diisocyanates;
	— toxicity hazards (including acute toxicity);
	— exposure to diisocyanates;
	— occupational exposure limit values;
	 how sensitisation can develop;
	— odour as indication of hazard;
	— importance of volatility for risk;
	 viscosity, temperature, and molecular weight of diisocyanates;
	personal hygiene;
	— personal protective equipment needed, including practical instructions for its correct use and
	its limitations;
	 risk of dermal contact and inhalation exposure;
	risk in relation to application process used;
	— skin and inhalation protection scheme;
	ventilation;
	— cleaning, leakages, maintenance;
	discarding empty packaging;
	protection of bystanders;
	— identification of critical handling stages;
	— specific national code systems (if applicable);
	— behaviour-based safety;
	— certification or documented proof that training has been successfully completed
	(b) intermediate level training, including on-line training, on:
	— additional behaviour-based aspects;
	— maintenance;
	— management of change;— evaluation of existing safety instructions;
	— risk in relation to application process used;
	— certification or documented proof that training has been successfully completed
	(c) advanced training, including on-line training, on:
	— any additional certification needed for the specific uses covered;
	— spraying outside a spraying booth;
	— open handling of hot or warm formulations (> 45 °C);
	— certification or documented proof that training has been successfully completed
	6. The training shall comply with the provisions set by the Member State in which the industrial
	or professional user(s) operate. Member States may implement or continue to apply their own
	national requirements for the use of the substance(s) or mixture(s), as long as the minimum
	requirements set out in paragraphs 4 and 5 are met.
	7. The supplier referred to in point (b) of paragraph 2 shall ensure that the recipient is
	provided with training material and courses pursuant to paragraphs 4 and 5 in the official
	language(s) of the Member State(s) where the substance(s) or mixture(s) are supplied. The
	training shall take into consideration the specificity of the products supplied, including
	composition, packaging, and design.
	8. The employer or self-employed shall document the successful completion of the training
	referred to in paragraphs 4 and 5. The training shall be renewed at least every five years.
	9. Member States shall include in their reports pursuant to Article 117(1) the following
	information:
	(a) any established training requirements and other risk management measures related to the
	industrial and professional uses of diisocyanates foreseen in national law;
	(b)the number of cases of reported and recognised occupational asthma and occupational
	respiratory and dermal diseases in relation to diisocyanates;
	(c) national exposure limits for diisocyanates, if there are any;



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

4,4'-methylenediphenyl diisocyanate

Restriction	Conditions of restriction
	(d) information about enforcement activities related to this restriction. 10. This restriction shall apply without prejudice to other Union legislation on the protection of safety and health of workers at the workplace.

di-"isononyl" phthalate

Restriction	Conditions of restriction
52	1. Shall not be used as substances or in mixtures, in concentrations greater than 0,1 $\%$ by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.
	2. Such toys and childcare articles containing these phthalates in a concentration greater than 0,1 % by weight of the plasticised material shall not be placed on the market.
	4. For the purpose of this entry "childcare article" shall mean any product intended to facilitate sleep, relaxation, hygiene, the feeding of children or sucking on the part of children.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH204	Contains isocyanates. May produce an allergic reaction.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Guidelines for safe handling used in the safety data sheet

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P284 Wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

European Union

Key to abbreviations and acronyms used in the safety data sheet	
Acute toxicity	
European agreement concerning the international carriage of dangerous goods by road	
Bioconcentration Factor	
Carcinogenicity	
Chemical Abstracts Service	
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures	
Identification code for each substance listed in EINECS	
Concentration of a substance when it is affected 50 % of the population	
European Inventory of Existing Commercial Chemical Substances	
Emergency plan	

EU



according to Regulation (EC) No 1907/2006 (REACH) as amended

PU FIX PROFESSIONAL 1

Creation date 06th January 2025

Revision date Version 3.0

EuPCS European Product Categorisation System

Eye Irrit. Eye irritation

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50%

of the population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log KowOctanol-water partition coefficientOELOccupational Exposure LimitsPBTPersistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Resp. Sens. Respiratory sensitization

RID Agreement on the transport of dangerous goods by rail

Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from Thursday, 24 March 2022. Changes were made in sections 1, 2, 3, 8, 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page 12/12