

**QUICK FILLER**

Creation date 15. November 2012  
Revision date 28. March 2018 Version 2.1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier**  
Substance / mixture QUICK FILLER  
Number mixture  
GREY - R 34363/BLACK - R 34365/WHITE - R 34366
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
mixture's intended use Putty for repairs of minor surface damages.  
Disapproved uses of mixture For professional use only.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (ID) 25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com
- Competent person responsible for the safety data sheet**  
Name RETECH, s.r.o.  
E-mail info@retech.cz
- 1.4. Emergency telephone number**  
RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128 (7.30-16.00 hour)  
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals.

**SECTION 2: Hazards identification****2.1. Substance or mixture classification****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Eye Irrit. 2, H319  
STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

May cause drowsiness or dizziness. Causes serious eye irritation.

**2.2. Label elements****Hazard pictogram****Signal word**

Danger

**Hazardous substances**

acetone

**QUICK FILLER**

 Creation date 15. November 2012  
 Revision date 28. March 2018 Version 2.1

**Hazard statements**

 H222 Extremely flammable aerosol.  
 H229 Pressurised container: May burst if heated.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

**Precautionary statements**

 P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P261 Avoid breathing vapours/spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P313 Get medical advice/attention.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
 P501 Dispose of contents/container to in accordance with national regulations.

**Supplemental information**

EUH 066 Repeated exposure may cause skin dryness or cracking.

**2.3. Other hazards**

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 115-10-6 EC: 204-065-8	dimethyl ether	30-60	Flam. Gas 1, H220 Press. Gas, H280	1
Index: 606-004-00-4 CAS: 108-10-1 EC: 203-550-1	4-methylpentan-2-one	10-30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Acute Tox. 4, H332 STOT SE 3, H335	1
CAS: 67-64-1 EC: 200-662-2	acetone	10-30	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	1
Index: 607-195-00-7 CAS: 108-65-6 EC: 203-603-9	2-methoxy-1-methylethyl acetate	1-5	Flam. Liq. 3, H226	1
Index: 606-002-00-3 CAS: 78-93-3 EC: 201-159-0	butanone	1-5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	1
Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1	n-butyl acetate	1-5	Flam. Liq. 3, H226 STOT SE 3, H336	

**QUICK FILLER**

Creation date	15. November 2012	Version	2.1	
Revision date	28. March 2018			
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	1-5	Flam. Gas 1, H220 Press. Gas, H280	
CAS: 106-97-8 EC: 203-448-7	butane (containing < 0,1 % butadiene (203-450-8))	1-5	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 75-28-5 EC: 200-857-2	isobutane (containing < 0,1 % butadiene (203-450-8))	<1	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	

**Notes**

1 Substance for which exposure limits of Community for working environment exist.

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**Inhalation**

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Provide medical treatment.

**Skin contact**

Immediately wash with water and soap and rinse thoroughly. In the event of issues, find medical advice.

**Eye contact**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**Ingestion**

DO NOT INDUCE VOMITING! Rinse mouth immediately and drink large quantities of water. Do not provide anything by mouth if the person is unconscious or if having cramps. In the event of issues, find medical advice.

**4.2. Most important symptoms and effects, both acute and delayed****Inhalation**

May cause respiratory irritation. Dizziness, headaches, fatigue

**Skin contact**

Prolonged or repeated contact with the product causes skin degreasing and drying. Possible irritation. Repeated exposure may cause skin dryness or cracking. May cause an allergic skin reaction.

**Eye contact**

Causes serious eye irritation.

**Ingestion**

Irritation, nausea. Disorder of digestive system, stomach pain, vomiting.

**4.3. Indication of any immediate medical attention and special treatment needed**

not available

**QUICK FILLER**

Creation date 15. November 2012  
Revision date 28. March 2018 Version 2.1

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Powder, sand, dolomite. Water spray. Water mist.

**Unsuitable extinguishing media**

not available

**5.2. Special hazards arising from the substance or mixture**

Explosion risk in case of fire.

**5.3. Advice for firefighters**

Move containers from fire area if safe to do. Closed containers with the product near the fire should be cooled with water. Use a self-contained breathing apparatus and full-body protective clothing.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Remove all ignition sources. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of confined spaces because of explosion risk. If leakage cannot be stopped, evacuate area.

**6.2. Environmental precautions**

Do not allow product to reach sewage system or any water course.

**6.3. Methods and material for containment and cleaning up**

Ventilate the room. Leave small quantities to evaporate, if safe to do so. Dispose of the collected material according to the instructions in the section 13.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Prevent other leakage. Prevent contact with skin and eyes. Provide sufficient ventilation. Do not inhale gases and vapours. In case of inadequate ventilation wear respiratory protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a well-ventilated place. Observe official regulations on storing packagings with pressurized containers. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Storage class 2B - Aerosols

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union**

Substance name (component)	Type	Time of exposure	Value	Note	Source
dimethyl ether (CAS: 115-10-6)	OEL	8 hours	1920 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	1000 ppm		
4-methylpentan-2-one (CAS: 108-10-1)	OEL	8 hours	83 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	20 ppm		

**QUICK FILLER**

Creation date	15. November 2012	Version	2.1
Revision date	28. March 2018		

**European Union**

Substance name (component)	Type	Time of exposure	Value	Note	Source
4-methylpentan-2-one (CAS: 108-10-1)	OEL	Short-term	208 mg/m <sup>3</sup>		EU limits
	OEL	Short-term	50 ppm		
acetone (CAS: 67-64-1)	OEL	8 hours	1210 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	500 ppm		
2-methoxy-1-methylethyl acetate (CAS: 108-65-6)	OEL	8 hours	275 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	50 ppm		
	OEL	Short-term	550 mg/m <sup>3</sup>		
	OEL	Short-term	100 ppm		
butanone (CAS: 78-93-3)	OEL	8 hours	600 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	200 ppm		
	OEL	Short-term	900 mg/m <sup>3</sup>		
	OEL	Short-term	300 ppm		

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
dimethyl ether (CAS: 115-10-6)	WEL	8 hours	766 mg/m <sup>3</sup>		GBR
	WEL	15 minutes	958 mg/m <sup>3</sup>		
	WEL	8 hours	400 ppm		
	WEL	15 minutes	500 ppm		
4-methylpentan-2-one (CAS: 108-10-1)	WEL	8 hours	208 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
	WEL	15 minutes	416 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
	WEL	8 hours	50 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	

**QUICK FILLER**

Creation date 15. November 2012  
Revision date 28. March 2018 Version 2.1

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
4-methylpentan-2-one (CAS: 108-10-1)	WEL	15 minutes	100 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
acetone (CAS: 67-64-1)	WEL	8 hours	1210 mg/m <sup>3</sup>		GBR
	WEL	15 minutes	3620 mg/m <sup>3</sup>		
	WEL	8 hours	500 ppm		
	WEL	15 minutes	1500 ppm		
2-methoxy-1-methylethyl acetate (CAS: 108-65-6)	WEL	8 hours	274 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
	WEL	15 minutes	548 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
	WEL	8 hours	50 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
	WEL	15 minutes	100 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
butanone (CAS: 78-93-3)	WEL	8 hours	600 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
	WEL	15 minutes	899 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
	WEL	8 hours	200 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	

**QUICK FILLER**

Creation date 15. November 2012  
Revision date 28. March 2018 Version 2.1

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
butanone (CAS: 78-93-3)	WEL	15 minutes	300 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
n-butyl acetate (CAS: 123-86-4)	WEL	8 hours	724 mg/m <sup>3</sup>		GBR
	WEL	15 minutes	966 mg/m <sup>3</sup>		
	WEL	8 hours	150 ppm		
	WEL	15 minutes	200 ppm		
butane (containing < 0,1 % butadiene (203-450-8)) (CAS: 106-97-8)	WEL	8 hours	600 ppm		GBR
	WEL	8 hours	1450 mg/m <sup>3</sup>		
	WEL	15 minutes	1810 mg/m <sup>3</sup>		
	WEL	15 minutes	750 ppm		

**8.2. Exposure controls**

No smoking. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Remove contaminated clothes. Do not eat, drink and smoke during work.

**Eye/face protection**

Protective goggles or face shield (based on the nature of the work performed).

**Skin protection**

Hand protection: Protective gloves. Other protection: protective workwear. Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

**Respiratory protection**

No special requirements. If exposure limits cannot be observed in this mode, suitable protection of airways must be used.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Appearance	aerosol
Physical state	no data available at 20°C
color	black
Odour	characteristic
Odour threshold	data not available
pH	data not available

**QUICK FILLER**

Creation date	15. November 2012	Version	2.1
Revision date	28. March 2018		
Melting point/freezing point		data not available	
Initial boiling point and boiling range		data not available	
Flash point		data not available	
Evaporation rate		non-applicable	
Flammability (solid, gas)		Extremely flammable aerosol.	
Upper/lower flammability or explosive limits			
flammability limits		data not available	
explosive limits			
bottom		0.8 %	
upper		9.0 %	
Vapour pressure		data not available	
Vapour density		data not available	
Relative density		data not available	
Solubility(ies)			
solubility in water		insoluble	
solubility in fats		data not available	
Partition coefficient: n-octanol/water		data not available	
Auto-ignition temperature		data not available	
Decomposition temperature		data not available	
Viscosity		data not available	
Explosive properties		data not available	
Oxidising properties		data not available	
<b>9.2. Other information</b>			
Density		data not available	
ignition temperature		data not available	

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

not available

**10.4. Conditions to avoid**

Keep away from sources of heating, ignition and direct sunlight.

**10.5. Incompatible materials**

Protect against strong acids, bases and oxidizing agents.

**10.6. Hazardous decomposition products**

Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

**Skin corrosion/irritation**

Based on available data the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye irritation.



**QUICK FILLER**

Creation date	15. November 2012	Version	2.1
Revision date	28. March 2018		

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

May cause drowsiness or dizziness.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

Based on available data the classification criteria are not met.

**SECTION 12: Ecological information****12.1. Toxicity****Acute toxicity**

Data for the mixture are not available.

**12.2. Persistence and degradability**

Data not available.

**12.3. Bioaccumulative potential**

Not available.

**12.4. Mobility in soil**

Not available.

**12.5. Results of PBT and vPvB assessment**

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Other adverse effects**

Not available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

**Legislation of waste**

Council Directive 75/442/EEC on waste, as amended. Decree No. 383/2001 Coll., on details regarding waste handling as amended. Decree No. 93/2016 Coll., (waste catalogue) as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

16 03 05 organic wastes containing dangerous substances

**QUICK FILLER**

Creation date	15. November 2012	Version	2.1
Revision date	28. March 2018		

**Packaging waste type code**

15 01 11 metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

**SECTION 14: Transport information**

**14.1. UN number**

UN 1950

**14.2. UN proper shipping name**

AEROSOLS

**14.3. Transport hazard class(es)**

2 Gases

**14.4. Packing group**

not available

**14.5. Environmental hazards**

No

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not available


**Additional information**

Hazard identification No.

UN number

Classification code

Safety signs

 (Kemler Code)

5F

2.1



**Marine transport - IMDG**

EmS (emergency plan)

Marine pollution

F-D, S-U

No

**QUICK FILLER**

Creation date	15. November 2012		
Revision date	28. March 2018	Version	2.1

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended (the Chemical Act). The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. The Act No. 258/2000 Coll., on Protection of Public Health as amended. Decree No. 361/2007 Coll., determining conditions of occupational health protection as amended. Decree No. 415/2012 Coll., on the permissible level of pollution and its determination and implementation of certain other provisions of the Air Protection Act as amended. The Act No. 185/2001 Coll., on Waste and the Amendment of Some Other Acts as amended. The Act No. 201/2012 Coll., on the Protection of Atmosphere – Clean Air Act as amended. Decree No. 432/2003 Coll., laying down conditions for assigning categories to individual jobs, limit values of indices from biological exposure tests, conditions for the sampling of biological materials for biological exposure and the particulars of the reports on work with asbestos and biological agents as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

**Guidelines for safe handling used in the safety data sheet**

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P211	Do not spray on an open flame or other ignition source.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

**A list of additional standard phrases used in the safety data sheet**

EUH 066	Repeated exposure may cause skin dryness or cracking.
---------	---

**Other important information about human health protection**

**QUICK FILLER**

Creation date	15. November 2012	Version	2.1
Revision date	28. March 2018		

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K <sub>ow</sub>	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aerosol	Flammable aerosol
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas

**QUICK FILLER**

Creation date	15. November 2012		
Revision date	28. March 2018	Version	2.1

Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. The Act No. 350/2011 Coll., on Chemical Substances and Chemical Preparations as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

2, 3, 8, 11, 12, 15, 16

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.