

QUICK OFF

Creation date	18th July 2024	Version	3.1
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** QUICK OFF
Substance / mixture mixture
Number 1 02.0014
UFI JSW3-WXRF-T20T-33ES
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Grease. For professional use only.
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
VAT Reg No CZ25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.
- Aerosol 1, H229, H222
Asp. Tox. 1, H304
Eye Irrit. 2, H319
STOT SE 3, H336
Aquatic Chronic 2, H411
- Most serious adverse physico-chemical effects**
Pressurised container: May burst if heated. Extremely flammable aerosol.
- Most serious adverse effects on human health and the environment**
Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.
- 2.2. Label elements**
Hazard pictogram
-
- Signal word**
Danger
- Hazardous substances**
propan-2-ol
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics
- Hazard statements**
H222 Extremely flammable aerosol.

QUICK OFF

Creation date	18th July 2024	Version	3.1
Revision date			

H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P403	Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of container to in accordance with national regulations.

Supplemental information

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	25-<50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
CAS: 68920-06-9 EC: 920-750-0 Registration number: 01-2119473851-33	hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	25-<50	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411 EUH066	
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8))	10-<25	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	
CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	10-<25	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	
CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27	isobutane	2,5-<10	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	

QUICK OFF

Creation date 18th July 2024

Revision date Version 3.1

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 8042-47-5 EC: 232-455-8 Registration number: 01-2119487078-27	White mineral oil	2,5-<10		

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

If on skin

Generally the product does not irritate the skin.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

May cause drowsiness or dizziness.

If on skin

not available

If in eyes

Causes serious eye irritation.

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

not available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

not available

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away.

6.2. Environmental precautions

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

6.3. Methods and material for containment and cleaning up

Provide sufficient ventilation. Do not flush with water or aqueous cleansing agents.

QUICK OFF

Creation date 18th July 2024
Revision date

Version 3.1

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

Storage class 2B - Aerosols

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	2035 mg/m ³	Chronic effects systemic		
Workers	Dermal	773 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	608 mg/m ³	Chronic effects systemic		
Consumers	Dermal	699 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	699 mg/kg bw/day	Chronic effects systemic		

propan-2-ol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	26 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	319 mg/kg bw/day	Chronic effects systemic		
Workers	Dermal	888 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	89 mg/m ³	Chronic effects systemic		
Workers	Inhalation	500 mg/m ³	Chronic effects systemic		

QUICK OFF

Creation date	18th July 2024	Version	3.1
Revision date			

8.2. Exposure controls

Do not store together with food, drink and animal feed. Take off contaminated clothing. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Do not inhale gases and vapours. Do not inhale aerosols. Prevent contact with skin and eyes.

Eye/face protection

Tightly sealed goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material: ≥ 0.5 mm. Penetration time of glove material: > 480 min. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear and footwear.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter A2/P2.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	-44.5 °C
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
bottom	0.7 %
upper	12.0 %
Flash point	-97 °C
Auto-ignition temperature	> 200 °C
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	≤ 20.5 mm ² /s at 40 °C
Solubility in water	almost insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	8300 hPa at 20 °C
Density and/or relative density	
Density	0.677 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	spray
data not available	

9.2. Other information

Evaporation rate	data not available
Explosive properties	The product does not have explosive properties but can be explosive when blended with air.
Content of organic solvents (VOC)	95.0 %
Solid content (dry matter)	0.0 % volume
Max. VOC content in the product in its ready to use condition	643.1 g/l
Product is not selfigniting.	

QUICK OFF

Creation date 18th July 2024
Revision date Version 3.1

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Unknown.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat	
Dermal	LD ₅₀	>3100 mg/kg		Rat	
Inhalation	LC ₅₀	>23.3 mg/l	4 hours	Rat	

propan-2-ol					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	5840 mg/kg		Rat	
Dermal	LD ₅₀	13900 mg/kg		Rabbit	
Inhalation	LC ₅₀	>25 mg/l	4 hours	Rat	

Skin corrosion/irritation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Serious eye damage/irritation

Causes serious eye irritation. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

QUICK OFF

Creation date 18th July 2024

Revision date

Version

3.1

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

May be fatal if swallowed and enters airways. Data for the components of the mixture are not available.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information
12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Acute toxicity

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics				
Parameter	Value	Exposure time	Species	Environment
LL ₅₀	>13.4 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	3 mg/l	48 hours	Invertebrates (Daphnia magna)	
EL ₅₀	10-30 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

propan-2-ol				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	9714 mg/l	24 hours	Invertebrates (Daphnia magna)	
LC ₅₀	9640 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	>100 mg/l		Bacteria	

Chronic toxicity

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics				
Parameter	Value	Exposure time	Species	Environment
NOEC	0.17 mg/l	21 days	Invertebrates (Daphnia magna)	
LOEC	0.32 mg/l	21 days	Invertebrates (Daphnia magna)	
NOELR	10 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

QUICK OFF

Creation date 18th July 2024

Revision date Version 3.1

propan-2-ol				
Parameter	Value	Exposure time	Species	Environment
LOEC	1000 mg/l	8 days	Algae	

12.2. Persistence and degradability

The product is not easily biodegradable.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

No data are available for either the mixture or the components.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Water hazard class 2 (German Regulation; Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

HP3 'Flammable'.

HP 4 'Irritant — skin irritation and eye damage'.

HP 5 'Specific Target Organ Toxicity (STOT)/Aspiration Toxicity'.

HP 14 'Ecotoxic'.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 05* organic wastes containing hazardous substances

Packaging waste type code

15 01 11* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information**14.1. UN number or ID number**

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

Product contains environmentally hazardous substances: Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

14.6. Special precautions for user

Reference in the Sections 4 to 8.

QUICK OFF

Creation date	18th July 2024	Version	3.1
Revision date			

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Stowage Code:

SW1 Protected from sources of heat.

SW2 Clear of living quarters.


Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.



UN number

5F

Classification code

2.1+hazardous for the environment

Safety signs



Road transport - ADR

Limited quantities

1L

Excepted quantities

E0

Tunnel restriction code

(D)

Railway transport - RID

Marine transport - IMDG

EmS (emergency plan)

F-D, S-U

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

>=30 % aliphatic hydrocarbons

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

More information

Directive 2012/18/EU of the European parliament and of the Council - ANNEX I - Hazard categories: P3a FLAMMABLE AEROSOLS. E2 Hazardous to the Aquatic Environment in Category Chronic 2.

Qualifying quantity (tonnes) of dangerous substances for the application - of lower-tier requirements: 150 (net).

Qualifying quantity (tonnes) of dangerous substances for the application of - upper-tier requirements: 500 (net).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

QUICK OFF

Creation date	18th July 2024	Version	3.1
Revision date			

H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P403	Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of container to in accordance with national regulations.

A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LL ₅₀	Lethal Loading for 50% of tested organisms
log K _{ow}	Octanol-water partition coefficient
NOEC	No observed effect concentration

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

QUICK OFF

Creation date	18th July 2024	Version	3.1
Revision date			

NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Aerosol	Aerosol
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.1 replaces the SDS version from 19 July 2022. Changes were made in sections 1, 2, 8, 9, 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.