

Date of issue: 23/05/2017	Trade name:	Page: 1/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

1. Section 1. Identification of the substance/mixture and of the company/undertaking:

1.1. Product identifier:

Trade name: **SENSITIVE SURFACE CLEANER**
Product code: **1 34147**

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Uses of the mixture: Cleaner.

Uses advised against: Not known.

Sector of use category (SU):

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Process category (PROC):

PROC7 Industrial spraying

PROC11 Non industrial spraying

Environmental release category (ERC):

ERC8a Wide dispersive indoor use of processing aids in open systems

ERC8d Wide dispersive outdoor use of processing aids in open systems

1.3. Details of the supplier of the safety data sheet:

Identification of manufacturer/Supplier:

RETECH, s.r.o.
Vackova 1541/4
150 00 Praha 5 - Stodůlky
Czech Republic

Telephone number/Fax: +420 327 596 128, +420 327 596 428

E-mail: info@retech.cz

1.4. Emergency telephone number: RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic

Telephone number: +420 327 596 128 (7.30-16.00 hour)

Toxikologické informační středisko (Toxicology Information Centre),

Na bojišti 1, 128 08 PRAHA 2, Czech Republic

Telephone number: +420 224 919 293, +420 224 915 402 (24 hours a day)

2.* Section 2. Hazard identification:

2.1. Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Aerosol 1	H222 Extremely flammable aerosol.
	H229 Pressurised container: May burst if heated.
Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.
Asp. Tox 1	H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements:

Labelling according to Regulation (EC) No 1272/2008 [CLP]:



Signal Word: Danger

Hazard Statements:

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Date of issue: 23/05/2017	Trade name:	Page: 2/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

Precautionary Statements:

- P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.
P211 Do not spray on an open flame or other ignition source.
P271 Use only outdoors or in a well-ventilated area.
P261 Avoid breathing vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P312 IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P331 Do NOT induce vomiting.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501 Dispose of contents/container in accordance with national regulation.

Contained dangerous substances:

- 64742-49-0 Naphtha (petroleum), hydrotreated light;
64742-48-9 Naphtha (petroleum), hydrotreated heavy

Regulation (EC) No 648/2004:

aliphatic hydrocarbons ≥ 30 %

2.3. Other hazards:

Results of PBT and vPvB assessment:

- PBT: Not applicable.
vPvB: Not applicable.

3.* Section 3. Composition/information on ingredients:

3.2. Mixtures:

Description of the mixture: Mixture of active ingredients with propellant

Hazardous ingredients:

CAS: 64742-49-0 EINECS: 265-151-9 Reg. No.: 01-2119475514-35	Naphtha (petroleum), hydrotreated light (contains < 0.1 % benzene) Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	25 -< 50 %
CAS: 64742-48-9 EINECS: 265-150-3 Reg. No.: 01-2119463258-33	Naphtha (petroleum), hydrotreated heavy (contains < 0.1 % benzene) Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336	15 -< 20 %
CAS: 64-17-5 EINECS: 200-578-6 Reg. No.: 01-2119457610-43	Ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319	10 -< 25 %
CAS: 109-87-5 EINECS: 203-714-2 Reg. No.: 01-2119664781-31	Dimethoxymethane Flam. Liq. 2, H225	10 -< 25 %
CAS: 67-63-0 EINECS: 200-661-7 Reg. No.: 01-2119457558-25	Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	10 -< 15 %
CAS: 124-38-9 EINECS: 204-696-9	Carbon-dioxide Press. Gas, H280	3 -< 10 %

For full text of H-statements: see SECTION 16.

Date of issue: 23/05/2017	Trade name:	Page: 3/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

Regulation (EC) No 648/2004 on detergents:
aliphatic hydrocarbons ≥ 30 %

4. Section 4. First aid measures:

4.1. Description of first aid measures:

General notes: When in doubt or if symptoms are observed, get medical advice.
 After inhalation: In case of unconsciousness place patient stably in side position for transportation.
 After skin contact: Wash with water and soap and rinse thoroughly.
 After eye contact: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do.
 Get medical attention if any discomfort continues.
 After swallowing: Do not induce vomiting.
 Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed:
No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed:
No further relevant information available.

5. Section 5. Firefighting measures:

5.1. Extinguishing media:

Suitable extinguishing agents: Carbon dioxide (CO₂), fire-extinguishing powder, water spray, alcohol resistant foam.

Unsuitable extinguishing agents: Water with full jet.

5.2. Special hazards arising from the substance or mixture:
No further relevant information available.

5.3. Advice for firefighters: Wear protective clothing and self-contained breathing apparatus.

6. Section 6. Accidental release measures:

6.1. Personal precautions, protective equipment and emergency procedures:
Wear protective equipment see Section 8.
Keep unprotected persons away.
Ensure adequate ventilation.

6.2. Environmental precautions: Do not allow to enter sewers, surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.

6.3. Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Dispose contaminated material as waste according to Section 13.

6.4. Reference to other sections: See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7. Section 7. Handling and storage:

7.1. Precautions for safe handling:

Protective measures: Wear protective equipment see Section 8.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
 Measures to prevent fire: Do not spray onto a naked flame or any incandescent material.
Keep ignition sources away. Do not smoke.
Protect against electrostatic charges.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights.
Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities:

Requirements for storage rooms and vessels:
Store in cool, dry conditions in well sealed receptacles.
Observe official regulations on storing packagings with pressurized containers.

Date of issue: 23/05/2017	Trade name:	Page: 4/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

Technical measures and storage conditions:

Store in a cool place.

Observe official regulations on storing packagings with pressurized containers.

Further information on storage conditions:

Protect from heat and direct sunlight.

7.3. Specific end use(s): No further relevant information available.

8.* Section 8. Exposure controls/personal protection:

8.1. Control parameters:

Components with limit values that require monitoring at the workplace:

WEL (United Kingdom): EH40/2005

CAS	Substance	Long-term (8-hr TWA ref. period)		Short-term (15 minute ref. period)		Comments
		ppm	mg/m ³	ppm	mg/m ³	
64-17-5	Ethanol	1000	1920	-	-	
109-87-5	Dimethoxymethane	1000	3160	1250	3950	
67-63-0	Propan-2-ol	400	999	500	1250	
124-38-9	Carbon dioxide	5000	9150	15000	27400	

OEL: 2000/39/EG, 2006/15/EG, 2009/161/EG

CAS	Substance	Long-term (8-hr TWA ref. period)		Short-term (15 minute ref. period)		Comments
		ppm	mg/m ³	ppm	mg/m ³	
124-38-9	Carbon dioxide	5000	9000	-	-	

DNEL

64742-49-0 Naphtha (petroleum), hydrotreated light

Inhalation	Chronic effects systemic	2035	mg/m ³	Workers
	Chronic effects systemic	608	mg/m ³	Consumers
Dermal	Chronic effects systemic	773	mg/kg Body weight/day	Workers
	Chronic effects systemic	699	mg/kg Body weight/day	Consumers
Oral	Chronic effects systemic	699	mg/kg Body weight/day	Consumers

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Inhalation	Chronic effects systemic	1500	mg/m ³	Workers
	Chronic effects systemic	900	mg/m ³	Consumers
Dermal	Chronic effects systemic	300	mg/kg Body weight/day	Workers
	Chronic effects systemic	300	mg/kg Body weight/day	Consumers
Oral	Chronic effects systemic	300	mg/kg Body weight/day	Consumers

67-63-0 Propan-2-ol

Inhalation	Chronic effects systemic	500	mg/m ³	Workers
	Chronic effects systemic	89	mg/m ³	Consumers
Dermal	Chronic effects systemic	888	mg/kg Body weight/day	Workers
	Chronic effects systemic	319	mg/kg Body weight/day	Consumers
Oral	Chronic effects systemic	26	mg/kg Body weight/day	Consumers

Additional information: The lists that were valid during the compilation were as basis.

8.2. Exposure controls:

Technical measures to prevent exposure:

Ensure good ventilation/exhaustion at the workplace.

General protective measures:

Store away from foodstuffs, beverages and feed.

Take off immediately all contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid breathing vapours/spray.

Avoid skin and eye contact.

Personal protection equipment:

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

Filter: AX/P2

Date of issue: 23/05/2017	Trade name:	Page: 5/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

Eye protection:	In case of intensive or longer exposure use self-contained respiratory protective device.
Hand protection:	Tightly sealed goggles. Protective gloves. Solvent resistant gloves. The final selection of the glove material must be carried out on the basis of penetration times, permeation rates and degradation. Material of gloves: Nitrile rubber Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Skin protection:	Protective suit.

9. Section 9. Physical and chemical properties:

9.1. Information on basic physical and chemical properties:

Form:	Aerosol.
Colour:	Colourless.
Odour:	Solvent-like.
Odour threshold:	Not determined.
Value pH at 20 °C:	Not determined.
Melting point/freezing point:	Not determined.
Initial boiling point/boiling range:	45 °C
Flash point:	-18 °C
Evaporation rate:	Not determined.
Flammability (solid, gas):	Not determined.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosive limits:	
- lower:	0.6 Vol. %
- upper:	19.9 Vol. %
Vapour pressure at 20 °C:	4 Bar
Vapour density at 20 °C:	Not determined.
Density at 20 °C:	0.794 g/cm ³
Relative density:	Not determined.
Solubility in/miscibility with:	Water: Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Ignition temperature:	200 °C
Decomposition temperature:	Not determined.
Self-ignition temperature:	Product is not selfigniting.
Viscosity:	Not determined.
Oxidising properties:	Not determined.

9.2. Other information:

Organic solvent:	88.6 %
Solid content:	11.4 %
VOC (EU):	762.2 g/l
VOC (CH):	96.0 %

10. Section 10. Stability and reactivity:

10.1. Reactivity:	No further relevant information available.
10.2. Chemical stability:	No decomposition if used according to specifications.
10.3. Possibility of hazardous reactions:	No dangerous reactions known.
10.4. Conditions to avoid:	No further relevant information available.
10.5. Incompatible materials:	No further relevant information available.

Date of issue: 23/05/2017	Trade name:	Page: 6/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

10.6. Hazardous decomposition products:

No dangerous decomposition products known.

11.* Section 11. Toxicological information:

11.1. Information on toxicological effects:

Acute toxicity: Based on available data, the classification criteria are not met.

64742-49-0 Naphtha (petroleum), hydrotreated light

Oral	LD50	Rat	> 5840	mg/kg
Dermal	LD50	Rabbit	> 2920	mg/kg
Inhalative	LC50/4 h	Rat	> 25	mg/l

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral	LD50	Rat	> 5000	mg/kg
Dermal	LD50	Rabbit	> 5000	mg/kg
Inhalative	LC50/4 h	Rat	4951	mg/m ³

67-63-0 Propan-2-ol

Oral	LD50	Rat	5840	mg/kg
Dermal	LD50	Rabbit	13900	mg/kg
Inhalative	LC50/6 h	Rat	25000	mg/m ³

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitization:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure:

May cause drowsiness or dizziness.

Specific target organ toxicity

- repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

Other information:

No further relevant information available.

12. Section 12. Ecological information:

12.1. Toxicity:

Aquatic toxicity: No further relevant information available.

64742-49-0 Naphtha (petroleum), hydrotreated light

Fish	LL50/96 h	Onchorhynchus mykiss	11.4	mg/l
Invertebrates	EL50/48 h	Daphnia magna	3	mg/l
	LOEC/21 days	Daphnia magna	0.32	mg/l
	NOEC/21 days	Daphnia magna	0.17	mg/l
Algae	EL50/72 h	Pseudokirchneriella subcapitata	30 - 100	mg/l
	NOELR/72 h	Pseudokirchneriella subcapitata	3	mg/l

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Fish	LL50/96 h	Onchorhynchus mykiss	> 1000	mg/l
Invertebrates	EL0/48 h	Daphnia magna	1000	mg/l
Algae	EL50/72 h	Pseudokirchneriella subcapitata	> 1000	mg/l
	NOELR/72 h	Pseudokirchneriella subcapitata	1000	mg/l

67-63-0 Propan-2-ol

Fish	LC50/96 h	Pimephales promelas	9640	mg/l
Invertebrates	LC50/24 h	Daphnia magna	9714	mg/l
Algae	LOEC/8 days		1000	mg/l

12.2. Persistence and degradability: No further relevant information available.

12.3. Bioaccumulative potential: No further relevant information available.

12.4. Mobility in soil: No further relevant information available.

Ecotoxic effects: Remark: Toxic for fish.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 of the European Parliament and of the Council

Date of issue: 23/05/2017	Trade name:	Page: 7/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

Additional ecological information:

General notes: Water danger class 2 (German Regulation) (Self-assessment):
hazardous for water
Do not allow to enter water courses, ground water or drains.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Harmful to aquatic organisms.

12.5. Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

12.6. Other adverse effects: No further relevant information available.

13.* Section 13. Disposal considerations:

13.1. Waste treatment methods:

Product disposal: Must not be disposed together with household garbage.
Do not allow product to reach sewage system.
European Waste Catalogue: 16 03 05* organic wastes containing hazardous substances
(*hazardous waste)

Packagings disposal: Disposal must be made according to official regulations.
European Waste Catalogue: 15 01 11* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers
(*hazardous waste)

Other disposal recommendations: Disposal must be made according to official regulations.
The final decisions on the appropriate waste management method, in line with regional, national and European legislation, and possible adaptation to local conditions, remains the responsibility of the waste treatment operator.

14. Section 14. Transport information:

14.1. UN number:

ADR, IMDG, IATA UN 1950

14.2. UN proper shipping name:

ADR UN 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG AEROSOLS (Naphtha (petroleum), hydrotreated light), MARINE POLLUTANT
IATA AEROSOLS, flammable

14.3. Transport hazard class(es):

ADR



Class 2 5 F Gases

Hazard label 2.1

IMDG



Class 2.1

Hazard label 2.1

IATA



Class 2.1

Hazard label 2.1

14.4. Packing group:

ADR, IMDG, IATA Void.

14.5. Environmental hazards:

The product contains environmentally hazardous substances:

Naphtha (petroleum), hydrotreated light

Marine pollutant:

Ja

Safety Data Sheet

According to Regulation (EC) No 1907/2006 of the European Parliament and of the Council

Date of issue: 23/05/2017	Trade name:	Page: 8/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

14.6.	Special marking (ADR):	Symbol (fish and tree)
	Special precautions for user:	Symbol (fish and tree)
	EMS:	Warning: Gases
	Danger Code (Kemler):	F-D, S-U
	Segregation groups:	-
14.7.	Transport in bulk according to Annex II of MARPOL and the IBC Code:	Heavy metals and their salts (including their organometallic compounds)
	Transport/ Additional information:	Not applicable.
	ADR	
	Tunnel restriction code:	D
	UN "Model Regulation":	UN 1950, AEROSOLS, ENVIRONMENTALLY HAZARDOUS, 2.1

15.* Section 15. Regulatory information:

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Used legislation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals, as amended (REACH)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures, as amended (CLP)

Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, as amended

Commission Decision 2000/532/EC establishing a list of wastes, as amended

Council Directive 89/686/EEC on the approximation of the laws of the Member States relating to personal protective equipment, as amended

Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values

Commission Directive 2009/161/EU establishing a third list of indicative occupational exposure limit values

Directive 2004/42/CE of the European Parliament and of the Council on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC, as amended

EU limit for this product is (Cat. B/e): 840 g/l (2007).

This product contains max. 762,2 g/l VOC.

15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16.* Section 16. Other information:

Relevant H-statements (Section 3):

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level

EC50: Median effective concentration to 50% of a population

EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association

Safety Data Sheet

According to Regulation (EC) No 1907/2006 of the European Parliament and of the Council

Date of issue: 23/05/2017	Trade name:	Page: 9/9
Reviewed on:	SENSITIVE SURFACE CLEANER	Version: 2.0

IMDG: International Maritime Code for Dangerous Goods
LC50: Median concentration lethal to 50 % of a test population
LD50: Median dose lethal to 50 % of a test population
OEL: Occupational Exposure Limit
PBT: Persistent, Bioaccumulative, Toxic
PNEC: Predicted No-Effect Concentration
Reg. No.: Registration number
VOC: Volatile Organic Compounds
vPvB: Very Persistent, Very Bioaccumulative
WEL: Workplace exposure limits
Aerosol 1: Flammable aerosol, category 1
Aquatic Chronic 2: Hazardous to the aquatic environment, category 2
Asp. Tox. 1: Aspiration hazard, category 1
Eye Irrit. 2: Serious eye irritation, category 2
Flam. Liq. 2: Flammable liquid, category 2
Flam. Liq. 3: Flammable liquid, category 3
Press. Gas: Gases under pressure
STOT SE 3: Specific target organ toxicity — single exposure, category 3

The information contained herein is based on our best knowledge and the present legislation. Further, the Safety Data Sheet has been elaborated on the basis of the original Safety Data Sheet provided by the manufacturer. These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

***Compared to the last version the data has been changed.**