

**SPOT CLEAR**

Creation date 01. October 2019  
Revision date Version 3.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier**  
Substance / mixture SPOT CLEAR  
Number mixture  
1 35460  
UFI JV43-1DDV-T00W-1KHS
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
Mixture's intended use Varnish.  
Mixture uses advised against For professional use only.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (CRN) 25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com
- Competent person responsible for the safety data sheet**  
Name RETECH, s.r.o.  
E-mail info@retech.cz
- 1.4. Emergency telephone number**  
RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128 (7.30-16.00 hour)  
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229  
Eye Irrit. 2, H319  
STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**Most serious adverse effects on human health and the environment**

Causes serious eye irritation. May cause drowsiness or dizziness.

**2.2. Label elements****Hazard pictogram****Signal word**

Danger

**Hazardous substances**

n-butyl acetate  
acetone

**SPOT CLEAR**

 Creation date 01. October 2019  
 Revision date Version 3.0

**Hazard statements**

 H222 Extremely flammable aerosol.  
 H229 Pressurised container: May burst if heated.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

**Precautionary statements**

 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.  
 P251 Do not pierce or burn, even after use.  
 P261 Avoid breathing vapours/spray.  
 P271 Use only outdoors or in a well-ventilated area.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
 P501 Dispose of container to in accordance with national regulations.

**Supplemental information**

 Density 0.662 g/cm<sup>3</sup>  
 VOC 87.2 %  
 Dry matter 12.8 % volume  
 VOC limit value cat. B (e) : 840 g/l  
 Max. VOC content in the product in its ready to use condition 839 g/l

**2.3. Other hazards**

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Buildup of explosive mixtures possible without sufficient ventilation.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 115-10-6 EC: 204-065-8 Registration number: 01-2119472128-37	dimethyl ether	25-<50	Flam. Gas 1, H220 Press. Gas (liquefied gas), H280	1
CAS: 123-86-4 EC: 204-658-1 Registration number: 01-2119485493-29	n-butyl acetate	10-<25	Flam. Liq. 3, H226 STOT SE 3, H336 EUH 066	1
CAS: 67-64-1 EC: 200-662-2 Registration number: 01-2119471330-49	acetone	10-<25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH 066	1
CAS: 108-65-6 EC: 203-603-9 Registration number: 01-2119475791-29	2-methoxy-1-methylethyl acetate	2,5-<5	Flam. Liq. 3, H226	1

**SPOT CLEAR**

Creation date	01. October 2019	Version	3.0
Revision date			

**Notes**

- 1 Substance for which exposure limits of Community for working environment exist.  
Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

**If on skin**

Generally the product does not irritate the skin.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**If swallowed**

In the event of issues, find medical advice.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

May cause drowsiness or dizziness.

**If on skin**

not available

**If in eyes**

Causes serious eye irritation.

**If swallowed**

not available

**4.3. Indication of any immediate medical attention and special treatment needed**

not available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, powder, water spray jet. Fight larger fires with water spray.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

not available

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away.

**6.2. Environmental precautions**

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

**6.3. Methods and material for containment and cleaning up**

Provide sufficient ventilation. Dispose of the collected material according to the instructions in the section 13.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**SPOT CLEAR**

Creation date	01. October 2019	Version	3.0
Revision date			

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Use only outdoors or in a well-ventilated area. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

Storage class 2B - Aerosols

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union**

Substance name (component)	Type	Time of exposure	Value	Note	Source
dimethyl ether (CAS: 115-10-6)	OEL	8 hours	1920 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	1000 ppm		
acetone (CAS: 67-64-1)	OEL	8 hours	1210 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	500 ppm		
2-methoxy-1-methylethyl acetate (CAS: 108-65-6)	OEL	8 hours	275 mg/m <sup>3</sup>		EU limits
	OEL	8 hours	50 ppm		
	OEL	Short-term	550 mg/m <sup>3</sup>		
	OEL	Short-term	100 ppm		

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
dimethyl ether (CAS: 115-10-6)	WEL	8 hours	766 mg/m <sup>3</sup>		GBR
	WEL	15 minutes	958 mg/m <sup>3</sup>		
	WEL	8 hours	400 ppm		
	WEL	15 minutes	500 ppm		
n-butyl acetate (CAS: 123-86-4)	WEL	8 hours	724 mg/m <sup>3</sup>		GBR
	WEL	15 minutes	966 mg/m <sup>3</sup>		
	WEL	8 hours	150 ppm		
	WEL	15 minutes	200 ppm		

**SPOT CLEAR**

Creation date 01. October 2019

Revision date

Version

3.0

**United Kingdom of Great Britain and Northern Ireland**

Substance name (component)	Type	Time of exposure	Value	Note	Source
acetone (CAS: 67-64-1)	WEL	8 hours	1210 mg/m <sup>3</sup>		GBR
	WEL	15 minutes	3620 mg/m <sup>3</sup>		
	WEL	8 hours	500 ppm		
	WEL	15 minutes	1500 ppm		
2-methoxy-1-methylethyl acetate (CAS: 108-65-6)	WEL	8 hours	274 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	GBR
	WEL	15 minutes	548 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
	WEL	8 hours	50 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	
	WEL	15 minutes	100 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.	

**8.2. Exposure controls**

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

**Eye/face protection**

Tightly sealed goggles.

**Skin protection**

Hand protection: Protective gloves resistant to the product. The final selection of the glove material must be carried out on the basis of penetration times, permeation rates and degradation. Material of gloves: Nitrile rubber, NBR. When handling in long-term or repeatedly, use protective gloves. Material of gloves: Butyl rubber. Recommended thickness of the material: ≥ 0.7 mm. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Protective gloves shall be replaced immediately when damaged. Other protection: protective workwear.

**Respiratory protection**

Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A1P2.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SPOT CLEAR**

Creation date 01. October 2019  
Revision date Version 3.0

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Appearance	aerosol
Physical state	no data available at 20°C
color	whitish
Odour	characteristic
Odour threshold	data not available
pH	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	-24.9 °C
Flash point	<0 °C
Evaporation rate	data not available
Flammability (solid, gas)	Extremely flammable aerosol.
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	
bottom	1.2 %
upper	18.6 %
Vapour pressure	3400 hPa at 20 °C
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	almost insoluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	data not available
Explosive properties	The product does not have explosive properties but can be explosive when blended with air.
Oxidising properties	data not available
data not available	

**9.2. Other information**

Density	0.662 g/cm <sup>3</sup>
ignition temperature	235 °C
content of organic solvents (VOC)	87.2 %
solid content (dry matter)	12.8 % volume
VOC limit value	cat. B (e) : 840 g/l
Max. VOC content in the product in its ready to use condition	839 g/l
Product is not selfigniting.	

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

**10.3. Possibility of hazardous reactions**

Unknown.

**SPOT CLEAR**

Creation date	01. October 2019	Version	3.0
Revision date			

**10.4. Conditions to avoid**

not available

**10.5. Incompatible materials**

not available

**10.6. Hazardous decomposition products**

Unknown.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

**Skin corrosion/irritation**

Based on available data the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

May cause drowsiness or dizziness.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

Based on available data the classification criteria are not met.

**SECTION 12: Ecological information****12.1. Toxicity****Acute toxicity**

Data for the mixture are not available.

**12.2. Persistence and degradability**

Not available.

**12.3. Bioaccumulative potential**

Not available.

**12.4. Mobility in soil**

Not available.

**12.5. Results of PBT and vPvB assessment**

**SPOT CLEAR**

Creation date 01. October 2019  
Revision date Version 3.0

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Other adverse effects**

Additional ecological information:

General notes: Water hazard class 1 (german Regulation, self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

08 01 11 waste paint and varnish containing organic solvents or other dangerous substances

**Packaging waste type code**

15 01 10 packaging containing residues of or contaminated by dangerous substances

**SECTION 14: Transport information****14.1. UN number**

UN 1950

**14.2. UN proper shipping name**

AEROSOLS

**14.3. Transport hazard class(es)**

2 Gases

**14.4. Packing group**

not available

**14.5. Environmental hazards**

No

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not available

**Additional information**

Stowage Code: SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.

 (Kemler Code)

UN number

5F

Classification code

2.1

Safety signs





**SPOT CLEAR**

Creation date	01. October 2019	Version	3.0
Revision date			

**Road transport - ADR**

Limited quantities	1L
Excepted quantities	E0
Transport category	2
Tunnel restriction code	(D)

**Marine transport - IMDG**

EmS (emergency plan)	F-D, S-U
Marine Pollutant	No

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

**Guidelines for safe handling used in the safety data sheet**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of container to in accordance with national regulations.

**A list of additional standard phrases used in the safety data sheet**

EUH 066	Repeated exposure may cause skin dryness or cracking.
---------	---

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
-----	---

**SPOT CLEAR**

Creation date	01. October 2019	Version	3.0
Revision date			

BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K <sub>ow</sub>	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Aerosol	Aerosol
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

**SPOT CLEAR**

Creation date	01. October 2019	Version	3.0
Revision date			

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

The version 3.0 replaces the SDS version from 20.03.2018. Changes were made in sections 2, 13, 15 and 16.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.