Printing date 10/10/2017

Reviewed on 10/28/2016

## **1 Identification**

· Product identifier

· Trade name: TECHNOBOND BLACK 1 34452/1 34448, WHITE 1 34454/1 34449, GREY 1 34453

· Application of the substance / the mixture

Sealant

Adhesives

· Details of the supplier of the safety data sheet · Manufacturer/Supplier: RETECH, s.r.o. Vackova 1541/4 150 00 Praha 5 – Stodůlky Czech republic Tel/Fax: +420 327 596 128, +420 327 596 428 E-mail: info@retech.cz

• Emergency telephone number: Tel: +420 327 596 555 (mo-fr/7.30-16.00)

# 2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Classification system:
- ·NFPA ratings (scale 0 4)

• Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with additions.

<ul> <li>Dangerous compone</li> </ul>	ents:	
CAS: 2768-02-7	Trimethoxyvinylsilan	1-<3%
EINECS: 220-449-8		
CAS: 13822-56-5	3-Aminopropyltrimethoxysilan	1-<3%
EINECS: 237-511-5		
CAS: 52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	<1%
EINECS: 258-207-9		
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	J

#### **Additional information:** For the wording of the listed hazard phrases refer to section 16.

# 4 First-aid measures

· Description of first aid measures

· General information: No special measures required.

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing date 10/10/2017

Reviewed on 10/28/2016

#### Trade name: TECHNOBOND

• After inhalation:
Seek medical treatment in case of complaints.
Take affected persons into fresh air and keep quiet.
After skin contact:
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:

Do not induce vomiting; immediately call for medical help.

- Wash out mouth with water. Contact a physician.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture In case of fire, the following can be released:
- Advice for firefighters
- Protective equipment: Mount respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- · PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- No special measures required.
- Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 10/10/2017

Reviewed on 10/28/2016

Trade name: TECHNOBOND

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · CAS No. Designation of material % Type Value Unit Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves and protective skin cream
- · Material of gloves
- PVC or PE gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

*Recommended thickness of the material:*  $\geq 0.12 \text{ mm}$ 

- Penetration time of glove material
- > 480 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection: Goggles recommended during refilling.* 

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Pasty	
Color:	According to product specification	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	>100 °C (DIN 53213)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	235 °C	

(Contd. of page 2)

Printing date 10/10/2017

Reviewed on 10/28/2016

Trade name: TECHNOBOND

		(Contd. of page 3
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C:	1.4 g/cm <sup>3</sup> (DIN 51757)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	t <b>ter):</b> Not determined.	
Viscosity:		
Dynamic at 20 °C:	10,000 mPas	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
Solids content:	>99.0 % (DIN 53216)	
Other information	No further relevant information available.	
• <i>VOC (EU):</i>	0.00 %	
<i>VOC (EU):</i>	0.0 g/l	
<i>VOC</i> ( <i>US</i> ):	0.0 g/l / 0.00 lb/gl	

### **10** Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

## **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 v	values that a	are relevant j	for classification:
-------------	---------------	----------------	---------------------

Oral LD50 >200,000 mg/kg (RAT)

Inhalative LC50/4 h 368 mg/l

#### CAS: 52829-07-9 Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester

*Oral LD50* >2,000 mg/kg (RAT)

LC50/96 h 13 mg/l (BRACHDANIO RERIO)

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

(Contd. on page 5)

s

Printing date 10/10/2017

Reviewed on 10/28/2016

#### Trade name: TECHNOBOND

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

# · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

· Recommendation: Disposal must be made according to official regulations.

# **14 Transport information**

· UN-Number · DOT, ADR/RID/ADN, ADN, IMDG, IA	TA Void	
· UN proper shipping name · DOT, ADR/RID/ADN, ADN, IMDG, IA	<b>TA</b> Void	
· Transport hazard class(es)		
· DOT, ADR/RID/ADN, ADN, IMDG, IA	TA	
Class	Void	
· Packing group		
· DOT, ADR/RID/ADN, IMDG, IATA	Void	
		(Contd. on page 6)

(Contd. of page 4)

<sup>·</sup> Uncleaned packagings:

Printing date 10/10/2017

Reviewed on 10/28/2016

Trade name: TECHNOBOND

	(Contd. of page 5)
· Environmental hazards:	
• Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex l	I I of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	<i>Tansport classification ADR/IMGD is based on packaging</i> >30ltr(IMDG), <450ltr(ADR).
	For other packaging untis different classification can apply.
· UN "Model Regulation":	Void

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous)	substances):
-------------------------------------	--------------

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements Void

• Hazard pictograms Void

· Signal word Void

• Hazard statements Void

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 10/10/2017

Trade name: TECHNOBOND

Reviewed on 10/28/2016

(Contd. of page 6)

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Date of preparation / last revision 10/10/2017 / 8

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods byRoad) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \* \* Data compared to the previous version altered.