

TECHNOSEAL 3 BEIGE

Creation date 25th June 2020
Revision date Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** TECHNOSEAL 3 BEIGE
Substance / mixture mixture
Number 1 35455
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use Sprayable sealant.
Mixture uses advised against For professional use only.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
VAT Reg No CZ25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128 (7.30-16.00 hour)
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals.

112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.
Full text of all classifications and hazard statements is given in the section 16.
- 2.2. Label elements**
Supplemental information
EUH210 Safety data sheet available on request.
- 2.3. Other hazards**
Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Small amounts of methanol are formed by hydrolysis.

TECHNOSEAL 3 BEIGE

 Creation date 25th June 2020
 Revision date Version 2.0

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 64742-81-0 EC: 265-184-9 Registration number: 01-2119462828-25	Kerosine (petroleum), hydrodesulfurized	1-<3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 2768-02-7 EC: 220-449-8 Registration number: 01-2119513215-52	Trimethoxyvinylsilane	1-<3	Flam. Liq. 3, H226 Acute Tox. 4, H332	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures

Remove contaminated clothes. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Remove person to fresh air and keep comfortable for breathing. Keep the affected person warm and at rest. In the event of issues, find medical advice.

If on skin

Wash with plenty of soap and water. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 15 minutes. In the event of issues, find medical advice.

If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment. Rinse out the mouth with clean water.

4.2. Most important symptoms and effects, both acute and delayed
If inhaled

not available

If on skin

not available

If in eyes

not available

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

Small amounts of methanol are formed by hydrolysis.

TECHNOSEAL 3 BEIGE

Creation date	25th June 2020	Version	2.0
Revision date			

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Prevent contact with skin and eyes. Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent seepage into sewage system, workpits and cellars. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. After removal of the product, wash the contaminated site with plenty of water.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Use personal protective equipment as per Section 8. Prevent contact with skin and eyes. Observe valid legal regulations on safety and health protection. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Take off contaminated clothing. And wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Protect from moisture. Do not store together with food, drink and animal feed.

Storage temperature min 10 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Small amounts of methanol are formed by hydrolysis. Methanol: EU: OEL 200 ppm; OEL 260 mg/m³; P-skin.

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation.

Eye/face protection

Tightly sealed goggles.

Skin protection

Other protection: protective workwear.

Respiratory protection

It is not needed.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

TECHNOSEAL 3 BEIGE

Creation date	25th June 2020	Version	2.0
Revision date			

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	paste
Physical state	liquid at 20°C
color	beige
Odour	data not available
Odour threshold	data not available
pH	data not available
Melting point/freezing point	data not available
Initial boiling point and boiling range	data not available
Flash point	>100 °C
Evaporation rate	data not available
Flammability (solid, gas)	data not available
Upper/lower flammability or explosive limits	
flammability limits	data not available
explosive limits	data not available
Vapour pressure	data not available
Vapour density	data not available
Relative density	data not available
Solubility(ies)	
solubility in water	insoluble
solubility in fats	data not available
Partition coefficient: n-octanol/water	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
Viscosity	2000-4000 mPa.s
Explosive properties	data not available
Oxidising properties	data not available
data not available	

9.2. Other information

Density	1.63 g/cm ³ at 20°C
ignition temperature	data not available

SECTION 10: Stability and reactivity**10.1. Reactivity**

See the Section 10.3.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

Keep away from heat, open flames.

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

No toxicological data is available for the mixture.

TECHNOSEAL 3 BEIGE

Creation date

25th June 2020

Revision date

Version

2.0

Acute toxicity

Based on available data the classification criteria are not met.

Kerosine (petroleum), hydrodesulfurized

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Oral	LD ₅₀	>5000 mg/kg		Rat		
Dermal	LD ₅₀	>2000 mg/kg		Rabbit		
Inhalation	LC ₅₀	>5.2 mg/l	4 hour	Rat		

TECHNOSEAL 3 BEIGE

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Oral	ATE	81808 mg/kg				
Dermal	ATE	29997 mg/kg				
Inhalation (vapor)	ATE	551 mg/l				

Trimethoxyvinylsilane

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Oral	LD ₅₀	7.34 ml/kg		Rat		Experimentally
Dermal	LD ₅₀	3.36 ml/kg		Rabbit		

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

SECTION 12: Ecological information
12.1. Toxicity

TECHNOSEAL 3 BEIGE

Creation date

25th June 2020

Revision date

Version

2.0

Acute toxicity

Harmful to aquatic life with long lasting effects.

Kerosine (petroleum), hydrodesulfurized

Parameter	Value	Time of exposure	Species	Environment
LC ₅₀	1740 mg/l	96 hour	Fishes (Lepomis macrochirus)	
LC ₅₀	45 mg/l	96 hour	Fishes (Pimephales promelas)	
LC ₅₀	4720 mg/l	48 hour	Crustaceans (Dendronereides heteropoda)	

Trimethoxyvinylsilane

Parameter	Value	Time of exposure	Species	Environment
EC ₅₀	168.7 mg/l	48 day	Daphnia (Daphnia magna)	

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Smaller quantities can be disposed with household waste. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Packaging waste type code

15 01 02 plastic packaging

15 01 04 metallic packaging

SECTION 14: Transport information**14.1. UN number**

Not subject to ADR

14.2. UN proper shipping name

not available

14.3. Transport hazard class(es)

not available

14.4. Packing group

not available

TECHNOSEAL 3 BEIGE

Creation date	25th June 2020	Version	2.0
Revision date			

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

More information

Restrictions pursuant to Annex XVII of Registration (EC) No.1907/2006 (REACH), as amended. 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich: 52[a] - Shall not be used as substances or in mixtures, in concentrations greater than 0,1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

A list of additional standard phrases used in the safety data sheet

EUH210	Safety data sheet available on request.
--------	-----------------------------------------

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union

TECHNOSEAL 3 BEIGE

Creation date	25th June 2020	Version	2.0
Revision date			

IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure
Without classification	Without classification

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

TECHNOSEAL 3 BEIGE

Creation date	25th June 2020	Version	2.0
Revision date			

The version 2.0 replaces the SDS version from 10th May 2017. Changes were made in sections 2, 3, 8, 9, 11, 12, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.