

WAX UNDERCOATING BLACK

Creation date 15. March 2019
Revision date Version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** WAX UNDERCOATING BLACK
Substance / mixture mixture
Number 1 35438
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use Protective coating.
Mixture uses advised against For professional use only.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
RETECH, Suchdol 212, 285 02 Suchdol u Kutné Hory, Czech Republic; Telephone number: +420 327 596 128 (7.30-16.00 hour)
Poisoning information centre, Na Bojišti 1, Praha, Czech Republic, Tel.: non-stop +420 224 919 293 or +420 224 915 402, Information on health risks only - acute poisoning of humans and animals.

SECTION 2: Hazards identification**2.1. Substance or mixture classification****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Flam. Liq. 3, H226
STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Flammable liquid and vapour.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness.

2.2. Label elements**Hazard pictogram****Signal word**

Warning

Hazardous substances

Naphtha (petroleum), hydrotreated heavy

Hazard statements

H226 Flammable liquid and vapour.

WAX UNDERCOATING BLACK

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 15. March 2019 | Version | 1.1 |
| Revision date | | | |

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with national regulations.

Supplemental information

EUH 066 Repeated exposure may cause skin dryness or cracking.

Density 0.86 g/cm³

VOC 48.07 %

Dry matter 51.9 % volume

VOC limit value cat. B (e) : 840 g/l

Max. VOC content in the product in its ready to use condition 413.4 g/l

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note. |
|--|--|---------------------|---|-------|
| EC: 919-857-5 Registration number: 01-2119463258-33 | Naphtha (petroleum), hydrotreated heavy | 25-50 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 | |
| CAS: 61789-77-3 EC: 263-087-6 Registration number: 01-2119486994-16 | quaternary ammonium compounds, dicoco alkyldimethyl, chlorides | <1 | Acute Tox. 4, H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 | |

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

Inhalation

Transfer the affected person to the fresh air and ensure calm environment for body and mind. In the event of issues, find medical advice.

Skin contact

Immediately wash with water and soap and rinse thoroughly. In the event of issues, find medical advice.

Eye contact

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

WAX UNDERCOATING BLACK

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 15. March 2019 | Version | 1.1 |
| Revision date | | | |

Ingestion

Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed**Inhalation**

May cause drowsiness or dizziness.

Skin contact

not available

Eye contact

not available

Ingestion

not available

4.3. Indication of any immediate medical attention and special treatment needed

not available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, powder, water spray jet. Fight larger fires with water spray.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

not available

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away.

6.2. Environmental precautions

Prevent seepage into sewage system, workpits and cellars. Do not allow product to reach sewage system or any water course.

6.3. Methods and material for containment and cleaning up

Provide sufficient ventilation. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace. Use only outdoors or in a well-ventilated area. Keep away from sources of heating, ignition and direct sunlight. No smoking. Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Storage class

3A - Flammable liquids (flash point below 55 °C)

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

none

WAX UNDERCOATING BLACK

Creation date 15. March 2019
Revision date Version 1.1

DNEL

Naphtha (petroleum), hydrotreated heavy

| Workers / consumers | Route of exposure | Value | Effect | Determining method |
|---------------------|-------------------|-----------------------|--------------------------|--------------------|
| Workers | Inhalation | 871 mg/m ³ | Systemic chronic effects | |
| Consumers | Inhalation | 900 mg/m ³ | Systemic acute effects | |
| Workers | Dermal | 208 mg/kg bw/day | Systemic chronic effects | |
| Consumers | Dermal | 125 mg/kg bw/day | Systemic acute effects | |
| Consumers | Oral | 125 mg/kg bw/day | Systemic acute effects | |

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Remove contaminated clothes.

Eye/face protection

Tightly sealed goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material: ≥ 0.12 mm. Penetration time of glove material: > 480 min. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other protection: protective workwear.

Respiratory protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|------------------------------|
| Appearance | |
| Physical state | liquid at 20°C |
| color | black |
| Odour | characteristic |
| Odour threshold | data not available |
| pH | data not available |
| Melting point/freezing point | data not available |
| Initial boiling point and boiling range | 130 °C |
| Flash point | 37 °C |
| Evaporation rate | data not available |
| Flammability (solid, gas) | Flammable liquid and vapour. |
| Upper/lower flammability or explosive limits | |
| flammability limits | data not available |
| explosive limits | |
| bottom | 0.6 % |
| upper | 7.0 % |
| Vapour pressure | 3 hPa at 20 °C |
| Vapour density | data not available |
| Relative density | data not available |

WAX UNDERCOATING BLACK

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 15. March 2019 | Version | 1.1 |
| Revision date | | | |

| | |
|--|--|
| Solubility(ies) | |
| solubility in water | almost insoluble |
| solubility in fats | data not available |
| Partition coefficient: n-octanol/water | data not available |
| Auto-ignition temperature | data not available |
| Decomposition temperature | data not available |
| Viscosity | 350 mPa.s |
| Explosive properties | The product does not have explosive properties but can be explosive when blended with air. |
| Oxidising properties | data not available |
| data not available | |

9.2. Other information

| | |
|---|---------------------------------|
| Density | 0.86 g/cm ³ at 20 °C |
| ignition temperature | >200 °C |
| content of organic solvents (VOC) | 48.07 % |
| solid content (dry matter) | 51.9 % volume |
| VOC limit value | cat. B (e) : 840 g/l |
| Max. VOC content in the product in its ready to use condition | 413.4 g/l |
| Product is not selfigniting. | |

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

In the event of fire, carbon monoxide, carbon dioxide may arise.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Naphtha (petroleum), hydrotreated heavy

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex |
|-------------------|------------------|------------------------|------------------|---------|-----|
| Oral | LD ₅₀ | >5000 mg/kg | | Rat | |
| Dermal | LD ₅₀ | >5000 mg/kg | | Rabbit | |
| Inhalation | LC ₅₀ | 4951 mg/m ³ | 4 hour | Rat | |

Skin corrosion/irritation

Based on available data the classification criteria are not met.

WAX UNDERCOATING BLACK

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 15. March 2019 | Version | 1.1 |
| Revision date | | | |

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

SECTION 12: Ecological information**12.1. Toxicity****Acute toxicity**

Data for the mixture are not available.

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Additional ecological information:

General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

WAX UNDERCOATING BLACK

Creation date 15. March 2019
Revision date Version 1.1

Waste type code

08 01 11 waste paint and varnish containing organic solvents or other dangerous substances

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information**14.1. UN number**

Not subject to ADR.

14.2. UN proper shipping name

not available

14.3. Transport hazard class(es)

not available

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

Additional information

IMDG, IATA: UN 1139. COATING SOLUTION. Packing group: III. Transport classification ADR/IMDG is based on packaging >30ltr(IMDG), <450ltr(ADR). For other packaging units different classification can apply. IMDG: Limited quantities (LQ): 5L; Excepted quantities (EQ) Code: E1; Maximum net quantity per inner packaging: 30 ml; Maximum net quantity per outer packaging: 1000 ml. Stowage Category: A.

Marine transport - IMDG

| | |
|----------------------|----------|
| EmS (emergency plan) | F-E, S-E |
| Marine Pollutant | No |

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

| | |
|------|--|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

WAX UNDERCOATING BLACK

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 15. March 2019 | Version | 1.1 |
| Revision date | | | |

Guidelines for safe handling used in the safety data sheet

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P243 Take action to prevent static discharges.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container to in accordance with national regulations.

A list of additional standard phrases used in the safety data sheet

- EUH 066 Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

- ADR European agreement concerning the international carriage of dangerous goods by road
- BCF Bioconcentration Factor
- CAS Chemical Abstracts Service
- CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
- DNEL Derived no-effect level
- EC Identification code for each substance listed in EINECS
- EC₅₀ Concentration of a substance when it is affected 50% of the population
- EINECS European Inventory of Existing Commercial Chemical Substances
- EmS Emergency plan
- EU European Union
- IATA International Air Transport Association
- IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
- IC₅₀ Concentration causing 50% blockade
- ICAO International Civil Aviation Organization
- IMDG International Maritime Dangerous Goods
- INCI International Nomenclature of Cosmetic Ingredients
- ISO International Organization for Standardization
- IUPAC International Union of Pure and Applied Chemistry
- LC₅₀ Lethal concentration of a substance in which it can be expected death of 50% of the population
- LD₅₀ Lethal dose of a substance in which it can be expected death of 50% of the population
- LOAEC Lowest observed adverse effect concentration
- LOAEL Lowest observed adverse effect level
- log Kow Octanol-water partition coefficient
- MARPOL International Convention for the Prevention of Pollution From Ships
- NOAEC No observed adverse effect concentration
- NOAEL No observed adverse effect level
- NOEC No observed effect concentration
- NOEL No observed effect level
- OEL Occupational Exposure Limits
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted no-effect concentration
- ppm Parts per million

WAX UNDERCOATING BLACK

| | | | |
|---------------|----------------|---------|-----|
| Creation date | 15. March 2019 | Version | 1.1 |
| Revision date | | | |

| | |
|-------|---|
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Agreement on the transport of dangerous goods by rail |
| UN | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB | Substances of unknown or variable composition, complex reaction products or biological materials |
| VOC | Volatile organic compounds |
| vPvB | Very Persistent and very Bioaccumulative |

| | |
|-----------------|--|
| Acute Tox. | Acute toxicity |
| Aquatic Acute | Hazardous to the aquatic environment |
| Aquatic Chronic | Hazardous to the aquatic environment |
| Asp. Tox. | Aspiration hazard |
| Flam. Liq. | Flammable liquid |
| Skin Corr. | Skin corrosion |
| STOT SE | Specific target organ toxicity - single exposure |

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

2, 3, 8, 11, 12, 15, 16

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.