

# Cleaner 600



Universal cleaning and degreasing agent.



## Properties:

- Unique degreasing and cleaning capability
- Strong enough product flow during application
- Dries quickly, leaving pleasant odour
- Does not make any harm to plastic materials, lacquered surface, rubber or polystyrene
- Universal valve

## Advantages:

- After the application, the surface stays 100% clean, without mechanical residue
- Recommended for use before gluing, cementing, lacquering, etc.
- Safe for use in all industrial branches
- Allows application in any work position

## Applications:

Assembly and disassembly work Cleaning friction clutches, brakes, etc. Designed also for degreasing carburettors and oiled components, etc. Preparation of component surface before gluing and lacquering Required before application of glue, cement and other repairing materials **RETECH**. Product **CLEANER 600** is recommended for metal, ceramics and plastic materials (**CAUTION!** The product may damage certain types of plastic).

## Order codes:

Name	Storage code	Package	Volume / Size	Order number
Cleaner 600	CLR	Spray	600 ml	1 04.6000

#### Instructions for use:

1. Before any application, shake the vessel first.
2. Apply the **CLEANER 600** at reasonable layer onto the surface to be cleaned.
3. Allow the product volatilize, or wipe it out with clean cloth or paper towel.
4. In case of heavy dirt, repeat the procedure.

**ONLY FOR PROFESSIONAL AND INDUSTRIAL USE!**

#### Health and Safety:

Health and Safety information is available in the Material Safety Data Sheet and on the label.

#### Declaration:

The information and recommendations in this publication are to the best of our knowledge reliable. However nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

#### Address:

**RETECH, s.r.o.**, Vackova 1541/4; Praha 5 - Stodůlky; Czech Republic

**Contact address:** 285 02 Suchbát u Kutné Hory cp. 212; tel./fax: +420 327 596 128; e-mail: [info@retech.cz](mailto:info@retech.cz)