

according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH Creation date 21st February 2024 Revision date 1.0 Version SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** DEEP PREWASH Substance / mixture mixture Number 1 35881 - 5 L; 1 35882 - 25 L UFT 9PGX-G4EF-H811-C0VJ 1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use Cleaning agent. For professional use only. Main intended use PC-CLN-17.1 Exterior cleaning products - all vehicle types Mixture uses advised against The product should not be used in ways other than those referred in Section 1. 1.3. Details of the supplier of the safety data sheet Supplier Name or trade name RETECH, s.r.o. Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00 Czech Republic Identification number (CRN) 25018205 VAT Reg No CZ25018205 Phone +420327596428 E-mail info@retech.cz Web address www.retech.com Competent person responsible for the safety data sheet Name RETECH, s.r.o. F-mail info@retech.cz 1.4. **Emergency telephone number** European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Corr. 1A, H314 Eye Dam. 1, H318 **Most serious adverse effects on human health and the environment** Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Hazard pictogram



Signal word Danger Hazardous substances	
sodium hydroxide Hazard statements H314	Causes severe skin burns and eye damage.
Precautionary statements P260 P280 P301+P330+P331	Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH Creation date 21st February 2024 Revision date 1.0 Version P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. Supplemental information EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	5-<10	Eye Irrit. 2, H319	1, 2
CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27	sodium hydroxide	2-<10	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Specific concentration limit: Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Eye Irrit. 2, H319: $0.5 \% \le C < 2 \%$ Skin Irrit. 2, H315: $0.5 \% \le C < 2 \%$	
CAS: 97862-59-4 EC: 931-296-8 Registration number: 01-2119488533-30	Cocamidopropyl Betaine	<5	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: $C > 10 \%$ Eye Irrit. 2, H319: 4 % < $C \le 10$ %	
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: $C \ge 50 \%$	
Index: 606-002-00-3 CAS: 78-93-3 EC: 201-159-0 Registration number: 01-2119457290-43	butanone	<0,1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066 Specific concentration limit: Eye Irrit. 2, H319: C \geq 10 % STOT SE 3, H336: C > 20 %	1



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

		WASH		
Creation date Revision date	21st February 2024	Version	1.0	
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7	isopropanol	<0,1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 Specific concentration limit: Eye Irrit. 2, H319: $C \ge 10 \%$ STOT SE 3, H336: $C > 20 \%$	
Index: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9	Benzyl alcohol	<0,1	Acute Tox. 4, H302+H332 Eye Irrit. 2, H319	

Notes

1 A substance for which exposure limits are set.

2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system. **If on skin** Causes severe skin burns. **If in eyes** Causes serious eye damage. **If swallowed** Corrosion of the digestion system can occur.



QUALITY FOR PROFESSIONALS according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date 21st February 2024

Revision date

Version

1.0

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures 5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

Special hazards arising from the substance or mixture 5.2.

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

6.4. **Reference to other sections**

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
25	jerry can	
Storage temperature Specific end use(s) not available	min 5 °(C, max 20 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

Commission	Directive	2000/39/	/EC

European Union	Commission	Commission Directive 2000/39/EC		
Substance name (component)	Туре	Value		
	OEL 8 hours	600 mg/m ³		
butanone (CAS: 78-93-3)	OEL 8 hours	200 ppm		
	OEL 15 minutes	900 mg/m ³		

7.3.



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date	21st February 2024		
Revision date		Version	1.0

European Union

Commission Directive 2000/39/EC

Substance name (component)	Туре	Value
butanone (CAS: 78-93-3)	OEL 15 minutes	300 ppm

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
	OEL 8 hours	67,5 mg/m ³
2(2) hutowethere $(CAC, 112, 24, 5)$	OEL 8 hours	10 ppm
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

DNEL

2-(2-butoxye	thoxy)ethanol				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	101.2 mg/m ³	Acute effects local		
Workers	Inhalation	67.5 mg/m ³	Chronic effects local		
Consumers	Oral	6.25 mg/kg	Chronic effects systemic		
butanone					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	600 mg/m ³	Chronic effects systemic		
Workers	Inhalation	900 mg/m ³	Acute effects systemic		
Workers	Dermal	1161 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	106 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	450 mg/m ³	Acute effects systemic		
Consumers	Dermal	412 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	31 mg/kg bw/day	Chronic effects systemic		
Cocamidopro	pyl Betaine				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	44 mg/m ³	Chronic effects systemic		
Workers	Dermal	12.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	13.04 mg/m ³	Chronic effects systemic		
Consumers	Dermal	7.5 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	7.5 mg/kg bw/day	Chronic effects systemic		



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date Revision date 21st February 2024

Version

1.0

ethanol	ethanol				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	380 mg/m ³	Chronic effects systemic		
Workers	Dermal	8238 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	114 mg/m ³	Chronic effects systemic		
sodium hydro	sodium hydroxide				
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1 mg/m ³	Chronic effects local		
Consumers	Inhalation	1 mg/m ³	Chronic effects local		

PNEC

2-(2-butoxyethoxy)ethanol			
Route of exposure	Value	Value determination	Source
Freshwater environment	1.1 mg/l		
Freshwater sediment	4.4 mg/kg		
Marine water	0.11 mg/l		
Sea sediments	0.44 mg/kg		
Soil (agricultural)	0.32 mg/kg		
Food chain	56 mg/kg		

Cocamidopropyl Betaine	Cocamidopropyl Betaine						
Route of exposure	Value	Value determination	Source				
Freshwater environment	0.013 mg/l						
Marine water	0.001 mg/l						
Microorganisms in sewage treatment	3000 mg/l						
Freshwater sediment	11.1 mg/kg of dry substance of sediment						
Sea sediments	11.1 mg/kg of dry substance of sediment						
Soil (agricultural)	0.85 mg/kg of dry substance of soil						

ethanol							
Route of exposure	Value	Value determination	Source				
Freshwater environment	0.96 mg/l						
Marine water	0.79 mg/l						
Microorganisms in sewage treatment	580 mg/l						
Freshwater sediment	3.6 mg/kg of dry substance of sediment						
Sea sediments	2.9 mg/kg of dry substance of sediment						



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date Revision date 21st February 2024

Version

1.0

ethanol								
Route of exposure	Value	Value determination	Source					
Soil (agricultural)	0.63 mg/kg of dry substance of soil							
Food chain	380 mg/kg of food							

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer.

Material of gloves (NaOH): Natural rubber (NR 0.6 mm), nitrile rubber (NBR, 0.4 mm), PVC, neoprene, Butyl rubber. Penetration time of glove material: \geq 480 min.

Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
color intensity	light
Odour	according to fragrance
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	12.5-13.5 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.02 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid
Other information	
not available	

9.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

			FREWASII		
Creatio	on date	21st February 2024			
Revisio	on date		Version	1.0	
SECTI	ON 10: Stability a	nd reactivity			
10.1.	Reactivity				
	not available				
10.2.	Chemical stabilit	V			
	The product is stat	le under normal conditions.			
10.3.	Possibility of haz	ardous reactions			
	Unknown.				
10.4.	Conditions to avo	oid			
	The product is stated against frost.	ble and no degradation occurs u	Inder normal use. Protec	against flames, sparks, overheat	ing and
10.5.	Incompatible ma	terials			
	Protect against stre	ong acids, bases and oxidizing a	gents.		
10.6.		5	comes such as carbon me	pnoxide and carbon dioxide are for	rmed a

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

DEEP PREW	ASH							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source
Oral	ATE		139000 mg/kg				Calculation of value	
Dermal	ATE		750000000 mg/kg				Calculation of value	
Inhalation (vapor)	ATE		42500 mg/l				Calculation of value	
2-(2-butoxy	yethoxy)etha	nol						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source
Oral	LD 5 0		5660 mg/kg		Rat			
Dermal	LD50		4120 mg/kg		Rabbit			
butanone								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source
Oral	LD 5 0		3300 mg/kg		Rat			
Dermal	LD50		6400-8000 mg/kg		Rabbit			
Cocamidop	ropyl Betaine							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source
Oral	LD 5 0	OECD 401	2335 mg/kg		Rat			
Dermal	LD 50	in vivo	>620 mg/kg		Rat			



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date Revision date 21st February 2024

Version

1.0

ethanol								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source
Oral	LD 5 0		6200 mg/kg		Rat			
Dermal	LD 5 0		20000 mg/kg		Rabbit			
Inhalation	LC50		5.9 mg/l	6 hours	Rat			

isopropanol

isopiopanoi	Sobi oballoi									
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source		
Oral	LD50		5480 mg/kg		Rat					
Dermal	LD50		12800 mg/kg		Rabbit					
Inhalation	LD50		72.6 mg/l	4 hours	Rat					

sodium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determinatio n	Source
Intraperitonea	LD50		40 mg/kg bw/day		Mouse			Medis- Alarm
Oral	LDLo		500 mg/kg		Rabbit			Medis- Alarm

Skin corrosion/irritation

Causes severe skin burns and eye damage.

2-(2-butoxyethoxy)ethanol								
Route of exposure	Result	Exposure time	Species	Source				
Skin	Slightly irritating		Rabbit					
sodium hydroxide								
Route of exposure	Result	Exposure time	Species	Source				

Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage.

2-(2-butoxyethoxy)ethanol												
Route of exposure	Result	Exposure time	Species	Source								
Eye	Highly irritating		Rabbit									
sodium hydroxide			sodium hydroxide									
Route of exposure	Result	Exposure time	Species	Source								



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date Revision date 21st February 2024

Version

1.0

Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol									
Route of exposure	Result	Exposure time	Species	Sex	Source				
Skin	Not sensitizing		Guinea-pig		Guinea-Pig Maximization Test (GPMT)				

Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol									
Result	Method	Exposure time	Specific target organ	Species	Sex				
Negative	in vitro								
Negative				Mammals					

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol

Effect	Parameter	Value	Result	Species	Sex		
Effects on fertility			No effect				

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date Revision date 21st February 2024

Version

1.0

Acute toxicity

2-(2-butoxy	/ethoxy)ethan	ol				
Parameter	Method	Value	Exposure time	Species	Environme nt	Value determination
LC₅o		1300 mg/l	96 hours	Fish (Lepomis macrochirus)		Static system
EC₅o		>100 mg/l	48 hours	Daphnia (Daphnia magna)		Immobilization
EC50		>100 mg/l	96 hours	Algae (Scenedesmus subspicatus)		Static system
EC50		255 mg/l		Bacteria		Static system
ErC₅o		>100 mg/l	96 hours	Algae (Scenedesmus sp.)		
butanone						
Parameter	Method	Value	Exposure time	Species	Environme nt	Value determination
LC₅o		2993 mg/l	96 hours	Fish (Pimephales promelas)		
EC50		308 mg/l	48 hours	Daphnia (Daphnia magna)		
EC50		4300 mg/l	7 days	Algae (Scenedesmus quadricauda)		

Cocamidopr	Cocamidopropyl Betaine									
Parameter	Method	Value	Exposure time	Species	Environme nt	Value determination				
LC50	OECD 203	1.1 mg/l	96 hours	Fish (Pimephales promelas)						
EC₅o	OECD 202	1.9 mg/l	48 hours	Daphnia (Daphnia magna)						
ErC₅o		2.4 mg/l	72 hours	Algae (Desmodesmus subspicatus)						

ethanol	ethanol								
Parameter	Method	Value	Exposure time	Species	Environme nt	Value determination			
LC50		11200 mg/l	24 hours	Fish (Oncorhynchus mykiss)					
LC50		8140 mg/l	48 hours	Fish (Leuciscus idus)					
LC50		15.3 g/l	96 hours	Fish (Pimephales promelas)					
EC₅o		10800 mg/l	24 hours	Daphnia (Daphnia magna)					

isopropanol	sopropanol									
Parameter	Method	Value	Exposure time	Species	Environme nt	Value determination				
LC50		8970-9280 mg/l	48 hours	Fish (Leuciscus idus)						
LC50		9640 mg/l	96 hours	Fish (Pimephales promelas)						



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date Revision date 21st February 2024

Version

1.0

isopropanol								
Parameter	Method	Value	Exposure time	Species	Environme nt	Value determination		
EC50		>10000 mg/l	24 hours	Invertebrates (Artemia salina)				
EC50		>1000 mg/l	24 hours	Invertebrates (Daphnia magna)				

Chronic toxicity

Cocamidopropy	Cocamidopropyl Betaine							
Parameter	Value	Exposure time	Species	Environment				
NOErC	0.6 mg/l	72 hours	Algae (Desmodesmus subspicatus)					
EC₅o	3000 mg/l	16 hours	Bacteria (Pseudomonas putida)					
NOEC	0.135 mg/l	37 days	Fish (Oncorhynchus mykiss)					
NOEC	0.3 mg/l	21 days	Daphnia (Daphnia magna)					

More information

Sodium hydroxide

Harmful for aquatic organisms. Do not allow to enter drains. A high pH-value harms aquatic organisms.

12.2. Persistence and degradability

Data for the mixture are not available. Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

Biodegradability

2-(2-butoxye	2-(2-butoxyethoxy)ethanol									
Parameter	Method	Value	Exposure time	Environment	Result					
	OECD 301C	89-93 %	28 days		Biodegradable					
	OECD 302B	100 %	28 days	Activated sludge	Biodegradable					
BSK₅		27 %								
BSK10		60 %								
BSK20		81 %								

Cocamidopropyl Betaine

Parameter	Method	Value	Exposure time	Environment	Result
		>60 %	28 days		

12.3. Bioaccumulative potential

Data for the mixture are not available.

			2-(2-butoxyethoxy)ethanol								
Value	Exposure time	Species	Environment	Temperature [°C]							
<3											
Value	Exposure time	Species	Environment	Temperature [°C]							
0.66											
<	<3 /alue	<3 /alue Exposure time	<3 Exposure time Species	<3 Exposure time Species Environment							



QUALITY FOR PROFESSIONALS

according to Regulation (EC) No 1907/2006 (REACH) as amended **DEEP PREWASH**

Creation date Revision date

Version

1.0

12.4. Mobility in soil

Data for the mixture are not available.

21st February 2024

2-(2-butoxyethoxy)ethanol						
Parameter	Value	Environment	Temperature			
Кос	2					

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other adverse effects 12.7. Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

- UN 1760
- 14.2. UN proper shipping name CORROSIVE LIQUID, N.O.S.

14.3. Transport hazard class(es) Corrosive substances


8

14.4. Packing group II

- 14.5. Environmental hazards not relevant
- 14.6. Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

- Hazard identification No.
- **UN** number
- Classification code Safety signs





according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH					
Creation date 21st February 2024					
Revision date	Version	1.0			
Tunnel restriction code	(E)				
Air transport - ICAO/IATA					
Packaging instructions passenger	851				
Cargo packaging instructions	855				
Marine transport - IMDG					
EmS (emergency plan)	F-A, S-B				
MFAG	760				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
	2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
	"Do not use in paint spraying equipment".

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended <5 % amphoteric surfactants, <5 % non-ionic surfactants, perfumes, Benzyl Alcohol

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

A list of standard risk phras	standard risk phrases used in the safety data sheet	
H225	Highly flammable liquid and vapour.	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	
H302+H332	Harmful if swallowed or if inhaled.	
Guidelines for safe handling	g used in the safety data sheet	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

2		REWASH			
Creation date Revision date	21st February 2024	Version	1.0		
P280	Wear protective glov	ves/protective clothin	g/eye protection/face protection.		
P301+P330+P331		IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
P303+P361+P353		IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin			
P305+P351+P338	IF IN EYES: Rinse ca	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310		OISON CENTER/doct	-		
A list of additional st	andard phrases used in th	e safety data sheet			
EUH071	Corrosive to the res	piratory tract.			
EUH066	Repeated exposure	may cause skin dryne	ess or cracking.		
Other important info	rmation about human heal	th protection			
	be - unless specifically approv he user is responsible for adh		rrer/importer - used for purposes other th nealth protection regulations.		
Key to abbreviations	and acronyms used in the				
ADR	European agreemen road	t concerning the inter	national carriage of dangerous goods by		
BCF	Bioconcentration Fac	ctor			
BOD	Biochemical oxygen	demand			
CAS	Chemical Abstracts				
CLP	Regulation (EC) No substance and mixtu		cation, labelling and packaging of		
EC	Identification code f	or each substance list	ed in EINECS		
EC50	Concentration of a s	ubstance when it is a	ffected 50% of the population		
EINECS	European Inventory	of Existing Commerci	ial Chemical Substances		
EmS	Emergency plan				
EU	European Union				
EuPCS	European Product Ca	ategorisation System			
IATA	International Air Tra	nsport Association			
IBC	International Code F Dangerous Chemica		And Equipment of Ships Carrying		
ICAO	International Civil A	viation Organization			
IMDG	International Maritin	ne Dangerous Goods			
IMO	International Maritin	ne Organization			
INCI	International Nomer	clature of Cosmetic I	ngredients		
ISO	International Organi	zation for Standardiza	ation		
IUPAC	International Union	of Pure and Applied C	hemistry		
LC50	Lethal concentration population	of a substance in wh	ich it can be expected death of 50% of the		
LD50	Lethal dose of a sub population	stance in which it can	be expected death of 50% of the		
log Kow	Octanol-water partit	ion coefficient			
NOEC	No observed effect of	concentration			
OEL	Occupational Exposu	ure Limits			
PBT	Persistent, Bioaccun	ulative and Toxic			
ppm	Parts per million				
REACH	Registration, Evalua	tion, Authorisation an	d Restriction of Chemicals		
RID	_	ansport of dangerous			
UN	_		ubstance or article taken from the UN		
UVCB		own or variable compo	osition, complex reaction products or		
VOC	Volatile organic com	pounds			
vPvB		very Bioaccumulative			
Acute Tox.	Acute toxicity				
Aquatic Chronic		uatic environment (cl	nronic)		
Eye Dam.	Serious eye damage				



according to Regulation (EC) No 1907/2006 (REACH) as amended

DEEP PREWASH

Creation date	21st February 2024			
Revision date		Version	1.0	
Flam. Liq.	Flammable liquid			
Met. Corr.	Corrosive to metals	5		
Skin Corr.	Skin corrosion			
STOT SE	Specific target orga	n toxicity - single expos	ure	
Training guide	elines			
Inform the pers ways of handlir		s of use, mandatory pro	tective equipment, first aid and prohibite	
Recommende	d restrictions of use			
not available				
Information a	bout data sources used to comp	ile the Safety Data She	eet	
REGULATION (, ,	EAN PARLIAMENT AND (OF THE COUNCIL (REACH) as amended OF THE COUNCIL as amended. Data from registration dossiers.	
More informa	tion			
CI				

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.