

FLYRUST REMOVER

Creation date	20th February 2024	Version	1.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture: FLYRUST REMOVER
mixture
Number: 1 35860 - 1L, 1 35861 - 5L
UFI: XTDR-Y4X3-P818-2YVM
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Cleaning agent. For professional use only.
Main intended use
PC-CLN-17.1 Exterior cleaning products - all vehicle types
Mixture uses advised against
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name: RETECH, s.r.o.
Address: Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN): 25018205
VAT Reg No: CZ25018205
Phone: +420327596428
E-mail: info@retech.cz
Web address: www.retech.com
- Competent person responsible for the safety data sheet**
Name: RETECH, s.r.o.
E-mail: info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Met. Corr. 1, H290
Skin Corr. 1A, H314
Eye Dam. 1, H318

Most serious adverse physico-chemical effects

May be corrosive to metals.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage.

- 2.2. Label elements**
Hazard pictogram

**Signal word**

Danger

Hazardous substances

sodium hydroxide

Hazard statements

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

FLYRUST REMOVER

Creation date	20th February 2024	Version	1.0
Revision date			

Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27	sodium hydroxide	10-<15	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: C ≥ 5 % Eye Irrit. 2, H319: 0.5 % ≤ C < 2 % Skin Irrit. 2, H315: 0.5 % ≤ C < 2 %	
CAS: 77-92-9 EC: 201-069-1 Registration number: 01-2119457026-42	Citric acid	5-<10	Eye Irrit. 2, H319 STOT SE 3, H335	
CAS: 68439-50-9 EC: 932-106-6	Alcohols, C12-14, ethoxylated	1-<5	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 3 % < C < 10 %	
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	1-<5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	
Index: 606-002-00-3 CAS: 78-93-3 EC: 201-159-0 Registration number: 01-2119457290-43	butanone	<0,1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 10 % STOT SE 3, H336: C > 20 %	1

FLYRUST REMOVER

Creation date

20th February 2024

Revision date

Version

1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7	isopropanol	<0,1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 10 % STOT SE 3, H336: C > 20 %	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance.

Respiratory arrest - provide artificial respiration immediately. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

FLYRUST REMOVER

Creation date 20th February 2024
Revision date Version 1.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

May be corrosive to metals. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent other leakage. Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Absorb spillage to prevent material damage.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Do not expose to sunlight. Keep only in original packaging. Incompatible materials: aluminium, zinc.

Content	Packaging type	Material of package
1 l	bottle	HDPE
5 l	jerry can	HDPE

Storage temperature min 5 °C, max 25 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value
butanone (CAS: 78-93-3)	OEL 8 hours	600 mg/m ³
	OEL 8 hours	200 ppm
	OEL 15 minutes	900 mg/m ³

FLYRUST REMOVER

Creation date

20th February 2024

Revision date

Version

1.0

European Union
Commission Directive 2000/39/EC

Substance name (component)	Type	Value
butanone (CAS: 78-93-3)	OEL 15 minutes	300 ppm

DNEL

butanone					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	600 mg/m ³	Chronic effects systemic		
Workers	Inhalation	900 mg/m ³	Acute effects systemic		
Workers	Dermal	1161 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	106 mg/m ³	Chronic effects systemic		
Consumers	Inhalation	450 mg/m ³	Acute effects systemic		
Consumers	Dermal	412 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	31 mg/kg bw/day	Chronic effects systemic		

ethanol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	380 mg/m ³	Chronic effects systemic		
Workers	Dermal	8238 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	114 mg/m ³	Chronic effects systemic		

sodium hydroxide					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1 mg/m ³	Chronic effects local		
Consumers	Inhalation	1 mg/m ³	Chronic effects local		

PNEC

ethanol			
Route of exposure	Value	Value determination	Source
Freshwater environment	0.96 mg/l		
Marine water	0.79 mg/l		
Microorganisms in sewage treatment	580 mg/l		
Freshwater sediment	3.6 mg/kg of dry substance of sediment		
Sea sediments	2.9 mg/kg of dry substance of sediment		
Soil (agricultural)	0.63 mg/kg of dry substance of soil		
Food chain	380 mg/kg of food		

FLYRUST REMOVER

Creation date

20th February 2024

Revision date

Version

1.0

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves (NaOH): Natural rubber (0.6 mm), nitrile rubber (0.4 mm), PVC, neoprene, butyl rubber. Penetration time of glove material: ≥ 480 min. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	yellow
color intensity	light
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	100 °C
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	12-13 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.11 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity**10.1. Reactivity**

See the Section 10.3.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Sodium hydroxide

Reacts vigorously with metals to form hydrogen. Exothermic reactions may occur in contact with acids. Reacts violently with water.

FLYRUST REMOVER

Creation date	20th February 2024	Version	1.0
Revision date			

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids and oxidizing agents. May be corrosive to metals.

Sodium hydroxide

Incompatible materials: strong acids, metals (aluminium, zinc, tin). Light metals. Ammonium salts. Halogenated hydrocarbons.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met.

FLYRUST REMOVER							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	ATE	50000 mg/kg				Calculation of value	

Alcohols, C12-14, ethoxylated							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	<2000 mg/kg		Rat			
Dermal	LD ₅₀	>2000 mg/kg		Rabbit			

butanone							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	3300 mg/kg		Rat			
Dermal	LD ₅₀	6400-8000 mg/kg		Rabbit			

ethanol							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	6200 mg/kg		Rat			
Dermal	LD ₅₀	20000 mg/kg		Rabbit			
Inhalation	LC ₅₀	5.9 mg/l	6 hours	Rat			

isopropanol							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LD ₅₀	5480 mg/kg		Rat			
Dermal	LD ₅₀	12800 mg/kg		Rabbit			
Inhalation	LD ₅₀	72.6 mg/l	4 hours	Rat			

sodium hydroxide							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Intraperitoneally	LD ₅₀	40 mg/kg bw/day		Mouse			Medis-Alarm

FLYRUST REMOVER

Creation date

20th February 2024

Revision date

Version

1.0

sodium hydroxide							
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination	Source
Oral	LDLo	500 mg/kg		Rabbit			Medis-Alarm

Skin corrosion/irritation

Causes severe skin burns and eye damage.

sodium hydroxide				
Route of exposure	Result	Exposure time	Species	Source
Skin	Corrosive			> 5% sol.

Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage.

Alcohols, C12-14, ethoxylated				
Route of exposure	Result	Exposure time	Species	Source
Eye	Serious eye damage			

sodium hydroxide				
Route of exposure	Result	Exposure time	Species	Source
Eye	Serious eye damage			> 2% sol.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Alcohols, C12-14, ethoxylated							
Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex
Oral	NOAEL	50 mg/kg bw/day	2 years	Heart	Organ weight, Reduced body weight	Rat	

FLYRUST REMOVER

Creation date

20th February 2024

Revision date

Version

1.0

Alcohols, C12-14, ethoxylated

Route of exposure	Parameter	Value	Exposure time	Specific target organ	Result	Species	Sex
Oral	NOAEL	50 mg/kg bw/day	2 years	Liver	Organ weight, Reduced body weight	Rat	
Oral	NOAEL	50 mg/kg bw/day	2 years	Kidney	Organ weight, Reduced body weight	Rat	

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Acute toxicity

Alcohols, C12-14, ethoxylated

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	<1 mg/l		Fish (Cyprinus carpio)	
LC ₅₀	<1 mg/l		Daphnia (Daphnia magna)	
LC ₅₀	0.1-1.0 mg/l		Algae (Chlorella)	

butanone

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	2993 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	308 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₅₀	4300 mg/l	7 days	Algae (Scenedesmus quadricauda)	

ethanol

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	11200 mg/l	24 hours	Fish (Oncorhynchus mykiss)	
LC ₅₀	8140 mg/l	48 hours	Fish (Leuciscus idus)	
LC ₅₀	15.3 g/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	10800 mg/l	24 hours	Daphnia (Daphnia magna)	

isopropanol

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	8970-9280 mg/l	48 hours	Fish (Leuciscus idus)	

FLYRUST REMOVER

Creation date 20th February 2024
Revision date Version 1.0

isopropanol				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	9640 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	>10000 mg/l	24 hours	Invertebrates (Artemia salina)	
EC ₅₀	>1000 mg/l	24 hours	Invertebrates (Daphnia magna)	

More information

Sodium hydroxide
Harmful for aquatic organisms. Do not allow to enter drains. A high pH-value harms aquatic organisms.

12.2. Persistence and degradability

Data for the mixture are not available. Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

Biodegradability

Alcohols, C12-14, ethoxylated				
Parameter	Value	Exposure time	Environment	Result
	>60 %	28 days		

Citric acid				
Parameter	Value	Exposure time	Environment	Result
	>60 %	28 days		

12.3. Bioaccumulative potential

Data for the mixture are not available.

ethanol					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	0.66				

12.4. Mobility in soil

Data for the mixture are not available.

Alcohols, C12-14, ethoxylated			
Parameter	Value	Environment	Temperature
Koc	>5000		

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

FLYRUST REMOVER

Creation date	20th February 2024	Version	1.0
Revision date			

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information**14.1. UN number or ID number**

UN 1760

14.2. UN proper shipping name

CORROSIVE LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

II

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

80

UN number

1760

Classification code

C9

Safety signs

8



Tunnel restriction code

(E)

Air transport - ICAO/IATA

Packaging instructions passenger

851

Cargo packaging instructions

855

Marine transport - IMDG

EmS (emergency plan)

F-A, S-B

MFAG

760

FLYRUST REMOVER

Creation date	20th February 2024	Version	1.0
Revision date			

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

<5 % non-ionic surfactants

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association

FLYRUST REMOVER

Creation date	20th February 2024	Version	1.0
Revision date			

IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquid
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.