


**LABEL OFF**

Creation date	14th February 2024	Version	1.0
Revision date			

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier** LABEL OFF  
Substance / mixture mixture  
Number 1 37700  
UFI K006-2PAV-D81S-XKHK
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Gelly sticker remover. For professional use only.  
**Main intended use**  
PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (CRN) 25018205  
VAT Reg No CZ25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com
- Competent person responsible for the safety data sheet**  
Name RETECH, s.r.o.  
E-mail info@retech.cz
- 1.4. Emergency telephone number**  
European emergency number: 112

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.
- Eye Irrit. 2, H319  
**Most serious adverse effects on human health and the environment**  
Causes serious eye irritation.
- 2.2. Label elements**  
**Hazard pictogram**
- 
- Signal word**  
Warning
- Hazard statements**  
H319 Causes serious eye irritation.
- Precautionary statements**  
P264 Wash hands and exposed parts of the body thoroughly after handling.  
P280 Wear eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.
- Supplemental information**

## LABEL OFF

Creation date	14th February 2024	Version	1.0
Revision date			

EUH208 Contains d-limonene. May produce an allergic reaction.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	25-<50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 50 %	
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	5-<10	Eye Irrit. 2, H319	2, 3
Index: 606-002-00-3 CAS: 78-93-3 EC: 201-159-0 Registration number: 01-2119457290-43	butanone	<2	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 10 % STOT SE 3, H336: C > 20 %	2
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7	isopropanol	<2	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 10 % STOT SE 3, H336: C > 20 %	
Index: 601-096-00-2 CAS: 5989-27-5 EC: 227-813-5	d-limonene	<1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	1
CAS: 56-81-5 EC: 200-289-5 Registration number: 01-2119471987-18	glycerol	<1	not classified as dangerous	

#### Notes

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 A substance for which exposure limits are set.
- 3 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

**LABEL OFF**

Creation date	14th February 2024	Version	1.0
Revision date			

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air.

**If on skin**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

**If swallowed**

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Not expected.

**If on skin**

Not expected.

**If in eyes**

Causes serious eye irritation.

**If swallowed**

Irritation, nausea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water. Do not allow to enter drains.

**6.3. Methods and material for containment and cleaning up**

Stop leak if safe to do so. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**LABEL OFF**

 Creation date 14th February 2024  
 Revision date Version 1.0

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
1 l	bottle	

Storage temperature min 5 °C, max 20 °C

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union**
**Commission Directive 2000/39/EC**

Substance name (component)	Type	Value
butanone (CAS: 78-93-3)	OEL 8 hours	600 mg/m <sup>3</sup>
	OEL 8 hours	200 ppm
	OEL 15 minutes	900 mg/m <sup>3</sup>
	OEL 15 minutes	300 ppm

**European Union**
**Commission Directive 2006/15/EC**

Substance name (component)	Type	Value
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m <sup>3</sup>
	OEL 8 hours	10 ppm
	OEL 15 minutes	101,2 mg/m <sup>3</sup>
	OEL 15 minutes	15 ppm

**DNEL**

2-(2-butoxyethoxy)ethanol					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	101.2 mg/m <sup>3</sup>	Acute effects local		
Workers	Inhalation	67.5 mg/m <sup>3</sup>	Chronic effects local		
Consumers	Oral	6.25 mg/kg	Chronic effects systemic		

**LABEL OFF**

Creation date

14th February 2024

Revision date

Version

1.0

<b>butanone</b>					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	600 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Inhalation	900 mg/m <sup>3</sup>	Acute effects systemic		
Workers	Dermal	1161 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	106 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Inhalation	450 mg/m <sup>3</sup>	Acute effects systemic		
Consumers	Dermal	412 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	31 mg/kg bw/day	Chronic effects systemic		

<b>ethanol</b>					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	380 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Dermal	8238 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	114 mg/m <sup>3</sup>	Chronic effects systemic		

**PNEC**

<b>2-(2-butoxyethoxy)ethanol</b>			
Route of exposure	Value	Value determination	Source
Freshwater environment	1.1 mg/l		
Freshwater sediment	4.4 mg/kg		
Marine water	0.11 mg/l		
Sea sediments	0.44 mg/kg		
Soil (agricultural)	0.32 mg/kg		
Food chain	56 mg/kg		

<b>ethanol</b>			
Route of exposure	Value	Value determination	Source
Freshwater environment	0.96 mg/l		
Marine water	0.79 mg/l		
Microorganisms in sewage treatment	580 mg/l		
Freshwater sediment	3.6 mg/kg of dry substance of sediment		
Sea sediments	2.9 mg/kg of dry substance of sediment		
Soil (agricultural)	0.63 mg/kg of dry substance of soil		
Food chain	380 mg/kg of food		

**LABEL OFF**

Creation date	14th February 2024	Version	1.0
Revision date			

**8.2. Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

**Eye/face protection**

Protective goggles.

**Skin protection**

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

**Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	188 °C
ethanol (CAS: 64-17-5)	78 °C (96%)
Flammability	non-flammable
Lower and upper explosion limit	data not available
Flash point	75 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	5-6 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
ethanol (CAS: 64-17-5)	59.5 hPa at 20 °C (99,5%)
Density and/or relative density	
Density	0.92 g/cm <sup>3</sup> at 20 °C
ethanol (CAS: 64-17-5)	0.79 g/cm <sup>3</sup> at 25 °C (96%)
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

**9.2. Other information**

Oxidising properties The product has no oxidizing properties.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Unknown.

**LABEL OFF**

Creation date 14th February 2024  
Revision date Version 1.0

**10.4. Conditions to avoid**

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

**10.5. Incompatible materials**

Protect against strong acids, bases and oxidizing agents.

**10.6. Hazardous decomposition products**

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

**Acute toxicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

<b>2-(2-butoxyethoxy)ethanol</b>					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	5660 mg/kg		Rat	
Dermal	LD <sub>50</sub>	4120 mg/kg		Rabbit	

<b>butanone</b>					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	3300 mg/kg		Rat	
Dermal	LD <sub>50</sub>	6400-8000 mg/kg		Rabbit	

<b>ethanol</b>					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	6200 mg/kg		Rat	
Dermal	LD <sub>50</sub>	20000 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	5.9 mg/l	6 hours	Rat	

<b>glycerol</b>					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	12600 mg/kg		Rat	
Dermal	LD <sub>50</sub>	10000 mg/kg		Rabbit	

<b>isopropanol</b>					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	5480 mg/kg		Rat	
Dermal	LD <sub>50</sub>	12800 mg/kg		Rabbit	
Inhalation	LD <sub>50</sub>	72.6 mg/l	4 hours	Rat	

**LABEL OFF**

Creation date 14th February 2024  
Revision date Version 1.0

**Skin corrosion/irritation**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol			
Route of exposure	Result	Exposure time	Species
Skin	Slightly irritating		Rabbit

**Serious eye damage/irritation**

Causes serious eye irritation.

2-(2-butoxyethoxy)ethanol			
Route of exposure	Result	Exposure time	Species
Eye	Highly irritating		Rabbit

**Respiratory or skin sensitisation**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol					
Route of exposure	Result	Exposure time	Species	Sex	Source
Skin	Not sensitizing		Guinea-pig		Guinea-Pig Maximization Test (GPMT)

**Germ cell mutagenicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol					
Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	in vitro				
Negative				Mammals	

**Carcinogenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Reproductive toxicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

2-(2-butoxyethoxy)ethanol					
Effect	Parameter	Value	Result	Species	Sex
Effects on fertility			No effect		

**Toxicity for specific target organ - single exposure**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Toxicity for specific target organ - repeated exposure**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.



**LABEL OFF**

Creation date	14th February 2024	Version	1.0
Revision date			

**Aspiration hazard**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**11.2. Information on other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**SECTION 12: Ecological information**
**12.1. Toxicity**

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

**Acute toxicity**

<b>2-(2-butoxyethoxy)ethanol</b>					
Parameter	Value	Exposure time	Species	Environment	Value determination
LC <sub>50</sub>	1300 mg/l	96 hours	Fish (Lepomis macrochirus)		Static system
EC <sub>50</sub>	>100 mg/l	48 hours	Daphnia (Daphnia magna)		Immobilization
EC <sub>50</sub>	>100 mg/l	96 hours	Algae (Scenedesmus subspicatus)		Static system
EC <sub>50</sub>	255 mg/l		Bacteria		Static system
ErC <sub>50</sub>	>100 mg/l	96 hours	Algae (Scenedesmus sp.)		

<b>butanone</b>					
Parameter	Value	Exposure time	Species	Environment	Value determination
LC <sub>50</sub>	2993 mg/l	96 hours	Fish (Pimephales promelas)		
EC <sub>50</sub>	308 mg/l	48 hours	Daphnia (Daphnia magna)		
EC <sub>50</sub>	4300 mg/l	7 days	Algae (Scenedesmus quadricauda)		

<b>ethanol</b>					
Parameter	Value	Exposure time	Species	Environment	Value determination
LC <sub>50</sub>	11200 mg/l	24 hours	Fish (Oncorhynchus mykiss)		
LC <sub>50</sub>	8140 mg/l	48 hours	Fish (Leuciscus idus)		
LC <sub>50</sub>	15.3 g/l	96 hours	Fish (Pimephales promelas)		
EC <sub>50</sub>	10800 mg/l	24 hours	Daphnia (Daphnia magna)		

<b>glycerol</b>					
Parameter	Value	Exposure time	Species	Environment	Value determination
LC <sub>50</sub>	>5000 mg/l	24 hours	Fish (Carassius auratus)		
LC <sub>50</sub>	>10000 mg/l	96 hours	Fish (Leuciscus idus)		
EC <sub>50</sub>	>10000 mg/l	24 hours	Daphnia (Daphnia magna)		

**LABEL OFF**

Creation date

14th February 2024

Revision date

Version

1.0

glycerol					
Parameter	Value	Exposure time	Species	Environment	Value determination
EC <sub>50</sub>	>10000 mg/l	16 hours	Microorganisms (Pseudomonas putida)		

isopropanol					
Parameter	Value	Exposure time	Species	Environment	Value determination
LC <sub>50</sub>	8970-9280 mg/l	48 hours	Fish (Leuciscus idus)		
LC <sub>50</sub>	9640 mg/l	96 hours	Fish (Pimephales promelas)		
EC <sub>50</sub>	>10000 mg/l	24 hours	Invertebrates (Artemia salina)		
EC <sub>50</sub>	>1000 mg/l	24 hours	Invertebrates (Daphnia magna)		

**12.2. Persistence and degradability**

Data for the mixture are not available.

**Biodegradability**

2-(2-butoxyethoxy)ethanol					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	89-93 %	28 days		Biodegradable
	OECD 302B	100 %	28 days	Activated sludge	Biodegradable
BSK <sub>5</sub>		27 %			
BSK <sub>10</sub>		60 %			
BSK <sub>20</sub>		81 %			

**12.3. Bioaccumulative potential**

Data for the mixture are not available.

2-(2-butoxyethoxy)ethanol					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	<3				

ethanol					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	0.66				

**12.4. Mobility in soil**

Data for the mixture are not available.

2-(2-butoxyethoxy)ethanol			
Parameter	Value	Environment	Temperature
Koc	2		

**12.5. Results of PBT and vPvB assessment**

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Endocrine disrupting properties**

**LABEL OFF**

Creation date	14th February 2024	Version	1.0
Revision date			

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**12.7. Other adverse effects**

Not available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**SECTION 14: Transport information****14.1. UN number or ID number**

not subject to transport regulations

**14.2. UN proper shipping name**

not relevant

**14.3. Transport hazard class(es)**

not relevant

**14.4. Packing group**

not relevant

**14.5. Environmental hazards**

not relevant

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**LABEL OFF**

Creation date 14th February 2024  
Revision date Version 1.0

**Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended**

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>"Do not use in paint spraying equipment".</p>

**15.2. Chemical safety assessment**

A chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**A list of standard risk phrases used in the safety data sheet**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

**Guidelines for safe handling used in the safety data sheet**

P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

**A list of additional standard phrases used in the safety data sheet**

EUH208	Contains d-limonene. May produce an allergic reaction.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
BOD	Biochemical oxygen demand
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan

**LABEL OFF**

Creation date	14th February 2024	Version	1.0
Revision date			

EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**More information**

Classification procedure - calculation method.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.