

MMA ADHESIVE AMBER 6MIN - PART B

Creation date	15th February 2021	Version	4.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture MMA ADHESIVE AMBER 6MIN - PART B
Number 1 35144 (400 ml)
UFI 2ATQ-NVNR-R30X-UE87
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Glue.
Mixture uses advised against
For professional use only.
Main intended use
PC-ADH-8 Multi-component adhesives and sealants
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
VAT Reg No CZ25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
Competent person responsible for the safety data sheet
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Flam. Liq. 2, H225
Skin Irrit. 2, H315
Skin Sens. 1, H317
STOT SE 3, H335
Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**

Hazard pictogram**Signal word**

Danger

MMA ADHESIVE AMBER 6MIN - PART B

Creation date	15th February 2021	Version	4.0
Revision date			

Hazardous substances

methyl methacrylate

Hazard statements

- H225 Highly flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

Vapours mixed up with air can be explosive. The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 80-62-6 EC: 201-297-1 Registration number: 01-2119452498-28-0025/-0028	methyl methacrylate	75-90	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335	1, 2
CAS: 34562-31-7 EC: 252-091-3	3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine	1-5	Acute Tox. 4, H302+H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 4, H413	
CAS: 64742-82-1 EC: 265-185-4	Naphtha (petroleum), hydrodesulfurized heavy	<1	Asp. Tox. 1, H304 STOT RE 1, H372	
CAS: 128-37-0 EC: 204-881-4	2,6-Di-tert-butyl-p-cresol	<1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

Notes

- 1 Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".
- 2 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

MMA ADHESIVE AMBER 6MIN - PART B

Creation date

15th February 2021

Revision date

Version

4.0

SECTION 4: First aid measures**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. Ensure eye bath is to hand.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Provide medical treatment.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with clean water. Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

If on skin

May cause an allergic skin reaction. There may be irritation and redness at the site of contact.

If in eyes

There may be irritation and redness. The eyes may water profusely.

If swallowed

There may be soreness and redness of the mouth and throat.

4.3. Indication of any immediate medical attention and special treatment needed

not available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

The mixture is highly flammable. In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Vapours mixed up with air can be explosive. Vapour may travel considerable distance to source of ignition and flash back.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Approach the release from upwind. Keep unprotected persons away. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Do not allow product to reach sewage system or any water course. Prevent other leakage.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. Use non-sparking tools.

6.4. Reference to other sections

See the Section 7, 8 and 13.

MMA ADHESIVE AMBER 6MIN - PART B

Creation date 15th February 2021
Revision date Version 4.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Ensure good ventilation/exhaustion at the workplace. Use only outdoors or in a well-ventilated area. Avoid the formation or spread of mists in the air. No smoking. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep only in original packaging. Take action to prevent static discharges.

Content	Packaging type	Material of package
400 ml	dvojitá kartuš	

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2009/161/EU

Substance name (component)	Type	Value
methyl methacrylate (CAS: 80-62-6)	OEL 8 hours	50 ppm
	OEL 15 minutes	100 ppm

DNEL

2,6-Di-tert-butyl-p-cresol

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	3.5 mg/m ³	Systemic chronic effects	

methyl methacrylate

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	210 mg/m ³		
Workers	Dermal	13.67 mg/kg/24hour		

PNEC

methyl methacrylate

Route of exposure	Value	Determining method
Freshwater environment	<0.94 mg/l	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Take action to prevent static discharges.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear.

MMA ADHESIVE AMBER 6MIN - PART B

Creation date	15th February 2021	Version	4.0
Revision date			

Respiratory protection

Self-contained breathing apparatus must be available in case of emergency.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Color	brown
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Highly flammable liquid and vapour.
Lower and upper explosion limit	data not available
Flash point	12 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	data not available
Relative density	0,95

9.2. Other information

not available

SECTION 10: Stability and reactivity**10.1. Reactivity**

The product is stable under normal conditions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

When used in the standard way, there is not any dangerous reaction with other substances.

10.4. Conditions to avoid

Keep away from sources of heating, ignition and direct sunlight.

10.5. Incompatible materials

Protect against strong acids and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological data is available for the mixture.

MMA ADHESIVE AMBER 6MIN - PART B

Creation date

15th February 2021

Revision date

Version

4.0

Acute toxicity

Based on available data the classification criteria are not met.

2,6-Di-tert-butyl-p-cresol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	
Oral	LD ₅₀	>2930 mg/kg		Rat	

3,5-diethyl-1,2-dihydro-1-phenyl-2-propylpyridine

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Dermal	LD ₅₀	>1000 mg/kg		Rabbit	
Oral	LD ₅₀	>500 mg/kg		Rat	

methyl methacrylate

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Dermal	LD ₅₀	>5000 mg/kg		Rabbit	
Inhalation	LC ₅₀	29.8 mg/l	4 hour	Rat	
Oral	LD ₅₀	>5000 mg/kg		Rat	

Skin corrosion/irritation

Causes skin irritation.

MMA ADHESIVE AMBER 6MIN - PART B

Route of exposure	Result	Time of exposure	Species
Dermal	Irritating		

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

MMA ADHESIVE AMBER 6MIN - PART B

Route of exposure	Result	Time of exposure	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

MMA ADHESIVE AMBER 6MIN - PART B

Route of exposure	Parameter	Value	Result	Species	Sex
Inhalation			Positive		

MMA ADHESIVE AMBER 6MIN - PART B

Creation date

15th February 2021

Revision date

Version

4.0

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information**12.1. Toxicity****Acute toxicity**

Harmful to aquatic life with long lasting effects.

methyl methacrylate

Parameter	Value	Time of exposure	Species	Environment
EC ₅₀	69 mg/l	48 hour	Daphnia (Daphnia magna)	
EC ₅₀	>110 mg/l	72 hour	Algae (Selenastrum capricornutum)	
LC ₅₀	>79 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	

12.2. Persistence and degradability

The mixture is biodegradable.

12.3. Bioaccumulative potential

No bioaccumulation potential.

12.4. Mobility in soil

Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

Not available.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

MMA ADHESIVE AMBER 6MIN - PART B

Creation date	15th February 2021	Version	4.0
Revision date			

SECTION 14: Transport information

- 14.1. UN number or ID number**
UN 1133
- 14.2. UN proper shipping name**
ADHESIVES
- 14.3. Transport hazard class(es)**
3 Flammable liquids
- 14.4. Packing group**
II - substances presenting medium danger
- 14.5. Environmental hazards**
No
- 14.6. Special precautions for user**
Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments**
not available

Additional information

Hazard identification No.
UN number
Safety signs



3

**Road transport - ADR**

Transport category 2
Tunnel restriction code (D/E)

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

MMA ADHESIVE AMBER 6MIN - PART B

Creation date	15th February 2021	Version	4.0
Revision date			

H302+H312 Harmful if swallowed or in contact with skin.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC ₅₀	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution From Ships
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds

MMA ADHESIVE AMBER 6MIN - PART B

Creation date	15th February 2021	Version	4.0
Revision date			

vPvB Very Persistent and very Bioaccumulative

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 12 April 2018. Changes were made in sections 1, 2, 3, 8, 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.