

PLASTIC & METAL REAPIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Substance / mixture

Number

UFI

PLASTIC & METAL REAPIR SYSTEM - CLEANER

mixture

R 34371

UW52-737V-M00P-U09W

1.2. Relevant identified uses of the substance or mixture and uses advised against**Mixture's intended use**

Cleaning agent.

Main intended use

PC-CLN-OTH

Other cleaning, care and maintenance products (excludes biocidal products)

Mixture uses advised against

For professional use only.

1.3. Details of the supplier of the safety data sheet**Supplier**

Name or trade name

Address

Identification number (CRN)

VAT Reg No

Phone

E-mail

Web address

RETECH, s.r.o.

Vackova 1541/4, Praha 5 - Stodůlky, 155 00

Czech Republic

25018205

CZ25018205

+420327596428

info@retech.cz

www.retech.com

Competent person responsible for the safety data sheet

Name

E-mail

RETECH, s.r.o.

info@retech.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Flam. Liq. 3, H226

Eye Irrit. 2, H319

Most serious adverse physico-chemical effects

Flammable liquid and vapour.

Most serious adverse effects on human health and the environment

Causes serious eye irritation.

2.2. Label elements**Hazard pictogram****Signal word**

Warning

Hazard statements

H226

H319

Flammable liquid and vapour.

Causes serious eye irritation.

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use powder extinguisher/foam/carbon dioxide to extinguish.

Supplemental information

Density 0.95 g/cm³

VOC 21,90 %

VOC limit value cat. B (a) : 850 g/l

Max. VOC content in the product in its ready to use condition 207,64 g/l

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7	isopropanol	10-<20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
CAS: 1569-01-3 EC: 216-372-4 Registration number: 01-2119474443-37-0000	1-propoxypropan-2-ol	1-<5	Flam. Liq. 3, H226 Eye Irrit. 2, H319	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. And wash it before reuse. Wash the affected area with plenty of water, lukewarm if possible. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Provide medical treatment. Do not induce vomiting unless directed to do so by medical personnel. Do not provide anything by mouth if the person is unconscious or if having cramps.

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

not available

If on skin

not available

If in eyes

Causes serious eye irritation.

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

not available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

Do not breathe smoke. The mixture is flammable. Vapours mixed up with air can be explosive.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water. Dispose of contaminated extinguishing water and remains after the fire in accordance with the official regulations. EN137 - Respiratory protective devices — Self-contained open-circuit compressed air breathing apparatus with full face mask. EN 469 - Protective clothing for firefighters - Performance requirements for protective clothing for firefighting. EN 659+A1: - Protective gloves for firefighters.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Stop leak if safe to do so. Provide sufficient ventilation. Flammable liquid and vapour. Remove all ignition sources. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as per Section 8. Keep unprotected persons away.

6.2. Environmental precautions

Do not allow product to reach sewage system or any water course.

6.3. Methods and material for containment and cleaning up

Ventilate the room. Large spills may be taken up with pump. Place the spilled product in the properly closed containers and dispose of it according to the section 13. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

SECTION 7: Handling and storage
7.1. Precautions for safe handling

The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use only outdoors or in a well-ventilated area. Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. Take action to prevent static discharges. Use of antistatic clothes and footwear is recommended. Electrostatic charge may be formed during use; use only earthed piping (tubing) when repumping. Do not use compressed air for filling, emptying or another handling. Pressurised container: May burst if heated. Avoid release to the environment. Do not eat, drink or smoke when using this product. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep away from sparks, open flames and other ignition sources. Store away from incompatible materials.

Content	Packaging type	Material of package
125 ml	bottle	

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection
8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

1-propoxypropan-2-ol			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	264 mg/m ³	Chronic effects systemic
Workers	Dermal	82.5 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	38 mg/m ³	Chronic effects systemic
Consumers	Dermal	36 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	11 mg/kg bw/day	Chronic effects systemic

PNEC

1-propoxypropan-2-ol	
Route of exposure	Value
Freshwater environment	0.1 mg/l
Marine water	0.01 mg/l
Microorganisms in sewage treatment	4 mg/l
Freshwater sediment	0.386 mg/kg of dry substance of sediment
Sea sediments	0.039 mg/kg of dry substance of sediment
Food chain	0.018 mg/kg of dry substance of soil

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. Ensure workplace is equipped with a safety shower and eye wash station.

Eye/face protection

Tightly sealed goggles. EN166 - Personal Eye Protection Standard.

Skin protection

Hand protection: Protective gloves resistant to the product. Category III. EN ISO 374-1. Material of gloves: Nitrile rubber, NBR. Penetration time of glove material: 240 min. Recommended thickness of the material: 0.5 mm. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: Wear category I professional long-sleeved overalls and safety footwear (see Regulation (EU) 2016/425 and standard EN ISO 20344). Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. Filter AX. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

EN137 - Respiratory protective devices — Self-contained open-circuit compressed air breathing apparatus with full face mask. EN143 - Respiratory protective devices - Gas filter(s) and combined filter(s). EN138 - Respiratory protective devices. Specification for fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece assembly. EN 529 - Respiratory protective devices. Recommendations for selection, use, care and maintenance. Guidance document.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	red
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	>35 °C
Flammability	Flammable liquid and vapour.
Lower and upper explosion limit	data not available
Flash point	28 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	9.8 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	18.5 mmHg
Density and/or relative density	
Density	0.95 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid
data not available	

9.2. Other information

Evaporation rate	data not available
Content of organic solvents (VOC)	21.90 %

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

VOC limit value cat. B (a) : 850 g/l
Max. VOC content in the product in its ready to use condition 207.64 g/l
Product is not selfigniting.

SECTION 10: Stability and reactivity**10.1. Reactivity**

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Vapours mixed up with air can be explosive.

10.4. Conditions to avoid

Protect against overheating. Take action to prevent static discharges. The product should be used only in the areas where it is not in contact with open fire and other ignition sources.

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological data is available for the mixture. In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Acute toxicity

Based on available data the classification criteria are not met.

isopropanol					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	4710 mg/kg		Rat	
Dermal	LD ₅₀	12800 mg/kg		Rat	
Inhalation	LD ₅₀	72.6 mg/l	4 hours	Rat	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

not available

12.2. Persistence and degradability

Not available.

Biodegradability

isopropanol				
Parameter	Value	Exposure time	Environment	Result
				Easily biodegradable

12.3. Bioaccumulative potential

Not available.

isopropanol					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Kow	0.05				

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

13.1. Waste treatment methods

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 04 inorganic wastes other than those mentioned in 16 03 03

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information
14.1. UN number or ID number

UN 1987

14.2. UN proper shipping name

ALCOHOLS, N.O.S.

14.3. Transport hazard class(es)

3 Flammable liquids

14.4. Packing group

III

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments


not relevant

Additional information

Hazard identification No.

UN number

Safety signs



3


Road transport - ADR

Limited quantities	5 L
Excepted quantities	E2
Transport category	3
Tunnel restriction code	(D/E)

Railway transport - RID

Excepted quantities	E2
---------------------	----

Air transport - ICAO/IATA

Packaging instructions passenger	355
Cargo packaging instructions	366

Marine transport - IMDG

EmS (emergency plan)	F-E, S-D
----------------------	----------

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date

27th November 2024

Revision date

Version

3.1

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use powder extinguisher/foam/carbon dioxide to extinguish.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry

PLASTIC & METAL REPAIR SYSTEM - CLEANER

Creation date 27th November 2024

Revision date Version 3.1

LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
STOT SE	Specific target organ toxicity - single exposure
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.1 replaces the SDS version from Tuesday, 29 November 2022. Changes were made in sections 1, 2, 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.