

SUPER LUBE

Creation date	15th September 2022	Version	5.0
Revision date			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture SUPER LUBE
mixture
Number R 34403
UFI 9P82-E3AK-E00G-0WXY
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Grease.
Mixture uses advised against
For professional use only.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
Name or trade name RETECH, s.r.o.
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00
Czech Republic
Identification number (CRN) 25018205
VAT Reg No CZ25018205
Phone +420327596428
E-mail info@retech.cz
Web address www.retech.com
- Competent person responsible for the safety data sheet**
Name RETECH, s.r.o.
E-mail info@retech.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H222, H229
Asp. Tox. 1, H304
Skin Irrit. 2, H315
Eye Irrit. 2, H319
STOT SE 3, H336
Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Extremely flammable aerosol. Pressurised container: May burst if heated.

Most serious adverse effects on human health and the environment

May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

- 2.2. Label elements**

Hazard pictogram**Signal word**

Danger

SUPER LUBE

 Creation date 15th September 2022
 Revision date Version 5.0

Hazardous substances

 pentane
 hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
 propan-2-ol
 1-methoxy-2-propanol

Hazard statements

 H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/eye protection/face protection.
 P302+P352 IF ON SKIN: Wash with plenty of water and soap.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P391 Collect spillage.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
 P501 Dispose of contents/container to in accordance with national regulations.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 106-97-8 EC: 203-448-7 Registration number: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8))	25-<50	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	
CAS: 109-66-0 EC: 203-692-4 Registration number: 01-2119459286-30	pentane	10-<25	Flam. Liq. 1, H224 Asp. Tox. 1, H304 STOT SE 3, H336 Aquatic Chronic 2, H411 EUH066	1
EC: 921-024-6 Registration number: 01-2119475514-35	hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	10-<25	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	
CAS: 74-98-6 EC: 200-827-9 Registration number: 01-2119486944-21	propane	2,5-<10,0	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	

SUPER LUBE

 Creation date 15th September 2022
 Revision date Version 5.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 75-28-5 EC: 200-857-2 Registration number: 01-2119485395-27	isobutane	2,5-<10,0	Flam. Gas 1A, H220 Press. Gas (compressed gas), H280	
CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25	propan-2-ol	1,0-<2,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
CAS: 1305-62-0 EC: 215-137-3 Registration number: 01-2119475151-45	calcium-dihydroxide	1,0-<2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	1
CAS: 107-98-2 EC: 203-539-1 Registration number: 01-2119457435-35	1-methoxy-2-propanol	1,0-<2,5	Flam. Liq. 3, H226 STOT SE 3, H336	1
CAS: 95-38-5 EC: 204-414-9 Registration number: 01-2119777867-13	2-(2-heptadec-8-enyl-2-imidazolin-1-yl) ethanol	0,025≤0,1	Acute Tox. 4, H302 Skin Corr. 1C, H314 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	

Notes

1 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures
4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. In the event of issues, find medical advice.

If on skin

Generally the product does not irritate the skin.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

If swallowed

DO NOT INDUCE VOMITING! Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed
If inhaled

May cause drowsiness or dizziness.

If on skin

Causes skin irritation.

If in eyes

Causes serious eye irritation.

If swallowed

not available

4.3. Indication of any immediate medical attention and special treatment needed

not available

SUPER LUBE

Creation date 15th September 2022
Revision date Version 5.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

not available

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Use personal protective equipment for work. Keep unprotected persons away.

6.2. Environmental precautions

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

6.3. Methods and material for containment and cleaning up

Provide sufficient ventilation. Do not flush with water or aqueous cleansing agents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. No smoking. Take precautionary measures against static discharge. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive (EU) 2017/164

Substance name (component)	Type	Value	Note
calcium-dihydroxide (CAS: 1305-62-0)	OEL 8 hours	1 mg/m ³	Respirable fraction.
	OEL 15 minutes	4 mg/m ³	

European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
1-methoxy-2-propanol (CAS: 107-98-2)	OEL 8 hours	375 mg/m ³	Skin
	OEL 8 hours	100 ppm	
	OEL 15 minutes	568 mg/m ³	

SUPER LUBE

Creation date

15th September 2022

Revision date

Version

5.0

European Union
Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
1-methoxy-2-propanol (CAS: 107-98-2)	OEL 15 minutes	150 ppm	Skin

European Union
Commission Directive 2006/15/EC

Substance name (component)	Type	Value	Note
pentane (CAS: 109-66-0)	OEL 8 hours	3000 mg/m ³	
	OEL 8 hours	1000 ppm	

DNEL

1-methoxy-2-propanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	3.3 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	18.1 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	50.6 mg/kg bw/day	Systemic chronic effects		
Workers	Inhalation	553.5 mg/m ³	Local acute effects		
Consumers	Inhalation	43.9 mg/m ³	Systemic chronic effects		
Workers	Inhalation	369 mg/m ³	Systemic chronic effects		

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	699 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	699 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	773 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	608 mg/m ³	Systemic chronic effects		
Workers	Inhalation	2035 mg/m ³	Systemic chronic effects		

pentane

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	3000 mg/m ³	Systemic chronic effects		
Consumers	Inhalation	643 mg/m ³	Systemic chronic effects		
Workers	Dermal	432 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	214 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	214 mg/kg bw/day	Systemic chronic effects		

SUPER LUBE

 Creation date 15th September 2022
 Revision date Version 5.0

propan-2-ol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	26 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	319 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	888 mg/kg bw/day	Systemic chronic effects		
Consumers	Inhalation	89 mg/m ³	Systemic chronic effects		
Workers	Inhalation	500 mg/m ³	Systemic chronic effects		

PNEC

1-methoxy-2-propanol

Route of exposure	Value	Value determination	Source
Freshwater environment	10 mg/l		
Freshwater sediment	41.6 mg/l		
Soil (agricultural)	2.47 µg/kg		

8.2. Exposure controls

Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Do not inhale gases and vapours. Do not inhale aerosols.

Eye/face protection

Tightly sealed goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Material of gloves: Nitrile rubber, NBR. Recommended thickness of the material: ≥ 0.5 mm. Penetration time of glove material: > 480 min. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Filter A2/P2.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state	gas
Colour	white
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	-44,5 °C
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	
bottom	0,8 %
upper	20,0 %
Flash point	-97 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	almost insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	2100 hPa at 20 °C

SUPER LUBE

Creation date 15th September 2022
Revision date Version 5.0

Density and/or relative density
Density 0,637 g/cm³ at 20 °C
Form aerosol dispenser: spray aerosol
data not available

9.2. Other information

Evaporation rate data not available
Ignition temperature >200 °C
Explosive properties The product does not have explosive properties but can be explosive when blended with air.
Content of organic solvents (VOC) 82,8 %
Solid content (dry matter) 13,8 % volume
Max. VOC content in the product in its ready to use condition 527,4 g/l
Product is not selfigniting.

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

not available

10.5. Incompatible materials

not available

10.6. Hazardous decomposition products

Unknown.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-methoxy-2-propanol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	4016 mg/kg		Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rat	
Inhalation	LC ₅₀	28.8 mg/l	4 hour	Rat	
Inhalation	LC ₅₀	27596 mg/m ³	6 hour	Rat	

calcium-dihydroxide

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>2001 mg/kg		Rat	
Dermal	LD ₅₀	>2500 mg/kg		Rabbit	

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5840 mg/kg		Rat	
Dermal	LD ₅₀	>2920 mg/kg		Rabbit	
Inhalation	LC ₅₀	>25 mg/l	4 hour	Rat	

SUPER LUBE

 Creation date 15th September 2022
 Revision date Version 5.0

pentane

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	>5000 mg/kg		Rat	

propan-2-ol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	5840 mg/kg		Rat	
Dermal	LD ₅₀	13900 mg/kg		Rabbit	
Inhalation	LC ₅₀	25000 mg/m ³	6 hour	Rat	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information
12.1. Toxicity
Acute toxicity

Toxic to aquatic life with long lasting effects.

1-methoxy-2-propanol

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	6812 mg/l	96 hour	Fishes	
EC ₅₀	23300 mg/l	48 hour	Daphnia (Daphnia magna)	

calcium-dihydroxide

Parameter	Value	Exposure time	Species	Environment
EC ₅₀	184.57 mg/l	72 hour	Algae	
LC ₅₀	50.6 mg/l	96 hour	Fishes	
EC ₅₀	59.1 mg/l		Daphnia	

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Parameter	Value	Exposure time	Species	Environment
LL 50	11.4 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
EL 50	3 mg/l	48 hour	Invertebrates (Daphnia magna)	

SUPER LUBE

 Creation date 15th September 2022
 Revision date Version 5.0

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Parameter	Value	Exposure time	Species	Environment
EL 50	30-100 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

pentane

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	4.26 mg/l	96 hour	Fishes (Oncorhynchus mykiss)	
EC ₅₀	2.7 mg/l	48 hour	Invertebrates (Daphnia magna)	
EC ₅₀	10.7 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

propan-2-ol

Parameter	Value	Exposure time	Species	Environment
LC ₅₀	9714 mg/l	24 hour	Invertebrates (Daphnia magna)	
LC ₅₀	9640 mg/l	96 hour	Fishes (Pimephales promelas)	

Chronic toxicity

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Parameter	Value	Exposure time	Species	Environment
LOEC	0.32 mg/l	21 day	Invertebrates (Daphnia magna)	
NOEC	0.17 mg/l	21 day	Invertebrates (Daphnia magna)	
NOELR	3 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

pentane

Parameter	Value	Exposure time	Species	Environment
NOEC	7.51 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

propan-2-ol

Parameter	Value	Exposure time	Species	Environment
LOEC	1000 mg/l	8 day	Algae	

12.2. Persistence and degradability

Limited biodegradability.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

SUPER LUBE

Creation date	15th September 2022	Version	5.0
Revision date			

Ecotoxicological effects: Remark: Toxic for fish

Additional ecological information:

General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 03 05 organic wastes containing hazardous substances *

Packaging waste type code

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information**14.1. UN number or ID number**

UN 1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2 Gases

14.4. Packing group

not relevant

14.5. Environmental hazards

Yes

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information


Stowage Code: SW1 Protected from sources of heat. SW2 Clear of living quarters. Segregation Code: SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1+hazardous for the environment



SUPER LUBE

Creation date	15th September 2022	Version	5.0
Revision date			

Road transport - ADR

Limited quantities	1L
Excepted quantities	E0
Tunnel restriction code	(D)

Railway transport - RID**Marine transport - IMDG**

Hazard initiator	PENTANES, Hydrocarbons, C6-C7, nalkanes, isoalkanes, cyclics, <5% n-hexane,
EmS (emergency plan)	F-D, S-U
Marine Pollutant	Yes

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

>=30 % aliphatic hydrocarbons

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.

SUPER LUBE

Creation date	15th September 2022	Version	5.0
Revision date			

P280	Wear protective gloves/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391	Collect spillage.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₅₀	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
ES	Identification code for each substance listed in EINECS
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LL ₅₀	Lethal Loading for 50% of tested organisms
log K _{ow}	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEC	No observed effect concentration
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

SUPER LUBE

Creation date	15th September 2022	Version	5.0
Revision date			

Acute Tox.	Acute toxicity
Aerosol	Aerosol
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from 09 December 2020. Changes were made in sections 11, 12, 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.