

**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier**  
Substance / mixture TYRE DRESSING  
Number 1 35226  
UFI FSG2-KDW0-5003-7Q5P
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Tyre dressing.  
**Mixture uses advised against**  
For professional use only.
- 1.3. Details of the supplier of the safety data sheet**  
**Supplier**  
Name or trade name RETECH, s.r.o.  
Address Vackova 1541/4, Praha 5 - Stodůlky, 155 00  
Czech Republic  
Identification number (CRN) 25018205  
VAT Reg No CZ25018205  
Phone +420327596428  
E-mail info@retech.cz  
Web address www.retech.com  
**Competent person responsible for the safety data sheet**  
Name RETECH, s.r.o.  
E-mail info@retech.cz
- 1.4. Emergency telephone number**  
European emergency number: 112

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Aerosol 1, H222, H229

Full text of all classifications and hazard statements is given in the section 16.

**Most serious adverse physico-chemical effects**

Extremely flammable aerosol. Pressurised container: May burst if heated.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Danger

**Hazard statements**

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.

**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

P251	Do not pierce or burn, even after use.
P280	Wear protective gloves.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to in accordance with national regulations.

**Supplemental information**

EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
--------	--

**2.3. Other hazards**

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68476-85-7 EC: 270-704-2	Petroleum gases, liquefied	5-10	Flam. Gas 1, H220 Press. Gas (liquefied gas), H280 Specific concentration limit: ATE Inhalačně (páry) = 21,6 mg/l	
CAS: 107-21-1 EC: 203-473-3 Registration number: 01-2119456816-28-XXXX	ethanediol	1-5	Acute Tox. 4, H302 STOT RE 2, H373 Specific concentration limit: ATE Orálně = 500 mg/kg TH	2
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	<1	Acute Tox. 3, H301+H311+H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Specific concentration limit: ATE Orálně = 53 mg/kg TH ATE Dermálně = 300 mg/kg TH ATE Inhalačně (páry) = 3 mg/l	1

**Notes**

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Transfer the affected person to the fresh air and ensure calm environment for body and mind. Remove person to fresh air and keep comfortable for breathing. In the event of issues, find medical advice.

**If on skin**

Wash the affected area with plenty of water, lukewarm if possible. In the event of issues, find medical advice.

**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. In the event of issues, find medical advice.

**If swallowed**

Rinse out the mouth with clean water. DO NOT INDUCE VOMITING! In the event of issues, find medical advice.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Cough. Chest tightness.

**If on skin**

Prolonged or repeated contact with the product causes skin degreasing and drying. May cause sensitisation or allergic reactions in sensitive individuals.

**If in eyes**

When intruding eyes, it can evoke irritation.

**If swallowed**

Gastrointestinal symptoms, including upset stomach.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, foam, powder.

**Unsuitable extinguishing media**

not available

**5.2. Special hazards arising from the substance or mixture**

Pressurised container: May burst if heated. In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise.

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing. Cool containers exposed to flames with water until well after the fire is out.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide sufficient ventilation. Do not inhale vapours. In case of inadequate ventilation wear respiratory protection. Extremely flammable aerosol. Pressurised container: May burst if heated. Remove all ignition sources. No smoking. Take precautionary measures against static discharge. Do not touch or walk through spilt material. Danger of slipping on spilled product. Use personal protective equipment for work. Do not get in eyes, on skin, or on clothing. Wash hands and exposed parts of the body thoroughly after handling.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

**6.3. Methods and material for containment and cleaning up**

Ventilate the room. Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. After removal of the product, wash the contaminated site with plenty of water.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**TYRE DRESSING**

 Creation date 30th June 2021  
 Revision date Version 4.1

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**

Use personal protective equipment as per Section 8. Ensure good ventilation/exhaustion at the workplace. Do not inhale vapours. Do not get in eyes, on skin, or on clothing. Wash hands and exposed parts of the body thoroughly after handling. Do not spray on an open flame or other ignition source. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Pressurised container: May burst if heated. Keep away from sources of heating, ignition and direct sunlight. Do not pierce or burn, even after use. Do not eat, drink or smoke when using this product. Do not empty unused product in drainage systems.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
400 ml	aerosol can	FE

Storage temperature min 4 °C, max 40 °C

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union**
**Commission Directive 2000/39/EC**

Substance name (component)	Type	Value	Note
ethanediol (CAS: 107-21-1)	OEL 8 hours	52 mg/m <sup>3</sup>	Skin
	OEL 8 hours	20 ppm	
	OEL 15 minutes	104 mg/m <sup>3</sup>	
	OEL 15 minutes	40 ppm	

**DNEL**

ethanediol

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	106 mg/kg bw/day	Systemic chronic effects	
Workers	Inhalation	35 mg/m <sup>3</sup>	Local chronic effects	
Consumers	Dermal	53 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	7 mg/m <sup>3</sup>	Local chronic effects	

**PNEC**

ethanediol

Route of exposure	Value	Determining method
Freshwater environment	10 mg/l	
Water (intermittent release)	10 mg/l	
Freshwater sediment	20.9 mg/kg of dry substance of sediment	
Soil (agricultural)	1.53 mg/kg of dry substance of soil	
Seawater	1 mg/l	
Sea sediments	3.7 mg/kg of dry substance of sediment	

**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

ethanediol

Route of exposure	Value	Determining method
Microorganisms in wastewater treatment plants	199.5 mg/l	

**8.2. Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Tightly sealed goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

**Skin protection**

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. Material of gloves: Nitrile rubber, NBR. Rubber (natural, latex). Neoprene. Recommended thickness of the material: ≥ 0.15 mm. Penetration time of glove material: ≥ 240 min. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Other protection: protective workwear.

**Respiratory protection**

Under regular circumstances it is not necessary. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. Filter A2/P2. Organic vapour + dust and mist filter. Check that the respirator fits tightly and the filter is changed regularly.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	white
Odour	fruit-like
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	soluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	data not available
Form	aerosol

**TYRE DRESSING**

 Creation date 30th June 2021  
 Revision date Version 4.1

data not available

**9.2. Other information**

Evaporation rate non-applicable

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

When used in the standard way, there is not any dangerous reaction with other substances.

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

not available

**10.4. Conditions to avoid**

Keep away from sources of heating, ignition and direct sunlight. Pressurised container: May burst if heated.

**10.5. Incompatible materials**

Unknown.

**10.6. Hazardous decomposition products**

Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

**SECTION 11: Toxicological information**
**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

ethanediol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Oral	ATE	500 mg/kg bw				

Petroleum gases, liquefied

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Inhalation	LC <sub>50</sub>	21.6 mg/l		Rat		
Inhalation (vapor)	ATE	21,6 mg/l				

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Oral	LD <sub>50</sub>	53 mg/kg		Rat		Estimated value
Oral	ATE	53 mg/kg bw				
Dermal	ATE	300 mg/kg bw				
Inhalation (vapor)	ATE	3 mg/l				

TYRE DRESSING

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method
Oral	ATE	13698.63 mg/kg				

**Skin corrosion/irritation**

Based on available data the classification criteria are not met.

**Serious eye damage/irritation**

Based on available data the classification criteria are not met.

**TYRE DRESSING**

Creation date 30th June 2021  
Revision date Version 4.1

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Route of exposure	Result	Time of exposure	Species	Sex	Source
Skin	Sensitizing		Guinea-pig		Guinea pig maximization test (GPMT)

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

ethanediol

Route of exposure	Parameter	Value	Specific target organ	Result	Species	Sex
Oral		300 mg/kg/24hour	Kidney		Rat	

**Aspiration hazard**

Based on available data the classification criteria are not met.

**11.2. Information on other hazards**

not available

**SECTION 12: Ecological information**

**12.1. Toxicity**

**Acute toxicity**

Data for the mixture are not available.

ethanediol

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC <sub>50</sub>	72860 mg/l	96 hour	Fishes (Pimephales promelas)		
EC <sub>50</sub>	>100 mg/l	48 hour	Daphnia (Daphnia magna)		
EC <sub>50</sub>	6500-13000 mg/l	96 hour	Fishes (Selenastrum capricornutum)		

**TYRE DRESSING**

Creation date 30th June 2021  
Revision date Version 4.1

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Parameter	Value	Time of exposure	Species	Environment	Determining method
LC50	13 mg/l	96 hour	Fishes (Oncorhynchus mykiss)		Estimated value

**Chronic toxicity**

ethanediol

Parameter	Value	Time of exposure	Species	Environment
NOEC	15380 mg/l	7 day	Fishes	
NOEC	8590 mg/l	7 day	Aquatic invertebrates	

**12.2. Persistence and degradability**

The mixture is biodegradable.

**12.3. Bioaccumulative potential**

No bioaccumulation potential.

**12.4. Mobility in soil**

The product is soluble in water.

**12.5. Results of PBT and vPvB assessment**

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**12.6. Endocrine disrupting properties**

not available

**12.7. Other adverse effects**

Not regarded as dangerous for the environment.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste.

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Waste type code**

16 03 05 organic wastes containing hazardous substances \*

**Packaging waste type code**

15 01 11 metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers \*

(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

**SECTION 14: Transport information**

**14.1. UN number or ID number**

UN 1950

**14.2. UN proper shipping name**

AEROSOLS

**14.3. Transport hazard class(es)**

2 Gases

**14.4. Packing group**

not relevant



**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

**14.5. Environmental hazards**

not relevant

**14.6. Special precautions for user**


Reference in the Sections 4 to 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**Additional information**

Hazard identification No.



UN number

Classification code

5F

Safety signs

2.1

**Road transport - ADR**

Tunnel restriction code

(D)

**Railway transport - RID****Marine transport - IMDG**

EmS (emergency plan)

F-D, S-U

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

**Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended**

15-<30 % aliphatic hydrocarbons, <5 % non-ionic surfactants, BENZOISOTHIAZOL-3(2H)-ONE, Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-Methylisothiazol-3(2H)-one

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.

**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

**Guidelines for safe handling used in the safety data sheet**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P280	Wear protective gloves.
P501	Dispose of contents/container to in accordance with national regulations.

**A list of additional standard phrases used in the safety data sheet**

EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
--------	--

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
MARPOL	International Convention for the Prevention of Pollution from Ships
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aerosol	Aerosol

**TYRE DRESSING**

Creation date	30th June 2021	Version	4.1
Revision date			

Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Flam. Gas	Flammable gas
Press. Gas	Gases under pressure
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

The version 4.1 replaces the SDS version from 9th November 2020. Changes were made in sections 2, 3 and 16.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.