

Tyre Refresh



Professional tyre revitaliser.





Properties:

- High efficiency
- Matt appearance of the treated surface
- Silicone-free

Advantages:

- Quick application
- Simple use

Applications:

RETECH Tyre Refresh is a highly efficient professional product for thorough tyre revitalisation and protection. Antistatic properties, protects from brittling, and decreases the chance of further soiling.

Order codes:

Name	Storage code	Package	Volume / Size	Order number
Tyre Refresh	TRF1	Bottle	11	1 35850
Tyre Refresh 5L	TRF5	Canister	51	1 35851



Instructions for use:

- 1. Wet clean and dry the tyre in case of heavy soiling.
- 2. Shake well before use.
- 3. Apply evenly on a dry tyre surface.
- 4. Spread with a clean **RETECH Microfibre Cloth** to make an even layer and leave to dry.

Note - repeat to reinforce the effect.

ONLY FOR PROFESSIONAL AND INDUSTRIAL USE!

Technical data:

Consistency:	Liquid
Colour:	White
pH:	6.5 - 7
Density:	1.000 g/ml
Application temperature:	5 °C - 35 °C

Storage:

In a dry place at a temperature +5 °C to +25 °C. Protect from direct sunlight and subzero temperatures.

Healt and Safety:

Health and Safety information is available in the Material Safety Data Sheet and on the label.

Declaration:

The information and recommendations in this publication are to the best of our knowledge reliable. However nothing herein is to be construed as a warranty or representation. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

Address:

RETECH, s.r.o., Vackova 1541/4; Praha 5 - Stodůlky; Czech Republic Contact address: 285 02 Suchdol u Kutné Hory cp. 212; tel./fax: +420 327 596 128; e-mail: info@retech.cz